


TOWNSHIP 53 NORTH, RANGE 65 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

CORRECTIVE DEPENDENT RESURVEY



The cor. of secs. 23, 24, 25 and 26, monumented with an iron post, 2 ins. diam., firmly set, projecting 6 ins. above the ground, with brass cap mkd. as shown, from which the remains of an original bearing tree

A pine stump, 12 ins. diam., bears S. 60° W., 40 lks. dist., no mks. visible.

Point for the 1/4 sec. cor. of secs. 23 and 26, at proportionate distance; there is no remaining evidence of the original cor.

Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, atop a white DEEP-1 magnetic marker, with aluminum cap mkd. as shown.

Set a steel fence post alongside and raise a mound of stone, 4 ft. base, 2 ft. high, N. of the cor.

From this point, an iron post, 1 in. diam., firmly set projecting 14 ins. above the ground, bears S. 4°25' E., 1.74 chs. dist., with a brass cap erroneously mkd. S23 1/4 S24 SC 1913. Mark the brass cap AM in large letters and bury the monument in place 6 ins. below the surface of the ground.

The cor. of secs. 22, 23, 26 and 27, monumented with an iron post, 2 ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as shown, from which the original bearing trees

A pine stump, 14 ins. diam., bears S. 30°38' E., 25 lks. dist., with a healed blaze. (Record: S. 23° E., 18 lks.)

A pine stump, 16 ins. diam., bears S. 79° W., 37 lks. dist., no mks. visible. (Record: 38 lks.)

The 1/4 sec. cor. of secs. 22 and 23, determined at record bearing and dist. from the 1913 bearing trees

A pine, 18 ins. diam., bears N. 14° W., 173 lks. dist., mkd. 1/4 S22 BT on a partially healed blaze. (Record: N. 16° W.)

A pine, 14 ins. diam., bears N. 72° E., 99 lks. dist., with a healed blaze. (Record: N. 69° E.)

At the corner point

Set an aluminum post 28" long, 2 1/2 ins. diam., 24 ins. in the ground, in a collar of stone with cap mkd. as shown.

From this point, an iron post, 1 in. diam., firmly set, in a collar of stone, projecting 10 ins. above the ground, bears S. 50°47' W., 2.24 chs. dist., with a steel fence post and two tires alongside, with a brass cap mkd. 1/4 S22 S23 1913. Mark the brass cap AM in large letters and bury the monument in place 6 ins. below the surface of the ground.

The cor. of secs. 14, 15, 22 and 23, a pine 10 ins., diam., with healed blazes on all four faces, from which the original bearing trees

A pine, 12 ins. diam., bears N. 19° E., 8.5 lks. dist., with illegible scribe mks. on a partially healed blaze.

A pine, 12 ins. diam., bears S. 31° E., 11 lks. dist., mkd. 65 S23 BT on a partially healed blaze. (Record: S. 40° E., 10 lks.)

A pine, 12 ins. diam., bears S. 33° W., 43.5 lks. dist., with illegible scribe mks. on a partially healed blaze. (Record: S. 31° W., 43 lks.)

SURVEY INFORMATION AND CERTIFICATE

This plat represents the entire record of the corrective dependent resurvey of a portion of the subdivisional lines designed to restore the corners in their true original locations according to the best available evidence.

The history of surveys pertaining to this survey is: W. F. Benson surveyed the subdivisional lines in 1882. Wilford W. Utterback and Mark M. Kelley dependently resurveyed the subdivisional lines in 1913.

The position of the 1/4 sec. cors. of secs. 23 and 26, and secs. 22 and 23, were purported as not conforming to the official record by letter dated December 18, 1996 from Darrel L. Schlup, High Plains of Wyoming, Newcastle, Wyoming. A field investigation confirmed the purported findings. The correct positions for the 1/4 sec. cors. were monumented during the course of this corrective dependent resurvey with ties to the erroneous positions and are described in detail herein.

The lottings and areas are as shown on the plat approved September 14, 1915.

The direction of the lines refer to the true meridian as determined by direct hour angle observations of the sun and carried forward by sustained angulation. Measurements were made using a WILD theodolite, Model T-1000, a WILD electronic distance meter, Model DI-2000 and by chaining methods. The instruments were maintained in proper adjustment at all times.

The geographic position of the corner of sections 23, 24, 25 and 26, was determined by a Precise Positioning Service Global Positioning System Receiver.

The area embraced by this survey is situated in the central portion of Crook County, approximately 9 miles south of Hulett Wyoming. The elevation ranges from about 4,060 to 4,270 feet above sea level. Access is provided by Lytle Creek Road. Drainage is by Lytle Creek which flows northwesterly to the Belle Fourche River. The vegetation consists of native and domestic grasses, with areas of scattered pine timber.

I, James D. Claflin, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of Special Instructions dated December 27, 1996, and Assignment Instructions dated December 27, 1996, for Group Number 633, Wyoming, I have corrected the dependent resurvey of a portion of the subdivisional lines in, Township 53 N., Range 65 W., Sixth Principal Meridian, Wyoming, and that this plat in one sheet represents the entire record of this survey. Field assistants were Lynn A. Forbes, Cadastral Surveyor and Bruce M. Mortimer Surveying Technician. Survey commenced, December 30, 1996, was completed February 10, 1997 and has been made in strict conformity with the Special Instructions, the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 1973 and in the specific manner described hereon.

James D. Claflin
Cadastral Surveyor

December 22, 1997
Date



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming December 22, 1997


This plat representing the entire record of this survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee
Chief Cadastral Surveyor for Wyoming



Resurvey Township No 53 North Range No 65 West of the Sixth Principal Meridian, Wyoming.



See Index to Patented Entries

Areas in Acres	
Public Land	19395.58
Indian Reservation	
Indian Allotments	
Mineral Claims	
Water Surface	
Total Area	

Scale 40 Chains to an inch

Mean Magnetic Declination
Latitude 44°31'N
Longitude 104°36'W

Surveys Designated	By Whom Surveyed	No.	Group Date	Amount of Surveys			When Surveyed		
				Mts.	chs.	lks.	Began	Completed	
Resurvey Subdivisions	Utterback & Kelley	22	April 21 1913	60	04	88	Oct 23 1913	Nov 15 1913	
Resurvey West Boundary	"	22	"	6	01	78	Oct 17 1913	Oct 24 1913	
Resurvey North Boundary	"	22	"	5	77	04	Oct 11 1913	Oct 24 1913	
Resurvey Eighth Guide Mer.	"	22	"	6	07	02	Oct 13 1913	Oct 23 1913	
Resurvey Thirteenth St. Par Connections	"	22	"	5	78	65	Oct 11 1913	Oct 22 1913	
						9	81	Oct 11 1913	Oct 22 1913

The above map of Township No 53 North Range No 65 West of the Sixth Principal Meridian Wyoming is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved

U. S. Surveyor General's Office,
Cheyenne, Wyoming, September 14, 1915

Charles J. Becker
Surveyor General.

Table of Patented Entries.

Resurvey Township N^o 53 North Range N^o 65 West of the Sixth Principal Meridian, Wyoming.

Utterback and Kelley
Group 19, April 21, 1913

Original Survey.				
Sec.	Subdivision	ENTRY.		Entryman.
		Kind.	Number.	
1	Lots 2, 3, SW ¹ NE, NW ¹ SE ¹	HE	169	John T. Spaulding
1	Lot 1, SE ¹ NE, NE ¹ SE ¹	Cash	0167	George F. Byrd
1	S ² SE ¹			
12	N ² NE ¹	HE	696	Ida Wilson
1	SE ¹ SW ¹			
12	SW ¹ NW ¹ , E ² NW ¹	HE	0223	Fisa W. Martin
1	Lot 4			
2	Lot 1 S ² NE ¹	Cash	791	Mary F. Hale
3	SW ¹ SW ¹			
4	SE ¹ SE ¹	T.&S.	0398	Alice M. Ripley
5	Lot 2	Cash	05905	Augustus L. Ripley
5	W ² SE ¹	Cash	05963	Augustus L. Ripley
5	SE ¹ NW ¹	Cash	05904	Augustus L. Ripley
5	SW ¹ SW ¹ , NW ¹ SW ¹ , E ² SW ¹	Cash	604	William Thompson
5	SW ¹ SW ¹			
8	N ² NW ¹ , NW ¹ SW ¹	Cash	314	John C. Ryan
8	NE ¹ NW ¹ , NW ¹ NE ¹ , S ² NE ¹	Cash	1037	William P. Lindley
8	NE ¹ NE ¹	T.&S.	447	Mary A. Ryan
8	SE ¹	HE	838	John C. Ryan
8	SE ¹ NW ¹ , NE ¹ SW ¹ , S ² SW ¹	HE	692	William H. Ryan
9	W ² SE ¹ , SE ¹ SE ¹			
10	SW ¹ SW ¹	HE	4326	Isaac B. White
9	NE ¹ SE ¹			
10	NW ¹ SW ¹	Cash	01209	Isaac B. White
10	SE ¹ NW ¹	Cash	01145	Lydia Brimmer
10	SW ¹ NE ¹	Cash	05241	Chas G. Brimmer
11	W ¹ NE ¹ , S ² NE ¹ , SE ¹ NW ¹	HE	2073	Robert L. Carlsson
11	NE ¹ NE ¹			
12	W ¹ NW ¹	Cash	0214	John D. Hale
12	SE ¹ NE ¹	Cash	959	James G. Bush
12	SW ¹ NE ¹ , NW ¹ SE ¹ , E ² SE ¹	HE	3446	Effie Knerr
12	NE ¹ SW ¹ , S ² SW ¹ , SW ¹ SE ¹	HE	1971	John C. F. Robinson
13	N ² NE ¹	HE	689	Peter K. Wells
13	NE ¹ NW ¹	Cash	03835	John C. F. Robinson
13	SE ¹ NW ¹ , NW ¹ SE ¹ , NE ¹ SW ¹ , SW ¹ NE ¹	HE	2595	Graver G. Barron
13	S ² SE ¹			
24	N ² NE ¹	ADD	07573	Lucas B. Brass
13	S ² SW ¹			
14	S ² SE ¹	HE	4242	Lucas B. Brass
13	SE ¹ NE ¹	HE	2092	Lee A. Pearson
13	NW ¹ SW ¹			
14	N ² SE ¹ , SW ¹ NE ¹	HE	3964	William A. Jacobs

Original Survey.				
Sec.	Subdivision.	ENTRY.		Entryman.
		Kind.	Number.	
15	S ² SE ¹			
22	E ² NE ¹	HE	4417	Nelly E. Lapointer
15	E ² SW ¹	Cash	05766	Jacob S. Lebo
15	N ² SW ¹	SS	129	Wyoming
16	All	SS		Wyoming
17	N ² NE ¹ , SW ¹ NE ¹ , NE ¹ NW ¹	HE	4178	Mark Gordon
17	SE ¹ NW ¹	Cash	03435	Mark Gordon
17	W ¹ NW ¹	SS	109	Wyoming
17	SE ¹ NE ¹ , N ² SE ¹ , SE ¹ SE ¹	Cash	01406	Mark Gordon
17	SW ¹ SE ¹ , NE ¹ SW ¹ , S ² SW ¹	H.E.	4152	Abram R. Simon
17	NW ¹ SW ¹	Cash	05738	F.J.C. McKenzie
18	SE ¹ NE ¹ , N ² SE ¹ , NE ¹ SW ¹	HE	07048	Agnes Gordon
18	Lot 2, SE ¹ NW ¹ , SW ¹ NE ¹	Cash	932	John L. Baird
18	SW ¹ SE ¹			
19	NE ¹ NW ¹ , N ² NE ¹	HE	4013	Albert B. Pecht
19	SE ¹ NW ¹ , E ² SW ¹			
30	NE ¹ NW ¹	ADD HE	05182	Newell A. Garman
19	SW ¹ SE ¹			
30	NW ¹ NE ¹	T.&S.	03388	Edgar A. Allen
19	SE ¹ SE ¹			
29	N ² NW ¹			
30	NE ¹ NE ¹	HE	4084	Owen Conley
20	NW ¹	HE	4043	Roy W. Rahestraw
20	W ² SW ¹	Cash	0532	Elizabeth Conley
20	E ² SW ¹ , W ² SE ¹	HE	3864	Sylvester Rahestraw
20	E ² SE ¹			
21	W ² SW ¹	HE	4026	Leonard L. White
21	SW ¹ NW ¹	Cash	03650	Lillie Marshall
21	NW ¹ NE ¹	T.&S.	634	John Gird
21	E ² NE ¹ , SW ¹ NE ¹ , SE ¹ NW ¹	HE	4027	Joseph S. Moore
21	E ² SW ¹ , W ² SE ¹	HE	3738	Charles Warford
21	SE ¹ SE ¹			
28	N ² NE ¹ , NE ¹ NW ¹	HE	3824	John P. Albertson
21	NE ¹ SE ¹			
22	W ² SW ¹			
27	NW ¹ NW ¹	HE	3825	Oliver D. Grimm
22	N ² NW ¹ , W ² NE ¹	HE	1290	Jacob S. Lebo
22	S ² NW ¹	Cash	0911	Jacob S. Lebo
22	NE ¹ SW ¹ , W ² SE ¹			
27	NW ¹ NE ¹	HE	2344	Minnie Schlichting
22	SE ¹ SW ¹	Cash	0807	Raphael K. Mespell


Original Survey.				
Sec.	Subdivision	ENTRY.		Entryman.
		Kind.	Number.	
27	NE ¹ NW ¹	Cash	0807	Raphael K. Mespell
22	SE ¹ SE ¹			
27	NE ¹ NE ¹	ADD HE	05391	Luke O. Smith
22	NE ¹ SE ¹			
23	N ² SW ¹ , SE ¹ SW ¹	HE	247	James E. Roberts
23	SW ¹ SW ¹			
26	N ² NW ¹ , NW ¹ SW ¹	HE	4508	Luke O. Smith
24	S ² SE ¹			
24	SW ¹ SW ¹			
26	NE ¹ NE ¹	HE	182	Adelbert W. Storm
23	N ² SE ¹ , SE ¹ NE ¹			
24	NW ¹ SW ¹	HE	4231	Samuel W. Brass
24	SW ¹ NW ¹ , E ² NW ¹ , NE ¹ SW ¹	Cash	1282	James L. Hutchins
25	NE ¹ NW ¹ , W ² NE ¹ , SE ¹ NE ¹	HE	999	James F. Hutchins
25	NE ¹ SE ¹	SS	1	Wyoming
25	S ² NW ¹ , N ² SW ¹	T.&S.	06867	Florence M. Clarke
25	NW ¹ NW ¹	Cash	08291	Harry B. Clarke
26	SE ¹ NE ¹ , NE ¹ SE ¹	Cash	861	Adelbert W. Storm
26	NE ¹ NE ¹	Cash	06467	Harry B. Clarke
26	E ² NW ¹ , NE ¹ SW ¹ , NW ¹ SE ¹	Cash	1171	Harry B. Clarke
26	SW ¹ SE ¹	Cash	04200	Raphael K. Mespell
26	S ² SW ¹			
35	N ² NW ¹	HE	03507	Louis W. Mespell
27	SE ¹ NE ¹ , NE ¹ SE ¹	T.&S.	1204	Jacob S. Lebo
27	S ² NW ¹ , W ² SW ¹	HE	4060	Irvin Rickel
28	S ² NE ¹ , N ² SE ¹	ADD	05636	William Congelman
28	SE ¹ NW ¹ , N ² SW ¹ , SE ¹ SW ¹	HE	4015	William Congelman
29	NW ¹ SW ¹	Cash	01382	Robert W. Garman
29	SW ¹ SW ¹			
30	SE ¹ NE ¹ , E ² SE ¹	Cash	0358	Irvin J. Kelley
30	SW ¹ SE ¹ , SE ¹ SW ¹			
31	NW ¹ NE ¹ , NE ¹ NW ¹	HE	4070	Robert W. Garman
31	NE ¹ NE ¹	Cash	04917	Clara M. Garman
39	SE ¹ SE ¹	HE	02472	Egza E. Reed
39	SE ¹ SW ¹ , SW ¹ SE ¹	Cash	1152	John Eichhoff
35	N ² SE ¹ , S ² NE ¹	SS	21	Wyoming
36	All	SS		Wyoming
19	Lots 2, 3, 4	Cash	1428	Arthur Gassett
5	Lot 3 and (E ² SW ¹ & NW ¹ SW ¹ Sec. 32-54-65)	F.C.	135	Willard A. Ripley
13	NE ¹ SE ¹ and (Lot 3, NE ¹ SW ¹ & NW ¹ SE ¹ Sec. 18-59-64)	F.C.	798	Henry S. Guthrie
18	Lot 3 & 4, SE ¹ SW ¹			
19	Lot 1	Cash	37	A.W. Storm

The above Table of Patented Entries is made to accompany
plat of Resurvey Township 53 North, Range 65 West and is
hereby approved.
Surveyor General's Office
Cheyenne Wyoming
September 14, 1915

Charles L. Becker
Surveyor General

2299

TOWNSHIP N^o 53 NORTH. RANGE N^o 65 WEST of the 6th Principal MERIDIAN.



Total number of Acres 23015.21

Survey Described	By Whom Surveyed	Date of Contract	Amount of Survey Acres	When Surveyed	Magnetic Declination
N. Township line	H. F. Burtchall	July 19, 1882	5 00 12	Aug. 25, 1882	16° 52' East
Subdivisions	" " "	" " "	59 78 29	Sept. 30 Oct. 10 1882	16° 8' "
Connections	" " "	" " "	" " "	" " "	" " "
13 th Stand. P.M.	" " "	" " "	6 00	Aug. 19, 1882	" " "
N. Township l.	H. F. Burtchall	April 22, 1882	5 78 29	May 22, 1882	" " "
E. Township l.	N. J. Burtchall	Octob 20, 1881	6 00	Nov 3, 1881	" " "

The above Map of Township N^o 53 North Range N^o 65 West of the Sixth Principal Meridian containing Territory is strictly conformable to the field notes of the survey thereon on file in this Office, which have been examined and approved


Surveyor General's Office. *Edw. C. David* Sur.
Chas. W. Young Asst. Sur.
 August 24th 1883

2312

EXTERIOR LINES

Magnetic Variation West

Scale 3 Miles to Inch



T. 54 N.

T. 53 N.

T. 52 N.

R. 68 W. R. 67 W. R. 66 W. R. 65 W.

Surveys Designated By Whom Surveyed.	Date of Contract	Amount of Surveys			When Surveyed	
		M ²	C ²	L ²		
Exterior Lines	W. F. Benson	July 19 th 1882	87	68	00	Aug 22-Sept 7 1882
Connections	"	"	17	55	"	"

I hereby certify that the above diagram of the Exterior lines of Townships 52, 53 & 54 North, Ranges 66 & 67 West, Townships 53 and 54 North, Range 68 West is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved

Surveyor General's Office
Cheyenne Wyoming
August 24th 1883

Edw. C. Davis
Sur. Gen.

(22)
Index 2313


13TH STANDARD PARALLEL NORTH

Along S. Bdy of Tps. 53 N. Rgs. 65, 66, 67, 68 W. of the 6th Principal Meridian.

Course S 89° 41' W

Magnetic Var. East

Scale 40 Chs. to 1 Inch



Survey Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed
13 th Stand. P.N.	W. P. Benson	July 19, 1882	23 04 48	Aug. 17-21 '82

The above Map of the 13th Standard Parallel North along the South Boundary of Tps. 53 N. Rgs. 65, 66, 67 & 68 W. of the 6th Principal Meridian, Wyo. Ter., is strictly conformable to the Fieldnotes of the Survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office
Cheyenne, Wyoming
August 24th 1883


Edw. C. Davis
Sur. Gen.

(21)
7/10/1885

2185

8TH GUIDE MERIDIAN WEST.

From the 13th Standard Parallel N., to the North Boundary of Wyoming, between Ranges 64 & 65 W., of the 6th Principal Meridian Wyoming Territory. Scale 40 Chains to 1 inch. Magnetic Var. E.



Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed.
8 th Guide Mer. W.	N. J. Burnham	Oct. 20 th 1881	32 06 08	Nov. 3-6 1881
Connections	" " "	" " "	9 48	" " "

I hereby certify that the above diagram of the 8th Guide Meridian W. from the 13th Standard Parallel N., to the North Boundary of Wyoming, between R's 64 & 65 W., of the 6th Principal Meridian Wyoming Territory, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office,
Cheyenne Wyoming, July 18th 1883

Edw. C. David Sur. Gen^l

1885