


Supplemental Plat No 6

Section 21 Township No 54 North, Range No 103 West, according to plat of resurvey approved November 21, 1913



INDEX TO SEGREGATED TRACTS								
Re-survey	Original Survey							
	T. No.	R.	Sec.	Subdivisions	Entry and Number	Status in Land Office	Entryman	
	77	54	103	22	SW <sup>a</sup> NW <sup>a</sup>	155 04384	Approved	Wyoming

Surveys Designated	By Whom Surveyed	Group		Amount of Surveys			When Surveyed	
		No.	Date	Mis	chs	lks	Begun	Completed
Tract No 77	Emil Voigt	32	May 21, 1915	1	00	02	October 9, 1915	October 9, 1915

This Supplemental Plat of Tract No 77 in Section 21, Township No 54 North, Range No 103 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.  
 U.S. Surveyor General's Office  
 Cheyenne, Wyoming  
 March 2, 1916


*Charles L. Secker*  
 U.S. Surveyor General

54-103  
 accepted by Commr  
 July 15, 1916  
 Trans to Lander Joseph  
 Aug 25, 1916

3086

(4-6754)

# Resurvey Township No 54 North, Range No 103 West of the Sixth Principal Meridian, Wyoming



See Supplemental Plats  
 No 1, NE<sup>2</sup>  
 No 2, NW<sup>2</sup>  
 No 3, SW<sup>2</sup>  
 No 4, SE<sup>2</sup>

Areas in Acres	
Public Land	14399.11
Segregated Tracts	7915.88
Indian Allotments	(13.16)
Mineral Claims	
Water Surface	40.24
Patented Land Not Segregated	640.00
<b>Total Area</b>	<b>22,995.23</b>

Scale 40 Chains to an inch  
 Mean Magnetic Declination 15°40'E  
 Latitude 44°56'N  
 Longitude 109°12'W.

Surveys Designated	By Whom Surveyed	Contract No.	Contract Date	Amount of Surveys			When Surveyed	
				Mls.	chs.	lks.	Began	Completed
Resurvey	Albert B. Bartlett	341	August 16, 1909	59	79	16	October 1, 1910	October 25, 1910
Subdivisions	"	"	"	11	19	62	October 2, 1910	June 15, 1913
Connections	"	"	"	1	21	90	June 3, 1913	June 3, 1913
Meanders	"	"	"	6	00	00	October 15, 1910	October 15, 1910
Resurvey East Township Line	"	"	"	6	00	00	October 15, 1910	October 15, 1910
Resurvey West Township Line	"	"	"	5	78	53	October 17, 1910	October 17, 1910
Resurvey North Township Line	"	"	"	5	79	08	September 14, 1910	September 14, 1910
Resurvey South Township Line	"	"	"	125	40	71	October 3, 1910	June 15, 1913
Segregated Tract Lines	"	"	"	11	01	32	June 3, 1913	June 5, 1913
Segregated Tracts Surveyed and Eliminated	"	"	"					

The above map of Township No. 54 North, Range No. 103 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved

U. S. Surveyor General's Office,  
 Cheyenne, Wyoming, November 21, 1913

*Charles L. Decker*  
 Surveyor General.

2157  
 2157-A

Accepted by Hon. Commissioner in letter 'E' March 3, 1914.  
 Duplicate plat filed in Lander land office March 19, 1914.  
 54-103




Accession no 3690

Supplemental Plat N°4

Resurvey SE 1/4 Township N°54 North, Range N°103 West of the Sixth Principal Meridian, Wyoming

Scale: 20 Chains to 1 Inch

Secs 22, 23, 24, 25, 26, 27, 34, 35, 36



This Supplemental Plat of the Resurvey of SE 1/4 of Township N°54 North, Range N°103 West of the Sixth Principal Meridian Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved Surveyor General's Office Cheyenne, Wyoming November 21, 1913

*Charles L. Becker*  
Surveyor General

Resurvey  
Albert B. Bartlett D.S.  
Contract N°3-11

2157  
2157-E

Accepted by Hon. Commissioner in letter 6th March 2, 1914.  
Duplicate plat filed in Landers office March 19, 1914.  
54-103


3689

Supplemental Plat No. 3

Resurvey SW 1/4 Township No. 54 North, Range No. 103 West of the Sixth Principal Meridian, Wyoming

Scale: 20 chains to 1 inch

Secs. 19, 20, 21, 28, 29, 30, 31, 32, 33



This Supplemental Plat of the Resurvey of SW 1/4 of Township No. 54 North, Range No. 103 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved.

Surveyor General's Office  
Cheyenne, Wyoming  
November 21, 1913

*Charles J. Richter*  
Surveyor General

Resurvey  
Albert B. Bartlett D.S.  
Contract No. 341

2157  
2157-D

Accepted by Hon. Commissioner in letter E<sup>m</sup> March 2, 1914.  
Duplicate plat filed in Lander Land Office March 19, 1914.



3691

*Index to Segregated Tracts*  
*Resurvey Township N°54 North, Range N°103 West of the Sixth Principal Meridian Wyoming*

Resurvey Tract N°	Original Survey						Status in Land Office	Entryman
	T	R.	Sec	Subdivision	Entry Kind	Number		
38	54	102	31	E <sup>2</sup> SW <sup>4</sup> , SE <sup>2</sup> NW <sup>4</sup> , SW <sup>2</sup> NE <sup>4</sup>	H.	04190	Valid	Benjamin Fickle
40	"	103	36	All	S.S.		Valid	Wyoming
41	"	"	29	N <sup>2</sup> NE <sup>4</sup> , SE <sup>2</sup> NE <sup>4</sup> , NE <sup>2</sup> SE <sup>4</sup>	T&S	452	Patented	Joseph H. Neville
42	"	"	20	S <sup>2</sup> SE <sup>4</sup> , NE <sup>2</sup> SE <sup>4</sup> , SE <sup>2</sup> NE <sup>4</sup>	S.L.		Valid	Wyoming
43	"	"	28	N <sup>2</sup> SW <sup>4</sup> , N <sup>2</sup> SE <sup>4</sup>	T&S	328	Patented	Paul Richter
44-D, E, G, H	"	"	27	N <sup>2</sup> SW <sup>4</sup> , NW <sup>2</sup> SE <sup>4</sup> , SW <sup>2</sup> NE <sup>4</sup>	H.	1761	Patented	Paul Richter
(C, F)	"	"	27	SW <sup>2</sup> NW <sup>4</sup> , SE <sup>2</sup> SW <sup>4</sup>	H.	04210	Valid	Paul Richter
(A, B)	"	"	28	E <sup>2</sup> NE <sup>4</sup>				
45	"	"	22	SW <sup>4</sup>	S.L.		Patented	Wyoming
46	"	"	23	All	S.L.		Valid	Wyoming
47	"	"	10	SE <sup>2</sup> SE <sup>4</sup>	H.	1059	Valid	Osborne Williams
	"	"	11	SW <sup>2</sup> SW <sup>4</sup>				
	"	"	14	W <sup>2</sup> NW <sup>4</sup>				
48	"	"	10	S <sup>2</sup> NE <sup>4</sup> , NE <sup>2</sup> SE <sup>4</sup>	F.R.L.S.		Valid	Peter M. Collins
49	"	"	24	All	S.L.		Valid	Wyoming
50	"	"	13	All	S.L.		Valid	Wyoming
51	"	"	35	S <sup>2</sup> NW <sup>4</sup> , N <sup>2</sup> SE <sup>4</sup> , NE <sup>2</sup> SW <sup>4</sup>	S.L.		Valid	Wyoming
54	"	"	25	SE <sup>2</sup> NE <sup>4</sup> , NE <sup>2</sup> SE <sup>4</sup>	H.	1132	Patented	William Hooker
"	"	102	30	Lot 2, SE <sup>2</sup> NW <sup>4</sup>				
55	"	"	"	Lot 3, NE <sup>2</sup> SW <sup>4</sup> , W <sup>2</sup> SE <sup>4</sup>	D.	839	Valid	William Hooker
	"	"	29	S <sup>2</sup> SW <sup>4</sup>				
	"	"	30	E <sup>2</sup> SE <sup>4</sup>	H.	04237	Valid	Peter Paul Christman
56	"	"	31	E <sup>2</sup> NE <sup>4</sup> , NW <sup>2</sup> NE <sup>4</sup>				
	"	"	32	NW <sup>2</sup> NW <sup>4</sup>				
57	"	"	29	S <sup>2</sup> NW <sup>4</sup>	H.	1223	Patented	Nathaniel D. Lampman
	"	"	30	S <sup>2</sup> NE <sup>4</sup>				
58	"	"	19	Lots 1&2, E <sup>2</sup> NW <sup>4</sup>	S.L.		Valid	Wyoming
59	"	"	18	All	S.L.		Valid	Wyoming
60	"	103	3	Lots 2, 3&4, SW <sup>2</sup> NE <sup>4</sup> , S <sup>2</sup> NW <sup>4</sup> , N <sup>2</sup> SW <sup>4</sup>	F.C.	156	Patented	Henry Chapman
	"	"	4	SE <sup>2</sup> NE <sup>4</sup> , NE <sup>2</sup> SE <sup>4</sup>				
61	"	"	3	S <sup>2</sup> SW <sup>4</sup>	S.A.H.	1523	Patented	Newton H. Brown
62	"	"	4	Lot 4, SW <sup>2</sup> NW <sup>4</sup>	T&S	5273	Patented	Henry F. Ashurst
63	"	"	5	Lot 1, SE <sup>2</sup> NE <sup>4</sup>	F.R.L.S.	5273	Patented	Henry F. Ashurst
64	"	"	33	S <sup>2</sup>	S.L.		Patented	Wyoming
65	"	"	32	SE <sup>4</sup>	S.L.		Patented	Wyoming
66	"	"	31	SE <sup>2</sup> NE <sup>4</sup> , NE <sup>2</sup> SE <sup>4</sup>	S.L.	03917	Valid	Wyoming
67	"	"	"	NW <sup>2</sup> NE <sup>4</sup>	S.L.	03917	Valid	Wyoming
68	"	"	29	NE <sup>2</sup> SW <sup>4</sup>	S.L.	03917	Valid	Wyoming
69	"	"	30	Lots 1&2, NE <sup>2</sup> NW <sup>4</sup> , NW <sup>2</sup> NE <sup>4</sup>	S.L.		Patented	Wyoming
70	"	"	12	All	S.L.		Patented	Wyoming
71	"	102	7	All	S.L.		Patented	Wyoming
72	"	"	6	SE <sup>2</sup> SW <sup>4</sup> , SW <sup>2</sup> SE <sup>4</sup>	S.A.H.	1437	Patented	Orrin H. Woods
75	"	103	1	All	S.L.		Patented	Wyoming
76	"	102	6	Lots 4&5	S.A.H.	1440	Patented	Orrin H. Woods
37 (54-104)	"	103	31	SE <sup>2</sup> SW <sup>4</sup>	L.S.	12280	Patented	Santa Barbara Water Company
38 (54-104)	"	"	30	SE <sup>2</sup> SW <sup>4</sup>	S.L.	03917	Patented	Wyoming

The above index to tracts which have been segregated by the original public survey in the resurvey of T.54 N., R.103 W. under contract N°341, has been prepared in strict conformity with the field notes of the accepted resurvey on file in this office, which have been examined and approved.  
 Surveyor General's Office  
 Cheyenne, Wyoming  
 November 21, 1913


*Charles L. Decker*  
 Surveyor General

2157  
 2157-F  
 2157

Accepted by Hon. Commissioner in letter E. March 2, 1914.  
 Duplicate plat filed in Land Office March 19, 1914.  
**54-103**

3685

TOWNSHIP N<sup>o</sup> 54 NORTH, RANGE N<sup>o</sup> 103 WEST of the 6<sup>th</sup> Principal MERIDIAN.



Total number of Acres. 22,965.87

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Survey M <sup>2</sup> Ch <sup>2</sup> L <sup>2</sup>	When Surveyed	Magnetic Declination
Township lines	Frank Buckley	July 22, 1882	17 76 30	July 30, 1882	19° 55' East
Subdivisions	"	"	59 71 31	Oct. 17-21, 1883	20° " "
Connections C. Sp. line	C. A. Harvey	July 19, 1882	6 00 00	April 15, 1883	" " "

The above Map of Township N<sup>o</sup> 54 North of Range N<sup>o</sup> 103 West of the Sixth Principal Meridian Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

Surveyor General's Office,  
Cheyenne Wyoming  
March 31<sup>st</sup> 1884  
*Edw. C. Dwyer*  
Surveyor General

2157


Case  
54-103

43  
Indices

4894

# RESURVEY TOWNSHIP EXTERIORS

SCALE: 160 CHAINS TO 1 INCH




This Plat  
of the Retracement  
of a Part of the  
Fourteenth Standard Parallel North through Ranges 101,  
102, and 103 W. and  
of the Resurvey  
of the  
East, West and South Boundaries of Tps. 55 and 56 N., R. 102 W.  
and T. 54 N., R. 103 W.; the East and West Boundaries of T. 53 N.,  
R. 103 W. and the West and South Boundaries of Tps. 55 and  
56 N., R. 103 W. is strictly conformable to the field notes of the  
resurvey thereof by  
Albert B. Bartlett U.S.D.S.  
under his  
Contract No. 341,  
dated August 16, 1909,  
which have been examined, approved and filed in this office.  
U.S. Surveyor General's Office  
Cheyenne, Wyoming  
November 21, 1913.

*Charles L. Decker*  
Surveyor General

Surveys Designated	Amount		When Surveyed
	Mis.	Lks.	
Retracement Standard Lines	10	79 92	Novem. 26, 1910 - May 13, 1913
Resurvey Township Lines	90	27 86	Sept. 5, 1910 - May 29, 1911
Connecting Lines	6	47 17	Sept. 10, 1910 - May 29, 1911

Latitude 44° 31' N  
Longitude 108° 12' W  
Mean Mag Decl 18° 40' E

Exterior Lines  
 Magnet. Var. East, - 3 miles  $\frac{1}{2}$  inch.



Surveys Described	By whom made	Date of Contract	Unit of Survey	When surveyed
Exterior lines	Frank Buckley	July 22, 1882	11 70 47	Sept 24- Oct 5, 1883
Exterior lines	" " "	" " "	10 50 "	" " "

I hereby certify that the above diagram of the exterior lines of Tps 53-56 N, R. 103 W. 6<sup>th</sup> P.M. Wyo. Terr. is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.  
 Surveyor General's Office  
 Cheyenne, Wyo. March 31, 1884.

*Edw. C. Davis*  
 Surveyor General.