

TOWNSHIP 26 NORTH, RANGE 105 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.
PERPETUATION OF CERTAIN CORNERS

Cor. No. 5, Parcel A, monumented with a stainless steel post, 2 1/2 ins. diam., as described in the 2000-02 field notes of the dependent resurvey of T. 26 N., R. 105 W.

from which

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 27 ins. in the ground over a plastic encased magnetic marker, for a reference monument, bears S. 20° E., 37.0 lks. dist., with brass cap mkd. RM T26N R105W S 28 COR 5 PAR A 24.4 FT TO COR. 2005 and an arrow pointing to the cor. Set a steel fence post nearby.

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 27 ins. in the ground over a plastic encased magnetic marker, for a reference monument, bears S. 51° E., 39.2 lks. dist., with brass cap mkd. RM T26N R105W S 28 COR 5 PAR A 25.9 FT TO COR. 2005 and an arrow pointing to the cor. Set a steel fence post nearby.

Cor. No. 6, Parcel A, monumented with a stainless steel post, 2 1/2 ins. diam., as described in the 2000-02 field notes of the dependent resurvey of T. 26 N., R. 105 W.

from which

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 27 ins. in the ground over a plastic encased magnetic marker, for a reference monument, bears N. 55° E., 34.8 lks. dist., with brass cap mkd. RM T26N R105W S 28 COR 6 PAR A 23.0 FT TO COR. 2005 and an arrow pointing to the cor. Set a steel fence post nearby.

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 27 ins. in the ground over a plastic encased magnetic marker, for a reference monument, bears S. 55° E., 26.8 lks. dist., with brass cap mkd. RM T26N R105W S 28 COR 6 PAR A 17.7 FT TO COR. 2005 and an arrow pointing to the cor. Set a steel fence post nearby.

Cor. No. 7, Parcel A, monumented with a stainless steel post, 2 1/2 ins. diam., as described in the 2000-02 field notes of the dependent resurvey of T. 26 N., R. 105 W.

from which

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 27 ins. in the ground over a plastic encased magnetic marker, for a reference monument, bears N. 59° E., 24.1 lks. dist., with brass cap mkd. RM T26N R105W S 28 COR 7 PAR A 15.9 FT TO COR. 2005 and an arrow pointing to the cor. Set a steel fence post nearby.

A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 27 ins. in the ground over a plastic encased magnetic marker, for a reference monument, bears S. 10° W., 25.5 lks. dist., with brass cap mkd. RM T26N R105W S 28 COR 7 PAR A 16.8 FT TO COR. 2005 and an arrow pointing to the cor. Set a steel fence post nearby.

SURVEY INFORMATION AND CERTIFICATE

This plat represents the entire record of the establishment of reference monuments for certain corners of Parcel A, Section 28, Township 26 North, Range 105 West, Sixth Principal Meridian, Wyoming.

At the request of Bernie Weynand, Assistant Field Manager, BLM Rock Springs Field Office, reference monuments were set to perpetuate the positions of certain monuments established during the metes and bounds survey of Parcel A, Section 28. These corners were at risk of being destroyed or displaced during the development of a BLM historic site located in Parcel A.

Lynn A. Forbes executed the metes and bounds survey of Parcel A, Section 28, under this same group in 2000-02. Reference should be made to the plat approved June 9, 2003, for survey information.

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Supplemental Special Instructions dated July 15, 2005, and Assignment Instructions dated July 15, 2005, for Group No. 674, Wyoming, I have perpetuated certain corners of Parcel A, Section 28, Township 26 North, Range 105 West, Sixth Principal Meridian, Wyoming, and that this plat in one sheet represents the entire record of this perpetuation. Fieldwork executed July 18, 2005, and has been made in strict conformity with the special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described hereon.

Olian T. Shockley

Olian T. Shockley,
Cadastral Surveyor

January 30, 2008

Date

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming January 30, 2008

This plat representing the entire record of this perpetuation of certain corners, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.


For the Director

John P. Lee

John P. Lee
Chief Cadastral Surveyor for Wyoming

TOWNSHIP 26 NORTH, RANGE 105 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.
DEPENDENT RESURVEY, SUBDIVISION OF SECTION 28 AND METES AND BOUNDS SURVEY

Sec. 21



A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of a portion of the subdivisional lines designed to restore the corners in their true original locations according to the best available evidence, the subdivision of section 28, and the metes and bounds survey of Parcel A, Section 28, T. 26 N., R. 105 W., Sixth Principal Meridian, Wyoming.

The lottings and areas are as shown on the plat
approved February 24, 1892.

Survey executed by Lynn A. Forbes, Cadastral Surveyor, beginning September 13, 2000, and completed August 5, 2002, pursuant to Special Instructions dated April 17, 2000, for Group No. 674, Wyoming.

Sec. 27

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming JUNE 9, 2003

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.


For the Director

For the Director

Chief Cadastral Surveyor for Wyoming

TOWNSHIP NO. 26 NORTH, RANGE NO. 105 WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Denver, Colorado, October 8, 1946.

This plot of Township No 26 North, Range No 105 West, of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof which have been examined and approved

Washington, D. C., August 5, 1947.
The survey represented by this plot having been correctly executed in accordance with the requirements of law and the regulations of this office, is hereby accepted.

O. H. Hartung
Acting Chief Cadastral Engineer

John O'Connell
Assistant Director

LINES DESIGNATED	BY WHOM SURVEYED	GROUP DATE OF SPECIAL INSTRUCTIONS	AREA SURVEYED 22,971.88 acres	
			WHEN SURVEYED	WHEN COMPLETED
Exterior and Subdivisional	Marvin J. Lyle	170 April 8, 1943	May 8, 1943	June 7, 1943

Topography within sections compiled from aerial photographs and coordinated with section line control obtained during survey


Rec'd in P.D. 9/11/47
1947-10-11-11-A

2516-A

26-105

4354

Township N^o 26 North Range N^o 105 West of the 6th Principal Meridian



Nearest Postoffice Mr. Helen Hartwell Name of Doctor Name of Hospital Name of Hospital Magnetic Declination
Relationship to me N.A. Name Street Address, April 27, 1911 77-111 40° 27' 10" N. 103° 30' W.

Digitized by srujanika@gmail.com

The other. Height 20 inches & always 1st & 2nd width of the
1st terminal branch 11' growing as densely as the first
order of the every strong upright in that office which have from growing and appear and
the longer branches 11' & 12' long.
Chapman 11' x 12' Lr. 1.000
Lor. 100'

2316


26-105

Index
4350

EXTERIOR LINES

Scale 1 inch = 2 miles. Mag Var East

7th Standard Parallel North



Standard lines at minimum ratio M. C.R. 16^o
 Guide " 24 00 00
 Exterior " 23 36 00
 " " intermediate 1 66 27
 Connection " " minimum 9 12

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Contract In Chrs.	When Surveyed	Magnetic Declination
6th Standard Parallel	Shannon & Coleman	April 21, 1891	24 00 00	July 8-17-1891	16° 52' East
13th Guide Mer.	" "	" "	23 36 00	July 19-20-1891	16° 52' East
Exterior Lines	" "	" "	142 30 95	July 20 Sept 3 1891	16° 52' East
Connections	" "	" "	0 9 12		

I hereby certify that the above diagram of the 6th Standard Parallel North, Ranges 105, 106, 107 and 108 West, the 13th Military Meridian West, Townships 23, 26, 27 and 28 North, and the exterior lines of Townships 23, 26, 27 and 28 North, Ranges 105, 106, 107 and 108 West of the 6th Principal Meridian in Wyoming, is strictly conformable to the field notes of the survey thereof on file in this office which have been examined and approved.


W. A. Richards
Surveyor General, Office Cheyenne, Wyo. Feb. 24, 1892.

Surveyor General

13 $\frac{1}{4}$ GUIDE MERIDIAN WEST

In Tps. 23 to 28 N. inclusive between Ranges 104 & 105 W. 6th P. M. Wyo. Ter.

Magnetic Var. East. Scale 10 chains to 1 inch.



Survey Designated.	By Whom Surveyed	Date of Contract	Amount of Surveyed.	When Surveyed.
13th Guide M. W.	John J. Propst	May 14th 1883	35 48 98	July 26 - Aug 1, '83.
Connections	" "	" "	5 53	" " " "

I hereby certify that the above diagram of the 13th Guide, M. W. in Tps. 23 to 28 N. inclusive between Rgs 104 & 105 W. of the 6th P. M. Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office,
Cheyenne Wyoming
February 8th 1884

Edw. C. Davis
Surveyor General