


TOWNSHIP 40 NORTH, RANGE 116 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.


METES AND BOUNDS SURVEY OF LOT 14



At the point for Cor. No. 2, Lot 14, set an iron post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, in a collar of stone, with brass cap mkd.

T40N R116W
S 34
LOT 14
2000

Cor. is located in easterly highway right-of-way fence, extending SSE. and NNW.



ENLARGED DIAGRAM

Sec. 34

SURVEY INFORMATION AND CERTIFICATE

This plat represents the entire record of the metes and bounds survey of Lot 14, section 34, T. 40 N., R. 116 W., Sixth Principal Meridian Wyoming.

The history of earlier surveys pertaining to this resurvey is as follows:

James D. Claflin independently resurveyed portions of the south boundary and subdivisional lines, and subdivided section 34, in 1996.

Except as indicated hereon, the lottings and areas are as shown on the plats approved August 16, 1894, February 14, 1909, December 16, 1963 and August 21, 1987.


The direction of the lines referring to the true meridian, all distances and the geographic positions were determined with Global Positioning System (GPS) methods, using Trimble real time kinematic model 4700 receivers.

The area embraced by this survey is situated in Teton County, approximately 7 miles south of Jackson, Wyoming, along the west side to the Snake River, at the north end of a mobile home park. The mean elevation is about 6,000 feet above sea level. Access is provided by Wyoming Highway Nos. 26, 89, 189 and 191, which right-of-way parallels the westerly side of Lot 14. Drainage of the area is all secondary to the Snake River immediately east of the area, course southerly. Vegetation in Lot 14 consists of sagebrush and native grasses.

I, Lynn A. Forbes, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of Special Instructions dated June 2, 2000, and assignment instructions dated June 2, 2000, for Group Number 676, Wyoming, I have executed the metes and bounds survey of Lot 14, Section 34, T. 40 N., R. 116 W., Sixth Principal Meridian, Wyoming, and that this plat in one sheet represents the entire record of this survey. Field assistants were Donna S. Malleck, Cadastral Surveyor, and Eric J. Wilcox, Surveying Aid. Survey commenced June 8, 2000, and completed June 9, 2000, and has been made in strict conformity with the special instructions, the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 1973, and in the specific manner described hereon.

Lynn A. Forbes
Cadastral Surveyor

Sept. 28, 2001
Date



At the point for Cor. No. 3, Lot 14, on the E. and W. center line of SW1/4 of sec. 34, set an iron post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, in a collar of stone, with brass cap mkd.

T40N R116W
LOT 14
3
S 34
2000

Cor. is located on E. side of highway right-of-way fence, extending SSE. and NNW.

From this point, the S. 1/16 sec. cor. of secs. 33 and 34, bears S.89°58'W., 38.07 chs. dist., as described in the field notes of the 1996 dependent resurvey.

At the point for Cor. No. 4, Lot 14, on the E. and W. center line of the SW1/4 on sec. 34, set an iron post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, with brass cap mkd.

T40N R116W
Lot 14
4
S 34
2000

Cor. is located in E. edge of mobile home park.

From this point, the special meander cor. on the E. and W. center line of the SW1/4 of sec. 34, on the 1966 adjusted meander line of the right bank of the Snake River, bears N.89°58"E., 0.62 chs. dist., as described in the field notes of the 1996 survey.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT


Cheyenne, Wyoming September 28, 2001

This plat representing the entire record of this survey, having been correctly executed in accordance with the requirements of law and the regulations of the Bureau, is hereby accepted.

John P. Lee
For the Director
Chief Cadastral Surveyor for Wyoming

TOWNSHIP 40 NORTH, RANGE 116 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY AND SUBDIVISION OF FRACTIONAL SECTION 34



A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of a portions of the south boundary and subdivisional lines, designed to restore the corners in their true original locations according to the best available evidence, and the subdivision of fractional section 34, T. 40 N., R. 116 W., Sixth Principal Meridian, Wyoming.

Except as indicated hereon, the lottings and areas are as shown on the plat approved February 14, 1908.

Survey executed by James D. Claflin, Cadastral Surveyor, beginning September 24, 1996 and completed September 25, 1996, pursuant to Special Instructions dated September 19, 1996, for Group No. 629, Wyoming.


UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming November 22, 1996

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director
John P. Lee
Chief Cadastral Surveyor for Wyoming

TOWNSHIP 40 NORTH, RANGE 116 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.
SURVEY OF RIPARIAN LANDS



TOWNSHIP 40 NORTH, RANGE 116 WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING


DEPENDENT RESURVEY AND SUBDIVISION OF SECTIONS

32 **33** **34** **35** **36**

33 34 35

35

36



A history of previous surveys is contained in the field note record.

A portion of the Tenth Standard Parallel North (north boundary), was resurveyed concurrently with this group.

This plat represents a dependent resurvey of portions of the east boundary and subdivisional lines, designed to restore the corners in their true original locations according to the best available evidence, and, the survey of the subdivision of a number of sections in T. 40 N., R. 116 W., Sixth Principal Meridian, Wyoming.

The lottings and areas are as shown on the plats approved August 16, 1894, and November 3, 1919.

These surveys were executed by Leonard W. Murphy, Cadastral Surveyor, beginning July 26, 1966, and completed September 6, 1966, pursuant to Special Instructions dated May 6, 1966, and Amended Special Instructions dated May 16, 1966, for Group No. 301-2, Wyoming.


UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Washington, D. C. March 17, 1971

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Clark F. Hamm

Chief, Division of Cadastral Survey



Area resurveyed: 3,202.64 Acres


GMH

2630 D

10 11

TOWNSHIP 40 NORTH, RANGE 116 WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.
SURVEY OF OMITTED LANDS

History of earlier surveys is contained in the field notes.



This plat represents a retracement and reestablishment of portions of the south and west boundaries and a portion of the subdivisional lines designed to restore certain corners in their true original positions according to the best available evidence and the survey of lands omitted from the original surveys. Except as new subdivisions are shown hereon, the lottings and areas are as shown upon the plats approved August 16, 1894, February 14, 1908, and November 3, 1919.

The positions of the original meanders of the right and left banks of Snake River, through T. 40 N., R. 116 W., are shown by the irregular lines with numbered angle points. These lines, as thus originally surveyed, were improper or grossly in error. By these surveys, the right bank line upstream from angle point No. 4, sec. 34, and the left bank line upstream from angle point No. 5, sec. 34, have been reestablished as fixed and limiting boundaries of previously surveyed lands with the directions and lengths of the several courses and distances adjust-

ed to appropriate meander corner positions as reestablished.

Resurvey and extension survey of the omitted lands executed by Jack A. Eaves, Supervisory Cadastral Surveyor, Carl W. Enix, Associate and Robert F. Johnson, Associate, May 1 to October 12, 1962 under Special Instructions dated April 4, 1962, and Supplemental Special Instructions dated May 29, 1962, for Group 275, Wyoming.

Channels of the Snake River, as shown hereon, have been taken from current aerial photography.

SUSPENDED June 20, 1978, File 9609 (420)
SUSPENSION REPEALED August 21, 1987, File 9600 (942)
Lotting and areas of all riparian lands shown hereon are cancelled.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Washington, D. C. December 16, 1963

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Chief, Division of Engineering


153

(4-6754)

ORIGINAL

Survey accepted March 2, 1919, U. S. G. S.

Township N^o. 40 North Range N^o. 116 West of the Sixth Principal Meridian, Wyoming




2630-B

40-116

(4-675a)

4532


Fractional Township N^o 40 North Range N^o 16 West of the Sixth Principal Meridian Wyoming



Accepted by the State Commissioners in the letter
of October 6, 1908. Duplicate plan forwarded
to Land Office, Cheyenne, Wyoming, October 9, 1908.

L65. - 7

Township N^o 40 North Range N^o 116 West of the 6th Principal Meridian




Scale 40 Chains to an Inch.
The above Map, of Township 1. & 40 North . of Range 1. & 116 West, of the 6th Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveys General's Office. Perry Bickford
Elizaville N.Y. Aug. 16, 94 Sur. Gen!

4657

TOWNSHIP EXTERIORS

Scale: 1 inch to 160 chains.



This Plat
of the
Fourteenth Auxiliary Meridian West
through a part of T 39N, R 16 W,
a part of the South Boundary of T 39
N R 15 W and the

Retracement of
a part of the South Boundary of T
40N, R 16 W of the Sixth Principal
Meridian

Wyoming
is strictly conformable to the field
notes of the survey thereof
by
Adrian J. Marshall U.S. Surveyor
Under his
Contract No 324
dated April 7, 1907
which have been examined, approved
and filed in this office
U.S. Surv. Gen's Office
Cheyenne, Wyoming.
February 14, 1908.

Alephen. P. Norman
U.S. Surv. Gen'l.


35
grd test

1809

34

TOWNSHIP EXTERIORS

Scale: 1 inch ≈ 160 chains.



This Plat
of the

South and East boundaries of T.39N., R.116W.; and
a part of the North boundary of T. 41N., R.117W.; the
Retracing of

The 10th Standard Parallel North through a part of
Rgs. 116 and 117W; and a part of the South boundary
of T.40N., R.116W.; the

Resurvey of

The 19th Auxiliary Meridian West through T.40N. and
a part of T.41N.; apart of the 10th Standard Parallel
North through R.117W.; the North boundary of
T.39N., R.117W.; the West boundary of T.40N., R.117W.;
and the West boundary of T.41N., R.117W. of the

6th Principal Meridian,

Wyoming.

is strictly conformable to the field notes of the survey thereof

by

Newell J. Burnham, U.S.D.S.,

under his

Contract No. 288,

dated June 25, 1901,

which have been examined, approved and filed in this office

U.S. Surv. Gen'l's Office,

Cheyenne, Wyoming,

April 2, 1903

Alfredus P. Hammon

U.S. Surv. Gen'l.

2876


F.M.A.

Survey accepted by the Non-Commissioner
in his letter E, dated Aug. 27, 1903

EXTERIOR LINES.

Scale 2 miles to 1 inch. Magnetic Variation East.

Diagram



Survey designated by whom surveyed	Date of contract	Amount of Survey	When surveyed	Magnetic Variation
10th Stand. Par. N. New U. Order	Sept. 2, 1892	5 21 00	Sept. 20, 1892	18° 40' East
11th Merid. W.		0 00 00	Aug. 11, 1892	18° 40'
Exterior Lines		00 11 00	Sept. 20, 1892	18° 40' E. N.

I hereby certify that the above diagram of the Exterior lines of Townships 40 North, Range 116 West, Townships 43, 44 and 46 North, Range 115 West, Townships 40 and 41 North, Range 117 West, Township 43 North, Range 114 West, the 10th Standard Parallel North, the 14th Meridian Meridian, west of the Principal Meridian, Wyoming, is strictly conformable to the field notes of survey thereof on file in this office, which have been examined and approved.

Surveyor General's Office
(Signature) Aug. 16, 1894.

Perry, Biard - et al
Surveyor General's Office