Click Here for Field Notes

Ac. 6652

ORIGINAL



TOWNSHIP 46 NORTH, RANGE 93 WEST, OF THE 6th PRINCIPAL MERIDIAN, WYOMING

SUPPLEMENTAL SURVEY OF SEC. 24

Survey by John W. Ross, Engineer under authority of Departmental Instructions of October 24, 1906

Survey Commenced August 7, 1955 Survey Completed October 28, 1955

Scale in Chains

0 5 10 20 30 40

TRAVERSE IN
LOT 1 & NW¼ NE¼ OF SEC. 24

POINT	COURSE	DISTANCE
1—2	N32°27'E	0.74
2—3	N27°10'E	0.74
3—4	N21°53'E	0.74
4—5	N16°36'E	0.74
5—6	N13°58'E	6.41
6—7	N19°53'E	0.84
7—8	N31°44'E	0.85
8—9	N43°35'E	0.84
9—10	N55°26'E	0.85
10—11	N67°17'E	0.84
11—12	N73°12'E	4.55
12—13	N70°12'E	0.83
13—14	N64°13'E	0.84
14	N58°14'E	0.60



U.S. Department of the Interior
Bureau of Reclamation
Washington, D.C. January 20, 1956

This plat is strictly conformable to the field notes of the survey which have been examined and approved.

E. B. Nielsen
Assistant Commissioner.

U.S. Department of the Interior
Bureau of Land Management
Washington, D.C. January 20, 1956

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this Bureau is hereby accepted.

For the Director.
Earl G. Harrington
Cadastral Engineering Staff Officer.

Denotes corners of previous surveys found in place.

Denotes corners set by John W. Ross, Engineer.

ACCESSION NO. 605-601-460

1719-H.

46-93

Click Here for Field Notes

Re. 6651

ORIGINAL

TOWNSHIP 46 NORTH, RANGE 93 WEST, OF THE 6th PRINCIPAL MERIDIAN WYOMING

SUPPLEMENTAL SURVEY OF SEC. 13

Survey by John W. Ross, Engineer under authority of Departmental Instructions of October 24, 1906

Survey Commenced August 7, 1955 Survey Completed October 24, 1955

Scale in Chains

0 5 10 20 30 40

TRAVERSE IN E ½ E ½ OF SEC. 13

POINT	COURSE	DISTANCE
1—2	N 20°59'E	0.89
2—3	N 28° 10'E	0.89
3—4	N 35°21'E	0.90
4—5	N 42°32'E	0.90
5—6	N 49°43'E	0.89
6—7	N 56°54'E	0.90
7—8	N 60°30'E	4.20
8—9	N 57° 14'E	0.91
9— 0	N 50°43'E	0.91
10—11	N 44° 12'E	0.91
11—12	N 37°41'E	0.92
12—13	N 34°25'E	3.41
13—14	N 32°04'E	0.91
14—15	N 27°23'E	0.90
15—16	N 22°41'E	0.91
16—17	N 18°00'E	0.90
17—18	N 13° 18'E	0.91
18—19	N 8°37'E	0.91
19—20	N 3°55'E	0.91
20—21	N 0°46'W	0.90
21—22	N 5°28'W	0.91
22—23	N 10°41'W	0.90
23—24	N 12°32'W	13.61
24—25	N 10°42'W	0.94
25—26	N 7°02'W	0.93
26—27	N 3°22'W	0.94
27—28	N 0° 18'E	0.93
28—29	N 2°08'E	6.57
29—30	N 7°58'E	0.83
30—31	N 19°38'E	0.84
31—32	N 31° 18'E	0.83
32—33	N 42°58'E	0.83
33—34	N 54°38'E	0.83
34—35	N 66° 18'E	0.83
35	N 72°08'E	4.11



Denotes corners of previous surveys found in place.

Denotes corners set by John W. Ross, Engineer.

U.S. Department of the Interior
Bureau of Reclamation
Washington, D.C. January 20, 1956

This plat is strictly conformable to the field notes of the survey which have been examined and approved.

E. B. Nielsen
Assistant Commissioner.

U.S. Department of the Interior
Bureau of Land Management
Washington, D.C. January 20, 1956

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this Bureau is hereby accepted.

For the Director.

Earl G. Harrington
Cadastral Engineering Staff Officer.

ACCESSION NO. 605-601-462

1719-G

46-93

44

2155

8

Index to Segregated Tracts

Resurvey Township No 46 North, Range No 93 West of the Sixth Principal Meridian, Wyoming

Group No 3, Wilford W. Utterback, July 21, 1910.

Resurvey	Original Survey								Resurvey	Original Survey							
Tract No	T.	R.	Sec.	Subdivisions	Entry Kind	Entry Number	Status in Land Office	Entryman	Tract No	T.	R.	Sec.	Subdivisions	Entry Kind	Entry Number	Status in Land Office	Entryman
37	45	93	6	Lots 1&2	S.L		Approved	Wyoming	80	46	93	22	S½NE¼, N½SE¼	D	0997	Valid	Alfred A Danforth
38	"	"	6	Lots 3&4	H	3145	Patented	Louis E. Gronell	81	"	"	22	NW¼, N½NE¼	S.L	List 28	Patented	Wyoming
"	46	"	31	E½SW¼					82	"	"	22	SW¼	D	2044	Valid	Katharine E. Conant
39	"	"	36	All	S.S.		Valid	Wyoming	83	"	"	21	E½SE¼, SE¼NE¼	S.L	List 28	Patented	Wyoming
40	45	94	1	Lots 1&2, S½NE¼	H	2752	Patented	Allen Hicks	84	"	"	21	SW¼NE¼, SE¼NW¼, NE¼SW¼, NW¼SE¼	F.C.	1582	Patented	Lewis Trudeau
41-A	46	93	35	NE¼NE¼	S.L.	List 28	Patented	Wyoming	85	"	"	21	N½N½	F.C.	1530	Patented	Achile Mochon
41-B,C,D,E	"	"	"	NW¼NE¼, S½NE¼, NE¼SE¼	S.L.	List 28	Approved	Wyoming	86	"	"	20	SE¼NE¼, NE¼SE¼	H	2911	Patented	Charles O. Anderson
42	45	94	1	Lot 3, S½NW¼	H	3923	Patented	Arthur C. Jones	"	"	"	21	SW¼NW¼, NW¼SW¼				
"	"	"	2	SE¼NE¼					87	"	"	20	N½NE¼	F.C.	1579	Patented	Ernest Moller
43	46	"	36	All	S.S		Valid	Wyoming	88	"	"	20	SE¼NW¼, NE¼SW¼, SW¼NE¼, NW¼SE¼	H	2748	Patented	Alfred A. Palmer
44	46	93	14	SW¼SW¼	S.L.	List 28	Patented	Wyoming	89	"	"	20	NW¼SW¼	D	2038	Valid	Fred W. Rhodes
45	"	"	31	Lots 3&4	H	3719	Valid	Seth Cole	90	"	"	30	NE¼SE¼	D	2069	Valid	Rena L. Hart
46	"	"	31	SE¼	H	3255	Patented	Henry P. Mammem	91	"	"	17	E½SE¼	D	1931	Valid	Ernest Moller
47	"	"	32	SW¼	D	1834	Valid	Tina Mammem	92	"	"	17	NE¼	H	2778	Valid	John M Jones
48	"	"	32	N½SE¼	S.L	List 28	Patented	Wyoming	93	"	"	16	All	S.S.		Valid	Wyoming
49	"	"	33	N½NW¼, SW¼NW¼	S.L	List 28	Patented	Wyoming	94	"	"	15	N½NW¼, SW¼NW¼, NW¼SW¼	H	2011	Patented	James H Lawson
50	"	"	32	NE¼	D	2030	Valid	Leroy E Laird	95	"	"	15	S½SW¼, NE¼SW¼, SE¼NW¼	D	03223	Valid	Bessie S. Frisby
51	"	"	32	E½NW¼, SW¼NW¼	F.C.	1603	Patented	Clara L. Roach	96	"	"	10	S½SE¼, NE¼SE¼	F.C	609	Patented	Albert M Taylor
"	"	"	31	SE¼NE¼					"	"	"	15	NW¼NE¼				
52	"	"	29	SW¼SW¼	F.C.	1601	Patented	Orla A Hostetter	97	"	"	15	SE¼, S½NE¼, NE¼NE¼	S.L	List 28	Patented	Wyoming
"	"	"	30	SE¼SE¼					98-B	"	"	14	NW¼, W½NE¼, N½SW¼	S.L	List 28	Patented	Wyoming
"	"	"	31	NE¼NE¼					98-A,C	"	"	14	NE¼NE¼, SE¼SW¼	S.L	List 28	Approved	Wyoming
"	"	"	32	N½NE¼					99	"	"	12	SW¼SW¼	S.L	List 28	Approved	Wyoming
53	"	"	31	E½NW¼, SW¼NE¼	F.C.	838	Patented	Bernard A. Neiber	100	"	"	12	SW¼NE¼	S.L	List 28	Approved	Wyoming
54	"	"	30	E½SW¼, SW¼SE¼	F.C.	1035	Patented	Bernard J. Neiber	101	"	"	11	SE¼NE¼	D	03048	Valid	Lora Niecolls
"	"	"	31	NW¼NE¼					"	"	"	12	NW¼, NW¼NE¼, N½SW¼ *				
55	"	"	30	Lots 3&4	D	1743	Patented	Mary M. Melber	102	"	"	11	NE¼NE¼	S.L	List 28	Patented	Wyoming
"	"	"	31	Lots 1&2					103	"	"	11	SE¼	S.L	List 28	Patented	Wyoming
57	"	94	25	S½NE¼, NW¼NE¼, NE¼SE¼	H	3865	Valid	Isaiah J. Denton	104	"	"	11	S½SW¼	S.L	List 28	Patented	Wyoming
59	"	"	23	S½NE¼, SE¼NW¼, NE¼SE¼	D	2031	Valid	Ethel A. Denton	105	"	"	11	N½SW¼, SW¼NW¼	D	1948	Valid	Anna S. Voss
"	"	"	24	W½SW¼, SE¼SW¼					106	"	"	1	Lots 2, 3, 4, SW¼NW¼	D	1343	Patented	Sanford J Halstead
"	"	"	25	NE¼NW¼					107	"	"	11	W½NE¼, N½NW¼	H	2345	Patented	Ernest C. Voss
60	"	93	30	SW¼NE¼, NW¼SE¼, Lot 2, SE¼NW¼	S.L	List 25	Approved	Wyoming	108	"	"	10	NE¼NE¼	D	0597	Valid	James S. Montrose
61	"	"	19	SE¼SE¼	F.C.	1774	Patented	John H. Lambert	109	"	"	10	SE¼NE¼	H	3091	Patented	Eugene McElmar
"	"	"	20	S½SW¼					110	"	"	10	NW¼NE¼	S.L	List 21	Patented	Wyoming
"	"	"	30	NE¼NE¼					111	"	"	10	SW¼NE¼, NW¼SE¼, SE¼NW¼, NE¼SW¼	H	2009	Patented	John A. Hess
62	"	"	29	N½NW¼, SW¼NW¼	D	1402	Patented	Hugh A. Gilbreath	112	"	"	10	W½NW¼, NE¼NW¼	D	1473	Valid	Frank L. Rue
"	"	"	30	SE¼NE¼					113	"	"	9	SE¼SE¼	F.C.	1474	Patented	William S. McNutt
63	"	"	29	N½SW¼, SE¼SW¼, NW¼SE¼	H	2480	Patented	Bertrand D. Hart	"	"	"	10	S½SW¼, NW¼SW¼				
64	"	"	20	SW¼SE¼	H	03661	Valid	Bessie F. Sutton	114	"	"	9	N½SE¼, SE¼SW¼, SW¼SE¼	F.C.	1578	Patented	Percy Williams
"	"	"	29	W½NE¼, SE¼NW¼					115	"	"	9	N½NE¼, SE¼NE¼	F.C.	820	Patented	James A. Bennett
65	"	"	29	S½SE¼, NE¼SE¼, SE¼NE¼	D	2222	Valid	Lulu B. Robertson	116	"	"	9	SE¼NW¼, SW¼NE¼	D	2032	Valid	Emilie Tyler
66	"	"	21	SW¼SW¼	H	2278	Patented	Walter S. Hart	117	"	"	8	SE¼SE¼	H	2817	Patented	William O. Lester
"	"	"	20	SE¼SE¼					"	"	"	9	W½SW¼, NE¼SW¼				
		"	28	NW¼NW¼					118	"	"	3	SE¼	F.C.	1407	Patented	William F Orr
"	"	"	29	NE¼NE¼					119	"	"	3	W½SW¼	F.C.	850	Patented	Jeremiah Ryan
67	"	"	28	S½NW¼	D	1833	Patented	Roy Russell	"	"	"	4	E½SE¼				
68	"	"	21	SW¼SE¼, SE¼SW¼	F.C.	1575	Patented	Robert T Anderson	120	"	"	3	E½SW¼	F.C	844	Valid	William F. Orr
"	"	"	28	NW¼NE¼, NE¼NW¼					121	"	"	3	Lots 3&4, S½NW¼	F.C.	851	Patented	Carrie A Ley
69	"	"	28	SW¼	D	1988	Patented	Charles M. Holtzinger	"	47	"	34	SE¼SW¼, SW¼SE¼				
70	"	"	28	NW¼SE¼, SW¼NE¼	D	1832	Patented	Charles H. Niecolls	122	46	"	3	Lot 2, SW¼NE¼	D	1341	Valid	Karl Ley
71	"	"	28	SW¼SE¼	S.L	List 28	Patented	Wyoming	123	"	"	2	Lot 4, SW¼NW¼	H	2012	Patented	Karl Ley
72	"	"	28	NE¼SE¼	S.L	List 28	Approved	Wyoming	"	"	"	3	Lot 1, SE¼NE¼				
73	"	"	27	NW¼, S½NE¼	D	2083	Valid	Edwin M. Conant	124	"	"	2	Lots 1, 2&3, S½, S½NE¼, SE¼NW¼	D	2322	Valid	Reuben Terry
"	"	"	28	E½NE¼					125	"	"	1	N½SW¼, SW¼SW¼, SE¼NW¼	F	2994	Patented	Jacob Fyla
74	"	"	22	S½SE¼	H	2957	Patented	Charles H. Stark	126	"	"	1	SE¼SW¼	D	0237	Valid	Elma A. Thomas
"	"	"	27	N½NE¼					127-A	"	"	1	N½SE¼, SW¼SE¼	S.L	List 28	Patented	Wyoming
75-A	"	"	26	NE¼NE¼	S.L	List 28	Approved	Wyoming	127-B	"	"	1	SE¼SE¼	S.L	List 28	Approved	Wyoming
75-B	"	"	26	W½NE¼, SE¼NE¼, SE¼NW¼, NE¼SW¼	S.L	List 28	Patented	Wyoming	128	"	"	1	S½NE¼	H	01383	Valid	Gilbert R Somer
76-C	"	"	25	SW¼SW¼	S.L	List 28	Patented	Wyoming	129	"	"	1	Lot 1	F.C.	1998	Patented	A. Oliver Newton
76-A,B,D	"	"	25	SE¼SW¼, NW¼SW¼	S.L	List 28	Approved	Wyoming	"	46	92	6	Lot 4				
77-A,B,D	"	"	23	E½NW¼, SW¼SE¼	S.L	List 28	Approved	Wyoming	"	47	"	31	Lots 3&4				
77-C	"	"	23	E½SW¼	S.L	List 28	Patented	Wyoming									

The above index to Tracts which have been segregated by the original public survey, in the resurvey of T46 N., R 93 W. under Group No 3, has been prepared in strict conformity with the field notes of the accepted resurvey thereof on file in this office which have been examined and approved.

Surveyor General's Office
Cheyenne, Wyoming
November 26, 1913

Charles L. Deckes
Surveyor General

* NE¼SW¼ Sec. 12 cancelled by relinquishment, December 9, 1912

A.L.R.

CEF MAT

1719 F

46 - 93

44

2454

7

Supplemental Plat Nº4

Resurvey SE¼ Township Nº46 North, Range Nº93 West of the Sixth Principal Meridian, Wyoming

Scale: 20 Chains to 1 Inch

Sec's 22, 23, 24, 25, 26, 27, 34, 35, 36



This Supplemental Plat of the Resurvey of S.E.¼ Township Nº 46 North, Range Nº 93 West of the Sixth Principal Meridian Wyoming is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved

Surveyor Generals Office
Cheyenne, Wyoming
November 26, 1913

Charles H. Deckes
Surveyor General

46 - 93

1719 E

44

6

2453

Supplemental Plat N°3

Resurvey SW¼ Township N°46 North, Range N°93 West of the Sixth Principal Meridian, Wyoming

Scale: 20 Chains to 1 Inch

Secs 19, 20, 21, 28, 29, 30, 31, 32, 33



1719D

46 - 93

44

2452

5

Supplemental Plat Nº2

Resurvey NW¼ Township Nº 46 North, Range Nº 93 West of the Sixth Principal Meridian, Wyoming

Scale: 20 Chains to 1 Inch

Sec's 4,5,6,7,8,9,16,17,18



This Supplemental Plat of the Resurvey of NW¼ Township Nº 46 North, Range Nº 93 West of the Sixth Principal Meridian Wyoming, is strictly conformable to the field notes of the resurvey thereof, on file in this office, which have been examined and approved.

Surveyor Generals Office
Cheyenne, Wyoming.
November 26, 1913

Charles E. Decker
Surveyor General

Resurvey
Wilford W. Utterback D.S
Group Nº3

46 - 93

1719 C

44

2451

4

Supplemental Plat No 1

Resurvey NE¼ Township No 46 North, Range No 93 West of the Sixth Principal Meridian, Wyoming

Scale: 20 Chains to 1 Inch

Sec's 1, 2, 3, 10, 11, 12, 13, 14, 15



This Supplemental Plat of the Resurvey of NE¼ Township 46 North, Range 93 West of the Sixth Principal Meridian Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved.

Surveyor General's Office
Cheyenne, Wyoming
November 26, 1913

Charles L. Keeler
Surveyor General

Resurvey
Wilford W. Utterback D.S.
Group No 3

1719 B

46 - 93

Click Here for Field Notes

Click Here for Field Notes to Private Land Claims

44

2450

(4-675a)

3

Resurvey Township N^o 46 North Range N^o 93 West of the Sixth Principal Meridian Wyoming


S 89°55'E.
Tract 121 Patented
Tract 123 Patented
Tract 124 555.80 (522.95)
Tract 106
Tract 129
Tract 128 80.00
Tract 125 Patented
Tract 127 A
Tract 127 B
Tract 113 Patented
Tract 118 Patented
Tract 120 Patented
Tract 112 Patented
Tract 115 Patented
Tract 116 81.76
Tract 111 Patented
Tract 107
Tract 101 319.45 (168.45)
Tract 105 51.49
Tract 103 Patented
Tract 114 Patented
Tract 117 Patented
Tract 113 Patented
Tract 96 Patented
Tract 104 Patented
Tract 92 159.54
School Section Tract 93
Tract 94 Patented
Tract 97 Patented
Tract 98 B Patented
Tract 95 Patented
Tract 99 Patented
Tract 85 Patented
Tract 81 Patented
Tract 88 Patented
Tract 86 Patented
Tract 84 Patented
Tract 80 162.53
Tract 61 Patented
Tract 66 Patented
Tract 83 Patented
Tract 82 161.20
Tract 74 Patented
Tract 59 320.32
Tract 60 162.99
Tract 62 Patented
Tract 64 162.18
Tract 67 Patented
Tract 73 324.76
Tract 75 B Patented
Tract 55 Patented
Tract 63 Patented
Tract 65 160.00
Tract 69 Patented
Tract 72 172.88
Tract 76 C Patented
Tract 54 Patented
Tract 52 Patented
Tract 50 160.78
Tract 51 Patented
Tract 53 Patented
School Section Tract 43
School Section Tract 39
Tract 48 Patented
Tract 46 Upper Patented
Tract 47 Patented
Tract 42 Patented
Tract 40 Patented
Tract 39 90.00
Tract 37 Patented
Tract 38
Tract 39
Tract 77 B
Tract 76 D
Tract 76 A
Tract 101 A
Tract 41 C
Tract 41 D
Tract 41 B
Tract 41 A
Tract 75
Tract 77 A
Tract 77 D
Tract 77 C
Tract 77 B
Tract 77 A
Tract 74 D
Tract 74 C
Tract 74 B
Tract 74 A
Tract 59 320.32
Tract 59 (5.66)
Tract 55 Patented
Tract 54 Patented
Tract 53 Patented
Tract 46 Upper Patented
Tract 47 Patented
Tract 42 Patented
Tract 40 Patented
Tract 39 90.00
Tract 37 Patented
Tract 38
Tract 39
Tract 77 B
Tract 76 D
Tract 76 A
Tract 101 A
Tract 41 C
Tract 41 D
Tract 41 B
Tract 41 A
Tract 75
Tract 77 A
Tract 77 D
Tract 77 C
Tract 77 B
Tract 77 A
Tract 74 D
Tract 74 C
Tract 74 B
Tract 74 A
Sec. 6 625.83
Sec. 7 642.72
Sec. 1 642.32
Sec. 7 622.60
Sec. 8 640
Sec. 10 460.94
Sec. 9 25.84
Sec. 18 625.44
Sec. 17 640
Sec. 16 21.74
Sec. 14 11.28
Sec. 13 389.69
Sec. 19 567.92
Sec. 20 460.89
Sec. 21 19.79
Sec. 23 150.39
Sec. 24 423.34
Sec. 30 254.50
Sec. 29 13.95
Sec. 28 239.80
Sec. 33 617.98
Sec. 34 64.0
Sec. 31 307.80
Sec. 26 362.13
Sec. 25 120.13
S 89°55'E.
S 89°47'E
S 89°53'W
S 89°57'W
S 89°53'E
S 89°58'W
N 89°58'W
S 89°55'E
S 89°59'W
S 89°56'E
S 89°58'W
S 89°58'E. 78.80
S 89°59'E
S 89°57'W
N 89°24'E. 79.92
N 89°56'W
N 89°57'W.
North
West
Eleventh Auxiliary Meridian West
Gooseberry Creek
Hanover Irrigation Canal
Irrigation Canal
Bluff Canal
Mesa Ditch
Mesa Reservoir
Mesa Canal
Hanover Canal
Upper Hanover Canal
Mesa Lateral
Mesa Reservoir Lateral
Mesa Reservoir Feeder
Mesa Reservoir Feeder Lateral
Mesa Reservoir Feeder Canal
Mesa Reservoir Feeder Canal Lateral
Mesa Reservoir Feeder Canal Lateral
Mesa Reservoir Feeder Canal Lateral

Click Here for Field Notes

2449

TOWNSHIP № 46 NORTH, RANGE № 93 WEST of the 6TH Principal MERIDIAN.



Total number of Acres 23,027.31

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys Mls	Ch	Lks	When Surveyed	Magnetic Declination
N Township lines	R H Woods	May 15, 1882	17	72	32	Feb. 12-14, 1883	19° 50' East
Subdivisions	E H Mc Lehaney Jr	" " "	60	00	81	April 10 & 21 1883	19° 55' "
Connections							
11th Aux 6th M W	R H Woods	" " "	5	00	00	June 25 1882	

The above Map of Township № 40 North, Range № 93 West of the Sixth Principal Meridian Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved

Surveyor Generals Office, Cheyenne Wyoming September 15th 1883

Edw. C. David
Surv. Gen.

A. Gast & Co. St Louis Mo.

1719

46 - 93

2942

44 Idaho

4903

RESURVEY

TOWNSHIP EXTERIORS

Scale: 1 inch to 160 Chains



This Plat
of the Resurvey of the
North Boundary of Townships 45, 46, and 47 North, through Range 93 West, the West Boundary of Townships 45, 46, 47 and 48 North, Range 93 West;

Eleventh Auxiliary Meridian West through Townships 45, 46, 47 and 48 North,

Eleventh Standard Parallel North, through Range 93 West

and the Retracement of

Portion of the Twelfth Standard Parallel North, through Rs. 92 and 93 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof

by

Wilford W. Ulterback U.S. Transitman

under his

Assignment to Group No. 3

dated July 21, 1910,

which have been examined, approved and filed in this office.

U.S. Surveyor General's Office

Cheyenne, Wyoming

November 26, 1913

Charles L. Deeter

U.S. Surveyor General.

Surveys Designated	Amount Mls.	Chs.	Lks.	When Surveyed
Resurvey Standard Lines	30	11	77	August 1, 1910-August 27, 10
Resurvey Township Lines	42	07	29	August 30, 19[illegible]-May 11, 1911
Retracement Standard Line	4	45	27	August 27, 1910
Connecting Lines	4	22	27	August 27, 1910-May 11, 1911

2364

Click Here for Field Notes

EXTERIOR LINES.

Scale 6 miles to 1 inch. Magnetic Var. East.



T.48N.

T.47N.

T.46N.

T.45N.

R.96W. R.95W. R.94W. R.93W.

Surveys designated	By whom surveyed	Date of contract	Amt. of surveys.			When surveyed.
			Miles.	Chs.	L. s.	
Exterior lines	R. H. Woods.	May. 15. 1882.	143	70	64.	Feb. 18-Mar. 2. 1883.
Connections	" " "	" " "		8	91	" " "

I hereby certify that the above diagram of the Exterior lines of T. 45. 46. 47 & 48 N: R. 95. 94. 95 & 96. W. of the 6th Principal Meridian Wyoming Territory, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.
Surveyor Generals Office.
Cheyenne, Wyo. Septbr 8th 1883.

Edw. C. Faust
Surveyor General.

(22) Garland accession no. 2368

Click Here for Field Notes

.53

11TH AUXILIARY MERIDIAN WEST

in Tps. 45 to 48 N. inclusive betw. Rgs. 92 & 93 W. of the 6th Prin. Mer. W.T.

Magn. Variation East *Scale 40 Chs. to 1 Inch*



Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys			When Surveyed
			Mls	Chs	Lks	
11th Auxil. Mer. W.	R. H. Woods	May 15, 1882	24	00	00	June 25-28 '82

The above map of the 11th Auxiliary Meridian West in Tps. 45 to 48 N. incl. betw. Rgs. 92 & 93 W. of the 6th Principal Mer., Wyo. Ter., is strictly conformable to the fieldnotes of the survey thereof, on file in this office, which have been examined and approved

Surveyor General's Office
Cheyenne Wyoming
September 8th 1883

Edwd. C. Davis
Sur. Gen.

1688