


TOWNSHIP 1 SOUTH, RANGE 4 EAST, OF THE WIND RIVER MERIDIAN, WYOMING.

DEPENDENT RESURVEY AND SUBDIVISION OF SECTIONS

Sec. 3

Sec. 9

Sec. 11



A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of a portion of the subdivisional lines and portions of the subdivision of sections 10 and 15, designed to restore the corners in their true original locations according to the best available evidence, and the survey of the subdivision of sections 10 and 15, T. 1 S., R. 4 E., Wind River Meridian, Wyoming.

The lottings and areas are as shown on the plats approved December 28, 1875, August 2, 1916, March 8, 1917 and September 20, 1985.

Survey executed by Joel T. Ebner, Cadastral Surveyor, beginning September 18, 2006, and completed September 20, 2006, pursuant to Special Instructions dated August 23, 2006, for Group No. 760, Wyoming.



Sec. 16

Sec. 14

Sec. 22


UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming September 4, 2007

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee
John P. Lee
Chief Cadastral Surveyor for Wyoming




TOWNSHIP 1 SOUTH, RANGE 4 EAST, OF THE WIND RIVER MERIDIAN, WYOMING.
DEPENDENT RESURVEY AND SURVEY

A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of a portion of the subdivision of section 2, and a portion of the 1914 adjusted meanders of the right bank of the Wind River designed to restore the corners in their true original locations according to the best available evidence, and the metes and bounds survey of Lot 18, section 2, T. 1 S., R. 4 E., Wind River Meridian, Wyoming.

Except as indicated hereon, the lottings and areas are as shown on the plats approved December 28, 1875, May 24, 1906, and April 17, 1909.

Survey executed by Thomas E. Casinger, Cadastral Surveyor, beginning August 9, 1993, and completed August 16, 1993, pursuant to Special Instructions dated July 8, 1993, for Group No. 579, Wyoming.





Sec. 3

Sec. 1

Sec. II

CURVE DATA
Chord Bearing N.48°42.5'W.
Chord Length 6.21 Chs.
Radius 16.605 Chs.
Length of Arc 6.25 Chs.



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming

April 4, 1997



This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. La
Chief Cadastral Surveyor for Wyoming

OFFICIALLY FILED: May 16, 1997

TOWNSHIP 1 SOUTH, RANGE 4 EAST, OF THE WIND RIVER MERIDIAN, WYOMING.
DEPENDENT RESURVEY AND SURVEY



A history of surveys is contained in the field notes.

This plat, in five sheets, represents the dependent resurvey of portions of the west boundary, subdivisional lines, subdivision of sections, 1905 and 1908 adjusted meander lines designed to restore the corners in their true original locations according to the best available evidence, and the survey of the subdivision and parcels of certain sections, T. 1 S., R. 4 E., Wind River Meridian, Wyoming.

Except as indicated hereon, the lottings and areas are as shown on the plats approved December 28, 1875, May 24, 1906, July 11, 1906, April 17, 1909, August 2, 1916 and April 18, 1925.

Survey executed by Santiago T. Chavez, Cadastral Surveyor, beginning September 2, 1975, and completed June 28, 1983, pursuant to Special Instructions dated August 6, 1975, and Supplemental Special Instructions dated June 14, 1979, for Group No. 376, Wyoming.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming September 20, 1985


This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Richard J. Pales

Chief Cadastral Surveyor for Wyoming

TOWNSHIP 1 SOUTH, RANGE 4 EAST, OF THE WIND RIVER MERIDIAN, WYOMING.
DEPENDENT RESURVEY AND SURVEY



Portion of Parcel B
Line 3-4 S.50°06'E., 1.51
Line 4-5 S.26°51'E., 5.00
Line 5-6 S.53°06'E., 2.68

Reference should be made to Sheet No. 1 for survey information.


UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming September 20, 1985


This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Chief Cadastral Surveyor for Wyoming



TOWNSHIP 1 SOUTH, RANGE 4 EAST, OF THE WIND RIVER MERIDIAN, WYOMING.
DEPENDENT RESURVEY AND SURVEY




Enlarged Diagram "A"

		WEST			19.93				
2.43	2.50	2.50	2.50	5.00	5.00	5.00	5.00	5.01	5.01
5.02	10.125	9.125	8.125	7.125	5.02	6.250	10.02	5.01	2.50
S. 89° 58' W		S. 89° 58' W		S. 89° 58' W	S. 89° 58' W		S. 89° 58' W		10.01
2.45	2.50	2.50	2.50	2.50	2.50	2.50	5.01	5.01	5.01
5.02	11.249	13.500	13.125	14.125	15.125	16.250	5.01	5.01	5.01
S. 89° 56' W		S. 89° 57' W		S. 89° 57' W		S. 89° 57' W		S. 89° 57' W	
S. 89° 56' W					19.98				

Enlarged Diagram "B"

		S. 89° 36' W			
5.02	23.503	22.503	5.00	5.00	5.00
S. 89° 27' W		S. 89° 27' W		S. 89° 27' W	
2.52	2.52	5.04	5.00	5.00	5.00
5.02	24.126	25.127	26.253	5.00	5.00
S. 89° 19' E		S. 89° 19' E		S. 89° 19' E	
2.525		2.525		5.05	



Reference should be made to Sheet No. 1 for survey information.


UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming September 20, 1985


This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director
Richard G. Pales

Chief Cadastral Surveyor for Wyoming



TOWNSHIP 1 SOUTH, RANGE 4 EAST, OF THE WIND RIVER MERIDIAN, WYOMING.
DEPENDENT RESURVEY AND SURVEY



Reference should be made to Sheet No. 1 for survey information.



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT


Cheyenne, Wyoming September 20, 1985

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Richard L. Gates

Chief Cadastral Surveyor for Wyoming




Supplemental Plat No. 7

Resurvey Township No. 1 South, Range No. 4 East of the Wind River Meridian, Wyoming

Scale 10 Chains to an Inch

SHOSHONE INDIAN ALLOTMENTS

- No. 241, Augustus H. Brown, Lot 1
Approved June 4, 1906
- No. 236, Heirs Lydia Brown, Lots 2 and 4 (SE*NE*)
Approved June 4, 1906
- No. 237, Boniface Brown, Lot 3
Approved June 4, 1906
- No. 1631, Teddy E. Crispin, Lot 8, W²SE*NW*
Approved October 8, 1913
- No. 1616, Singing Woman, Lot 4, (NW*NW*)
and SW*NW* Approved October 8, 1913
- No. 1623, Heirs Metz York, Lot 6, E²SE*NW*
Approved October 8, 1913
- No. 1624, Heirs Sings-on-top, E²SE*
Approved October 8, 1913



- ORIGIN OF DESIGNATIONS AND AREAS
- Plat approved December 28, 1875
Lot 1
 - Supplemental plat approved May 24, 1906
Lots 2 and 3
 - Supplemental plat approved July 11, 1906
Lot 4 in SE*NE*
 - Supplemental plat approved April 17, 1909
Lot 4 in NW*NW* and Lot 6
 - Lot 5, shown on plat approved April 17, 1909, is subdivided into E²SE*NW*W²SE*NW* and Lot 8, as shown on this plat
 - Lot 7, shown on plat approved April 17, 1909, is subdivided into NE*SE* and Lot 9, as shown on this plat

This Supplemental Plat of Resurvey Township No. 1 South, Range No. 4 East of the Wind River Meridian, Wyoming, plat approved March 8, 1917, is prepared in compliance with instructions from the Commissioner of the General Land Office, contained in letter E*419537, dated February 25, 1925, in order to give proper designation and area to Indian Allotment No 1631, Teddy E. Crispin and for the purpose of reinstating the subdivisions in Section 3 to their status shown on former plats by which patents have been or may be issued and is hereby approved

U. S. Surveyor General's Office
Cheyenne, Wyoming April 18, 1925

Clyde W. Arthur
Surveyor General

23-H


Trans. to Lander Co.
July 18 1925

RECEIVED S. G. O.
APR 10 1917
CHEYENNE, WYO.

5035

RESURVEYS IN TOWNSHIP NO. 1 SOUTH RANGE NO. 4 EAST OF THE WIND RIVER MERIDIAN, WYOMING.
WIND RIVER OR SHOSHONE INDIAN RESERVATION
SUPPLEMENTAL PLAT
WIND RIVER BASE LINE

LAT. 43°01'
LONG. 108°21'



Original lot 7 of Sec. 17 subdivided and reotted for allotments.



SURVEYS DESIGNATED	BY WHOM SURVEYED	TITLE	WHEN SURVEYED
STANDARD LINES	R.A. FARMER AND F.C. MILLER	U.S. Surveyor and Transitman	June 2, July 29, Aug. 11, 1914.
TOWNSHIP	"	"	Oct. 25, 1913. May 11, 1914.
SUBDIVISION	"	"	May 27, to June 11, Aug. 23-24, '14.
MEANDER	"	"	"
BOUNDARY	"	"	June 2, 3, Aug. 25, 1914.

A. F. DUNNINGTON, Topographer in charge Instructions May 26, 1913 and June 6, 1914.

This plat represents a resurvey made for the purpose of restoring and re-establishing corners for Indian allotment locations.

THE ABOVE MAP OF TOWNSHIP NO. 1 SOUTH, RANGE NO. 4 EAST OF THE WIND RIVER MERIDIAN, WYOMING IS STRICTLY CONFORMABLE TO THE FIELD NOTES OF THE SURVEY THEREOF ON FILE IN THIS OFFICE, WHICH HAVE BEEN EXAMINED AND APPROVED
D.B.C. GENERAL LAND OFFICE
WASHINGTON D. C., MARCH 8, 1917.

[Signature]
Commissioner

Approved and accepted by Comm. Mar. 8, 1917.
Trip. Copy - Transmitted to Lander L.O. April 12, 1917
1S-4E

23.7.

SIR.2


TOWNSHIP EXTERIORS

Scale: 1 inch to 160 chains

This Plat
of
A part of the South Boundary of T. 1 S., R. 2 E.,
the Retracement of a part of
The South Boundary of T. 1 S., R. 3 E. and T. 1 N., R. 4 E.
The West Boundary of T. 1 N., R. 4 E., T. 1 S., R. 3 and 4 E.
and T. 2 S., R. 3 E. of the
Wind River Meridian
Wyoming;
is strictly conformable to the field notes of the survey thereof
by
William S. Adams, U.S.D.S.
under his
Contract No. 332,
dated January 3, 1908,
which have been examined, approved and filed in this office
U.S. Surv. Gen'l's Office,
Cheyenne, Wyoming,
April 17, 1909.

Stephen P. Johnson
U.S. Surv. Gen'l

Table of Mileage		
Surveys Designated	Amount Mis. Chs. Lks.	When Surveyed
Township Lines	2 78 68	May 8, 1908
" " Retr.	7 38 90	Feb. 12-May 10, 1908




Accepted by the Acting Commissioner of the General Land Office on the letter of July 20, 1909.

5157

TOWNSHIP EXTERIORS


Scale: 1 inch to 160 chains.



EAST BOUNDARY SHOSHONE INDIAN RESERVATION

Table of Mileage

Survs. Designated	Amount Mis. Chs. Lks.	When Surveyed
Standard Lines	33 02 40	June 6-Oct 18, 1905
Township "	89 36 71	May 19-Oct 21, "
Connecting "	1 07 77	" " " "
Retracement "	18 02 29	July 22, Oct 14, 15, 21 & 29, "



This Plat
 Of The Wind River Base Line through R.6E; The First Guide Meridian East through Fractional Tps. 1 and 2 S.; the north and west boundaries of Tps. 2 S. Rs. 4 and 6 E.; the south and east boundaries of Tp. 1 S. R. 5 E.; The First Guide Meridian West through Tps. 6, 7, 8 and 9 N.; The Second Standard Parallel North through Rs. 4 and 5 W.; the north and west boundaries of Tps. 6 and 7 N., Rs. 3 and 5 W.; the north boundaries of Tps. 6 and 7 N., R. 4 W. and Tp. 6 N., R. 6 W.; the east boundary of Tp. 8 N., R. 4 W. and the retracement of portions of north and west boundaries of T. 1 N., R. 4 E.; the south boundary of T. 6 N., R. 3 W.; the Wind River Base Line and the south, east and north-west boundaries of the Shoshone Indian Reservation, in Wyoming, is strictly conformable to the field notes of the same by

Burnham and Adams, U.S. Deputy Surveyors,
 under their
 Contract No. 301, dated May 1, 1905,
 which have been examined, approved and filed in this office,
 U.S. Surveyor General's Office,
 Cheyenne, Wyoming, April 30, 1906.
Alpheus S. Hammon
 U.S. Surveyor General.

This plat accepted by the Hon. Commissioner in letter 'E', May 10, 1906.




DIAGRAM
of the
EXTERIOR BOUNDARY LINES OF TOWNSHIPS
IN THE SHOSHONE INDIAN RESERVATION
WYOMING TERRITORY.

Department of the Interior
General Land Office
December 28th 1875

The above diagram of Exterior Boundary lines of Townships in the Shoshone Indian Reservation, in Wyoming Territory, is strictly conformable to the field notes on file in this Office, which have been examined and approved.

J. S. Burdett
Commissioner.

Surveyed by
James W. Miller
U.S. Surveyor.

Under contract with Hon. S.S. Burdett Commissioner
of the General Land Office, bearing date Oct 2nd 1874.

Commenced July 1875
Completed Aug 1875

Scale 4 Inch to 1 Mile.