

TOWNSHIP 54 NORTH, RANGE 69 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

CORRECTIVE DEPENDENT RESURVEY

SURVEY INFORMATION AND CERTIFICATE

This plat represents the entire record of the corrective dependent resurvey of a portion of the subdivisional lines designed to restore the corners in their true original locations according to the best available evidence.

The positions of the 1/4 sec. cor. and the S. 1/16 sec. cor. of secs. 5 and 6, was purported as not conforming to the official record, by Bryce E. Rumph, Wyoming Registered Land Surveyor No. 538, Gillette, Wyoming. The field investigation substantiated the purported findings, and confirmed errors in measurements. The corner positions were not affected. A corrective dependent resurvey as shown in detail hereon corrects the measurements between sections 5 and 6, and the areas of certain lots.

This survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated November 7, 1997, for Group No. 647, and assignment instructions dated November 7, 1997.

Louis F. Stahle surveyed the north boundary and subdivisional lines in 1882. Richard R. Shatto dependently resurveyed the north and west boundaries and subdivisional lines in 1986.

Except as indicated hereon, the lottings and areas are as shown on the plat approved August 18, 1883.

Survey executed by Ryan R. Lorenzen, Surveying Technician, under the supervision of James D. Clafin, Cadastral Surveyor, beginning November 7, 1997, and completed November 7, 1997.

The direction of all lines refer to the true meridian, determined by the plat of dependent resurvey accepted May 3, 1988, and carried forward by sustained angulation. Measurements were made using a WILD theodolite, Model T-1000. A WILD electronic distance meter, Model DI-2000 and by chaining methods. The instruments were maintained in proper adjustment at all times.

The geographic position of the 1/4 sec. cor. of secs. 6 and 7, determined by traverse from U.S.C. and G.S. Triangulation Station "PRAIRIE" located in the SE1/4, SW1/4 of sec. 6, and existing resurvey data.

Field assistants were Joel T. Ebner, Cadastral Surveyor, and Bruce M. Mortimer, Surveying Technician.

The area embraced by this survey is situated in the northeast portion of Campbell County, Wyoming, approximately 7 miles northeast of Weston, Wyoming, within the Thunder Basin National Grass Lands. Access is provided by county roads and trails.



We, James D. Clafin, Cadastral Surveyor, and Ryan R. Lorenzen, Surveying Technician, certify that the corrective dependent resurvey of a portion of the subdivisional lines was executed by us and under our direction as described above and as shown on this plat.

December 13, 1999
(Date)

James D. Clafin
(Cadastral Surveyor)

December 13, 1999
(Date)

Ryan R. Lorenzen
(Surveying Technician)



Sec. 4

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT


Cheyenne, Wyoming December 13, 1999

This plat of corrective dependent resurvey, having been executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee
Chief Cadastral Surveyor for Wyoming

Sec. 7 Sec. 8



JDM