

## REFERENCES CITED

---

- Air Resource Specialists. 2002. Green River Basin Visibility Study Monitored Air Quality Data. Air Resource Specialists, Fort Collins, Colorado. Period of record data provided to TRC August 2002.
- Anderson, S.H. and C.T. Patterson. 1988. Characteristics of bald eagle winter roosts in Wyoming. *Prairie Nat.* 20:147-152.
- Archibald, J. D., 1993. The importance of phylogenetic analysis for the assessment of species turnover: a case history of Paleocene mammals in North America. *Paleobiology*. v. 19, p. 1-27.
- Baxter, G.T. and M.D. Stone. 1995. *Fishes of Wyoming*. Wyoming Game and Fish Department, 290pp.
- Biggins, D., B. Miller, B. Oakleaf, A. Farmer, R. Crete, and A. Dood. 1989. A system for evaluating black-footed ferret habitat. Report prepared for The Interstate Coordinating Committee by The Reintroduction Site Group. 25pp.
- Bradley, W. H., 1964. Geology of the Green River Formation and associated Eocene rocks in southwestern Wyoming and adjacent parts of Colorado and Utah. U. S. Geological Survey Professional Paper 496-A, 86 p.
- Braun, C.E., T. Britt, and R.O. Wallestad. 1977. Guidelines for maintenance of sage grouse habitats. *Wildlife Society Bulletin* 5:99-106.
- Breithaupt, B.H. 1985. Non-mammalian vertebrate faunas from the Late Cretaceous of Wyoming. Wyoming Geological Association 36th Annual Field Conference Guidebook, p. 159-175.
- Call, M.W. 1974. Habitat requirements and management recommendations for sage grouse. U.S. Department of the Interior, Bureau of Land Management Technical Note, Denver, CO. 37pp.
- Call, M.W. and C. Maser. 1985. Wildlife habitats in managed rangeland: the Great Basin of southeastern Oregon - sage grouse. Pacific Northwest Forest and Range Experiment Station, U.S. Forest Service Technical Report PNW-187. 30pp.
- Case, J. C., Edgar, T. V., and DeBruin, R. H., 2002. Subsidence potential related to water withdrawal in the Powder River Basin. <http://www.wsgsweb.uwyo.edu/oilandgas/Subsidence.asp>
- Clemens, W. A., 1964. Fossil mammals at the type Lance Formation, Wyoming; Part I, Introduction and Multituberculata. University of California Publications in Geological Sciences, v. 48, p. 1-105.
- \_\_\_\_\_. 1966. Fossil mammals of the type Lance Formation, Wyoming. Part II. Marsupialia. University of California Publications in Geological Science, v. 62, 122 p.

## REFERENCES CITED

---

- \_\_\_\_\_. 1973. Fossil mammals of the type Lance Formation, Wyoming. Part III. Eutheria and summary. University of California Publications in Geological Science, v. 94, 102 p.
- Clemens, W. A., Lillegraven, J. A., Lindsay, E. H., and Simpson, G. G., 1979. Where, when, and what; a survey of known Mesozoic mammal distribution in Lillegraven, J. A., Kielan-Jawarowska, Z., and Clemens, W. A., eds. *Mesozoic Mammals; the First Two-Thirds of Mammalian History*, University of California Press, Berkeley, p. 7-58.
- Clemens, W. A., and Lillegraven, J. A., 1986. New Late Cretaceous, North American advanced therian mammals that fit neither the marsupial nor eutherian molds in Flanagan, Kathryn M., and Lillegraven, J. A., eds. *Vertebrates, Phylogeny, and Philosophy, Contributions to Geology*, University of Wyoming, Special Paper 3, p. 55-85.
- Coates, D.A., and Heffern, E.L., 1999, Origin and geomorphology of clinker in the Powder River Basin, Wyoming and Montana: Wyoming Geological Association 50th Annual Field Conference Guidebook, p. 211-229.
- Collentine, M., R. Libra, K.R. Feathers, and L. Hamden. 1981. *Occurrence and Characteristics of Groundwater in the Great Divide and Washakie Basins, Wyoming*. Water Resources Research Institute, University of Wyoming, Laramie, Wyoming.
- Colorado Department of Public Health and Environment, Air Pollution Control Division (CDPHE-APCD). 1996. Background pollutant concentration information on file at the Colorado Department of Public Health and Environment, Air Pollution Control Division. Denver, Colorado.
- Cote', W.A. 1984. Application for Air Quality Permit to Construct for Chevron Chemical Company's Phosphate Project. Addendum I: Air Quality Related Values. TRC Environmental Consultants, Englewood, Colorado.
- Craig Chamber of Commerce. 2000. Website listing for motels. Craig, CO. June 2000
- Cronoble, J.M. 1969. South Baggs—West Side Canal gas field, Carbon County, Wyoming, and Moffat County, Colorado; p. 129-137 IN Barlow, J.A. Jr., (ed.), *Guidebook to Tertiary rocks of Wyoming*. Wyo Geol. Assoc. 21<sup>st</sup> Annual Field Conf. Guidebook.
- DeBruin, R.H. 1993. Overview of the oil and gas geology of Wyoming; pp. 837-873 IN Snoke, A.W., Steidtmann, J.R., and S.M. Roberts (eds.), "Geology of Wyoming." Wyo. Geol. Survey Memoir 5.
- DeBruin, R.H. 1996. Oil and gas map of Wyoming. Wyo. Geol. Survey Map, MS-48.
- DeBruin, R.H., and C.S. Boyd. 1991. Oil and gas map of Wyoming. Wyoming Geol. Survey Map, 35.
- Dinsmore, J.J. 1981. Mountain plovers, a synthesis of the literature and an annotated bibliography. 24pp.

## REFERENCES CITED

---

- \_\_\_\_\_. 1983. Mountain Plover (*Charadrius montanus*). Pages 185-196 in J.S. Armburster (ed). Impacts of coal surface mining on 25 migratory bird species of high federal interest. USFWS Publ. OBS-83/35.
- Dorf, E., 1942a. Upper Cretaceous floras of the Rocky Mountain region: II Flora of the Lance Formation at its type locality, Niobrara County, Wyoming. Carnegie Institute Washington, Publication 580, p. 79-159.
- \_\_\_\_\_. 1942b. Upper Cretaceous floras of the Rocky Mountain region: Upper Cretaceous floras of the Rocky Mountain region; 1, Stratigraphy and paleontology of the Fox Hills and Lower Medicine Bow formations of southern Wyoming and northwestern Colorado. Carnegie Institute Washington, Publication 580, p. 79-159.
- Dorn, R.D. 1992. Vascular plants of Wyoming, second edition. Mountain West Publishing, Cheyenne, WY.
- Driver, N.E., J.M. Norris, and G. Kuhn. 1984. *Hydrology of Area 53, Northern Great Plains and Rocky Mountain Coal Provinces, Colorado, Wyoming, and Utah*. U.S.G.S. WRI Open File Report 83-765.
- Druse, S.A., W.R. Glass, G.F. Ritz, and M.L. Smalley. 1994. Water Resource Data, Wyoming Water Year 1993. USGS Water-Data Report WY-93-1.
- Estes, R., 1964. Fossil vertebrates from the Late Cretaceous Lance Formation, eastern Wyoming. California University Publications in Geological Sciences, v. 49, 180 p.
- Fagerstone, K.A. 1987. Black-footed ferret, long-tailed weasel, and least weasel. Pages 548-573 in M. Novak, J.A. Baker, M.E. Obbard, and B. Mallock (eds). Wild furbearer management and conservation in North America. Ministry of Natural Resources, Ontario.
- Fertig, W. and G. Beauvais. 1999. Wyoming Plant and Animal Species of Special Concern. Wyoming Natural Diversity Database, Laramie, Wyoming. Unpublished Report.
- Fertig, W. 2000. Status of blowout penstemon (*Penstemon haydenii*) in Wyoming. Report prepared for the Wyoming Cooperative Fish and Wildlife Research Unit, US Fish and Wildlife Service, and Wyoming Game and Fish Department by the Wyoming Natural Diversity Database, Laramie, Wyoming.
- Fertig, W. 2001. 2000 survey for Blowout penstemon (*Penstemon haydenii*) in Wyoming. Prepared for the Bureau of Land Management Wyoming State Office by the Wyoming Natural Diversity Database, University of Wyoming, Laramie, Wyoming.
- Freethy, G.W. 1987. Upper Colorado River Basin Regional Aquifer Systems Analysis-Mesozoic Rock in Colorado, Utah, Wyoming, Arizona, and New Mexico, pp. 57-70, in J.S. McLean and A.I. Johnson (Eds). Regional Aquifer Systems of the United States: Aquifers of the Western Mountain Area. Amer. Water Res. Assoc. Mono. Ser. No. 14. 23<sup>rd</sup> Annual AWRA Conference and Symposium, Nov. 1-6, 1987, Salt Lake City, UT. 229 pp.

## REFERENCES CITED

---

- Freeze, R.A., and Cherry, J.A., 1979, *Groundwater*: Prentice-Hall, Inc., New Jersey, 604 p.
- Gill, J.R., E.A. Merewether, and W.A. Cobban. 1970. Stratigraphy and nomenclature of some Upper Cretaceous and Lower Tertiary rocks in south-central Wyoming. U.S. Geological Survey Professional paper 667, 50p.
- Graul, W.D. 1975. Breeding biology of the mountain plover. *Wilson Bull.* 87:6-31.
- Gregory, R.W., and R.H. DeBruin. 1991. Oil and gas fields map of the greater Green River Basin and overthrust belt, southwestern Wyoming. *Wyoming Geol. Survey Map*, 36.
- Grieve, P. 2000. Western United Realty, Baggs, WY. Personal communication with George Blankenship, Blankenship Consulting LLC, Denver, CO. June 26, 2000.
- Hall, D.H. 1987. *Archaeological Investigations Within the Little Snake River Basin Colorado and Wyoming*. Master's Thesis on file. Submitted to the Department of Anthropology, Colorado State University, Fort Collins, Colorado.
- Hall, E.R. and K.R. Kelson. 1959. *The mammals of North America*. The Ronald Press Company, New York. 1083 pp.
- Hamilton, D.S. 1993, Stratigraphy and Coal Occurrence of the Upper Cretaceous Mesaverde Group, Sand Wash Basin, Gas Research Institute, from the Topical Report: Geologic and Hydrologic Controls on Coalbed Methane: Sand Wash Basin, Colorado and Wyoming, pp. 23-49.
- Hayden-Wing, L.D., D.B. Costain, J.L. Hull, M.R. Jackson, and T.B. Segerstrom. 1986. Movement patterns and habitat affinities of a sage grouse population in northeastern Wyoming. Pages 207-226 in R.D. Commer, T.G. Bauman, P. Davis, J.W. Monarch, J. Todd, S. Van Gytenbeek, D. Wills, and J. Woodling editors. *Proceedings for Issues and Technology in the Management of Impacts on Western Wildlands*. Glenwood Springs, CO. Feb 4-6, 1985.
- Heath, R.C. 1984. *Groundwater regions of the United States*. U.S. Geological Survey Water-Supply Paper 2242. U.S. Government Printing Office, Washington, D.C. 78 pp.
- Hettinger, R.D., and R. Brown. 1979. Geophysical and lithologic logs of 1977 coal drilling in the Fort Union Formation, Carbon and Sweetwater counties, Wyoming. U.S. Geol. Survey Open-file Rept., 79-326: 81 pp.
- Hettinger, R.D., Honey, J.G., and D.J. Nichols. 1991. Chart showing correlations of Upper Cretaceous Fox Hills Sandstone and Lance Formation, and lower Tertiary Fort Union, Wasatch, and Green River Formations, from the eastern flank of the Washakie Basin to

## REFERENCES CITED

---

- the southeastern part of the Great Divide Basin, Wyoming. U.S. Geol. Survey Misc. Inv. Map I-2151.
- Hettinger, R.D., and M.A. Kirschbaum. 1991. Chart showing correlations of some Upper Cretaceous and lower Tertiary rocks, from the east flank of the Washakie Basin to the east flank of the Rock Springs Uplift, Wyoming. U.S. Geol. Surv. Misc. Inv. Map, I-2152.
- Higley, S.T. 1996. *Numerical Simulation and Groundwater Storage Relationships within the Muddy Creek Aquifer System*. M.S., Department of Civil and Architectural Engineering, University of Wyoming.
- Honey, J. G., 1988. A mammalian fauna from the base of the Eocene Cathedral Bluffs Tongue of the Wasatch Formation, Cottonwood Creek area, Southeast Washakie Basin, Wyoming *in* Roehler , H. W., Hanley, J. H., and Honey, J. G., Geology and paleoecology of the Cottonwood Creek delta in the Eocene Tipton Tongue of the Green River Formation and a mammalian fauna from the Eocene Cathedral Bluffs Tongue of the Wasatch Formation, Southeast Washakie Basin, Wyoming. US Geological Survey Professional Paper 1669, p. 1-14
- Honey, 2003. Personal communication to Thomas M. Bown
- Kaiser, W.R., Scott, A.R., Hamilton, D.S., Tyler, R., McMurry, R.G., Zhou, N., and C.M. Tremain. 1994. Geologic and hydrologic controls on coalbed methane: Sand Wash Basin, Colorado and Wyoming. Colo. Geol. Survey Resource Series 30/Bur. Econ. Geol. Rept. Invest., No. 220.
- Kantrud, H.A. and R. Kologiski. 1982. Effects of soils and grazing on breeding birds of uncultivated upland grasslands of the northern Great Plains. Wildl. Res. Report 15. 9pp.
- Knopf, F.L. 1994. Avian assemblages on altered grasslands. *Studies in Avian Biology*. 15:247-257.
- Latham, M. A. 1999 *Class III Cultural Resource Inventory and Evaluation of Eleven Prehistoric Sites: Little Snake Supplemental Irrigation Water Supply Project, High Savery Dam and Reservoir Alternative, Carbon County, Wyoming*. Burns and McDonnell.
- Leachman, B. and B. Osmundson. 1990. Status of the mountain plover: a literature review. U.S. Fish Wildl. Serv., Fish and Enhancement, Golden, CO. 83pp.
- Lillegraven, J. A., 1993. Correlation of Paleogene strata across Wyoming- a users guide in Snoke, A. W., Steidtmann, J. R., and Roberts, S. M., eds. *Geology of Wyoming*, v. 1, p. 415 - 477.

## REFERENCES CITED

---

- Lillegraven, 2002. Personal communication to Gustav F. Winterfeld
- Love, J.D., and A.C. Christiansen. 1985. Geologic Map of Wyoming. U.S. Geol. Survey and Wyoming Geol. Survey; Scale 1:500000.
- Love, J. D., Chistiansen, A. C., Ver Ploeg, A. J., 1993. Stratigraphic chart showing Phanerozoic Nomenclature for the State of Wyoming. The Geological Survey of Wyoming, Map Series 41.
- Lyman, R. N. And Volkmer, J E.. 2001 Pyrophoricity (spontaneous combustion) of Powder River Basin coalsBconsiderations for coalbed methane development <http://www.wsgsweb.uwyo.edu/Coal/CR01-1.pdf>
- Lyon, A.G. 2000. The potential effect of natural gas development on sage grouse (*Centrocercus urophasianus*) near Pinedale, Wyoming. M.S. Thesis. University of Wyoming, Laramie, WY.
- Martner, B.E. 1986. *Wyoming Climate Atlas*. Lincoln: University of Nebraska Press.
- Massey, R. 1989. Wyoming Comprehensive Historic Preservation Plan. Report Prepared for Archive, Museums, and Historic Department. Wyoming State Historic Preservation Office, Cheyenne.
- Merrill, E.H., T.W. Kohley, M.E. Herdendorf, W.A. Reiners, K.L. Driese, R.W. Marrs, and S.H. Anderson. 1996. The Wyoming gap analysis project final report. University of Wyoming, Laramie, WY. 109 pp + appendices.
- Metcalf, M.D. 1987. Contributions to the Prehistoric Chronology of the Wyoming Basin In *Perspectives on Archaeological Resources Management in the Great Plains*, edited by A. J. Osborn and R. C. Hassler, pp. 233-261. I & O Publishing Company, Omaha, Nebraska.
- Metcalf, M.D. and K. Black. 1991. *Archaeological Excavations at the Yarmony Pit House Site, Eagle County, Colorado*. Colorado Cultural Resource Series No. 31, Denver.
- Miller, M. 1997. *Hollow Victory: The White River Expedition of 1879 and the Battle of Milk Creek*. University Press of Colorado, Niwot.
- Minckley, W.L. and J.E. Deacon. 1991. *Battle Against Extinction - Native Fish Management in the American West*. The University of Arizona Press, Pheonix.
- Morris, W. J., 1954. An Eocene fauna from the Cathedral Bluffs Tongue of the Washakie Basin, Wyoming. *Journal of Paleontology*, v. 28, p. 195-203.
- Munn, L. C. and Arneson, C. S., 1998 Soils of Wyoming: A Digital Statewide Map at 1:500,000-Scale Agricultural Experiment Station Report B-1069

## REFERENCES CITED

---

- NEIC (National Earthquake Information Center), 2003. Internet search of available earthquake database. <http://neic.usgs.gov/>
- Oakleaf, B., H. Downing, B. Raynes, M. Raynes, and O.K. Scott. 1982. Wyoming avian atlas. Wyoming Game and Fish Dept. and Bighorn Audubon Society. 87pp.
- Oil and Gas Field Symposium Committee. 1957. Wyoming oil and gas fields symposium. Wyoming Geol. Assoc. 579 pp.
- Oil and Gas Field Symposium Committee. 1979. Oil and gas fields—greater Green River Basin, vols. I and II. Wyoming Geol. Assoc. 428 pp.
- Oil and Gas Field Symposium Committee. 1992. Oil and gas fields—greater Green River Basin, Wyoming. Wyoming Geol. Assoc. 372 pp.
- Parrish, T.L., S.H. Anderson, and W.F. Oelklaus. 1993. Mountain plover habitat selection in the Powder River Basin., Wyoming. *Prairie Naturalist* 25(3):219-226.
- Pederson Planning Consultants. 1997. Carbon County draft land use plan: A report to the Carbon County Board of Commissioners from the Carbon County Planning Commission. 400 pp.
- \_\_\_\_\_. 1998. Carbon County Land Use Plan. Rawlins, WY. June 16, 1998.
- Poland, J.F., 1984, Mechanics of land subsidence due to fluid withdrawal, in Poland, J.F., editor, Guidebook to studies of land subsidence due to ground-water withdrawal: Studies and Reports in Hydrology 40, prepared for the International Hydrological Programme, Working Group 8.4, United Nations Educational, Scientific, and Cultural Organization (UNESCO), Paris, France, p. 37-54.
- Porter, M.A. 1999. Spatial relationships of sympatric mule deer and elk in south-central Wyoming. M.S. Thesis. University of Wyoming, Laramie
- Rawlins Daily Times. 2000a. *Rag Shoshone coal mine closes Thursday*. August 30, 2000.
- Rawlins Daily Times. 2000b. *Realtors believe market can handle housing needs*. August 5, 2000.
- Reeve, A., F. Lindzey, and S. Buskirk. 1986. Historical and recent distribution of the lynx in Wyoming. Wyoming Coop. Fish Wildl. Res. Unit., Laramie, Wyoming. 75pp.
- Rigby, J. K., Jr., 1980. Swain Quarry of the For Union Formation, middle Paleocene (Torrejonian) Carbon, County, Wyoming: geological setting and mammalian fauna. *Evolutionary Monographs* 3, 179 p.
- Rock Springs Rocket Miner. 2001. Wamsutter Officials Asking for Assistance. February 8, 2001.

## REFERENCES CITED

---

- Roehler, H. W., 1972. A review of Eocene Stratigraphy in the Washakie Basin, Wyoming. Wyoming Geological Association Guidebook Field Conference on Tertiary Biostratigraphy of Southern and Western Wyoming, p. 3-19.
- \_\_\_ 1973. Stratigraphy of the Washakie Formation in the Washakie Basin, Wyoming. U.S. Geological Survey Bulletin 1369, 40 p.
- \_\_\_ 1977. Geologic map of the Rock Springs uplift and adjacent areas, Sweetwater County, Wyoming. U.S. Geological Survey Open File Report 77-242, scale 1:250,000.
- \_\_\_ 1985. Geologic map of the Kinney Rim 309 x 609 minute Quadrangle, Wyoming and Colorado. U.S. Geological Survey Miscellaneous Investigation Series Map I-1615, scale 1:100,000.
- \_\_\_ 1991a. Revised stratigraphic nomenclature for the Wasatch and Green River Formations in Geology of the Eocene Wasatch, Green River, and Bridger (Washakie) Formations, Green River Basin, Wyoming, Utah, and Colorado. U.S. Geological Survey Professional Paper 1506-B, 38 p.
- \_\_\_ 1991b. Godiva Rim Member-a new stratigraphic unit of the Green River Formation in southwest Wyoming and northwest Colorado, in Geology of the Eocene Wasatch, Green River, and Bridger (Washakie) Formations, Green River Basin, Wyoming, Utah, and Colorado. U.S. Geological Survey Professional Paper 1506-B, 38 p.
- \_\_\_ 1992a. Introduction to greater Green River Basin geology, physiography, and history of investigations. U.S. Geological Survey Professional Paper 1506-A, 14 p.
- \_\_\_ 1992b. Description and correlation of Eocene rocks in stratigraphic reference sections for the Green River and Washakie Basins, southwest Wyoming. U.S. Geological Survey Professional Paper 1506-D, 83 p.
- \_\_\_ 1992c. Correlation, composition, areal distribution and thickness of Eocene stratigraphic units, Greater Green River Basin, Wyoming, Utah, and Colorado. U.S. Geological Survey Professional Paper 1506-E, 49 p.
- Roehler, H.W. 1993. Stratigraphy of the Upper Cretaceous Fox Hills Sandstone and adjacent parts of the Lewis Shale and Lance Formation, east flank of the Rock Springs Uplift, southwest Wyoming. U.S. Geol. Survey Prof. Paper, 1532: 57 pp.
- Roehler, H. W., Hanley, J. H., Honey, J. G., 1988. Geology and paleoecology of the Cottonwood Creek delta in the Eocene Tipton Tongue of the Green River Formation and a mammalian fauna from the Eocene Cathedral Bluffs Tongue of the Wasatch Formation , southeast Washakie Basin, Wyoming. U.S. Geological Survey Bulletin 1669 52 p.
- Roehler, H.W. 1990. *Stratigraphy of the Mesaverde Group in the Central and Eastern Greater Green River Basin, Wyoming, Colorado, and Utah*. U.S. Geological Survey Professional Paper 1508. Washington: U.S. Government Printing Office.

## REFERENCES CITED

---

- Rosenberg, R. 1994. IMACS Site Form Addendum for Site 48CR3648.
- Schnal, J. 2000. Director, Carbon County Economic Development Corporation. Personal communication with George Blankenship, Blankenship Consulting LLC, Denver, CO. June 19, 2000.
- Scott, A. R., Tyler, R., Hamilton, D. S., and Zhou, N., 1994. Coal and in-place gas resources of the Greater Green River Basin: American Association of Petroleum Geologists Annual Convention Program with Abstracts, v. 4, p. 253-254.
- Scott, A. R., Tyler, R., Hamilton, D. S., and Zhou, N., 1995. Summary of coal and coal gas resources for the Mesaverde Group and Fort Union Formation in the Greater Green River Basin, Wyoming Geological Association Guidebook 46<sup>th</sup> Annual Field Conference, p. 185-190.
- Sisler, J.F. 1996. Spatial and seasonal patterns and long-term variability of the composition of the haze in the United States: An analysis of data from the IMPROVE network. Cooperative Institute for Research in the Atmosphere, Colorado State University. Fort Collins, Colorado.
- Smith, J.H. 1961. A summary of stratigraphy and paleontology, upper Colorado and Montanan Groups, south-central Wyoming, northeastern Utah, and northwestern Colorado; pp. 101-112 IN Symposium on Late Cretaceous rocks, Wyoming and adjacent areas; Wyo. Geol. Assoc. 16<sup>th</sup> Ann. Field Conf. Guidebook
- Steenhof, K., S.S. Berlinger, and L. H. Fredrickson. 1980. Habitat use by wintering bald eagles in South Dakota. *Journal of Wildlife Management* 44:798-805.
- Sullivan, R. 1980, A stratigraphic evaluation of the Eocene rocks of southwestern Wyoming: Geological Survey of Wyoming Report of Investigations 20, 50 p.
- Thompson, K.W. and J.V. Pastor. 1995. *People of the Sage: 10,000 Years of Occupation in Southwest Wyoming*. Cultural Resource Management Report No. 67. Archaeological Services of Western Wyoming College, Rock Springs.
- Tyus, H.M., D. Burdick, R.A. Valdez, C.M. Haynes, T.A. Lytle, and C.R. Berry. 1982. Fishes of the Upper Colorado River Basin: distribution, abundance, and status. Pages 12-70 in W.H. Miller, H.M. Tyus, and C.A. Carlson, editors. *Fishes of the Upper Colorado River System: Present and Future*. Western Division of the American Fisheries Society. 131pp.
- Upper Colorado River Endangered Fish Recovery Program. 1999. Website of the Upper Colorado River Endangered Fish Recovery Program. <http://www.r6.fws.gov/coloradoriver>.
- U.S. Department of the Interior - Bureau of Land Management (USDI-BLM). 1972. Divide

## REFERENCES CITED

---

- Grazing: Draft Environmental Impact Statement. Rawlins Field Office, Rawlins, WY.
- \_\_\_\_\_. Bureau of Land Management. 1983. Riley Ridge Natural Gas Project Air Resources Technical Report. U.S. Department of Interior Bureau of Land Management, Kemmerer Field Office, Kemmerer, Wyoming, in cooperation with Environmental Research and Technology Inc. May 1983.
- \_\_\_\_\_. (USDI-BLM). 1987. Draft resource management plan/environmental impact statement for the Medicine Bow-Divide Resource Area, Rawlins District, Wyoming, BLM-WY-ES-87-008-4410. U.S. Department of the Interior, Bureau of Land Management. 500 pp.
- \_\_\_\_\_. (USDI-BLM). 1988a. Proposed resource management plan/final environmental impact statement for the Great Divide Resource Area (formerly Medicine Bow and Divide Resource areas) Rawlins District, Wyoming. U.S. Department of the Interior, Bureau of Land Management, Great Divide Resource Area, Rawlins District Office, Rawlins, WY. 249pp.
- \_\_\_\_\_. (USDI-BLM). 1988b. National Environmental Policy Act Handbook (H-1790-1). U.S. Department of the Interior, BLM. Washington, D.C. 67pp. plus 9 apps.
- \_\_\_\_\_. (USDI-BLM). 1990. Great Divide Resource Area record of decision and approved resource management plan. Rawlins District Office. Rawlins, Wyoming. 74 pp.
- \_\_\_\_\_. (USDI-BLM). 1996. Moxa Arch and Fontenelle environmental impact statements, air quality technical support document: Cumulative impact analysis of southwestern Wyoming Natural Gas Development Projects on air quality. Bureau of Land Management, Kemmerer and Green River Resource Areas, Rock Springs Districts, Rock Springs, Wyoming.
- \_\_\_\_\_. (USDI-BLM). 1999. Draft Environmental Impact Statement South Baggs Area Natural Gas Development Project, Carbon County, Wyoming. Rawlins, WY. May, 1999.
- \_\_\_\_\_. BLM 1999. Draft Environmental Impact Statement Continental Divide/Wamsutter II / South Baggs Natural Gas Development Project, Sweetwater and Carbon Counties, Wyoming. US DOI Bureau of Land Management, Rawlins and Rock Springs Offices. April 1999.
- \_\_\_\_\_. (USDI-BLM). 2001. BLM Wyoming sensitive species policy and list. Instruction Memorandum Number WY-2001-040, Issued by A. Pierson, Cheyenne, Wyoming.
- \_\_\_\_\_. BLM, 2003. Draft Environmental Impact Statement Desolation Flats Natural Gas Field Development Project, Sweetwater and Carbon Counties, Wyoming. US DOI Bureau of Land Management Wyoming State Office. Cheyenne, Wyoming. April 2003.
- U.S. Department of the Interior - Fish and Wildlife Service. (USDI-FWS). 1989. Black-footed

## REFERENCES CITED

---

- ferret survey guidelines for compliance with the Endangered Species Act. U.S. Department of the Interior, Fish and Wildlife Service, Denver, CO and Albuquerque, NM. 15pp.
- \_\_\_\_\_. (USDI-FWS). 1993. Colorado River Endangered Fishes Critical Habitat. Draft Biological Support Document. Salt Lake City, Utah.
- \_\_\_\_\_. (USDI-FWS). 2000. Letter from Michael M. Long, Field Supervisor for Wyoming Field Office, Cheyenne, WY. February 8, 2000. Listed Endangered, Threatened and Candidate species potentially impacted by coalbed methane development in Carbon County, Wyoming.
- US Geological Survey (USGS). 1980. *Water Resources Data for Wyoming, Water Year 1978*. v. 2. USGS Water-Data Report WY-78-2.
- University of Wyoming. 1997. College of Agriculture, Cooperative Extension Service, Agricultural Economics Department. Southwest Wyoming Resource Evaluation; Socioeconomic Evaluation Part 1 - Historical Context, Final Report. Prepared for the USDI-BLM, Wyoming State Office. Laramie, WY. May, 1997.
- UW 1996 University of Wyoming, College of Agriculture, Cooperative Extension Service, Department of Agricultural Economics. Southwest Wyoming Bureau of Land Management Planning Area, Including Counties of Carbon, Lincoln, Sublette, Sweetwater and Uinta: Economic Impacts per Unit of Economic Activity. October 1996.
- Weigel, J.F. 1987. Sources of Hydrologic Data on Mesozoic Formations in the Upper Colorado River Basin and Comparison of Data Analysis Methods, pp. 71-80, in J.S. McLean and A.I. Johnson (Eds). Regional Aquifer Systems of the United States: Aquifers of the Western Mountain Area. Amer. Water Res. Assoc. Mono. Ser. No. 14. 23<sup>rd</sup> Annual AWRA Conference and Symposium, No. 1-6, 1987, Salt Lake City, UT. 229 pp.
- Weishampel, D. B., 1992. Dinosaurian Distribution in Weishampel, D. B., Dodson, P., and Osmolska, H., eds., *The Dinosauria*, University of California Press, Berkeley, p.63-139.
- Weitz, J.L., and J.D. Love. 1952. Geologic map of Carbon County, Wyoming. U.S. Geol. Survey and Wyoming Geol. Survey Map. Scale 1:160,000.
- Welder, G.E. and L.J. McGreevy. 1966. *Groundwater Reconnaissance of the Great Divide and Washakie Basins and Some Adjacent Areas, Southwestern Wyoming*. USGS Hydrologic Investigation Atlas HA-219.
- Western Regional Climate Center. 2003. Climate and Weather Information, Kemmerer, Wyoming. Online, Western Regional Climate Center. <http://www.wrcc.dir.edu>. 2003.
- Western Regional Climate Center (WRCC). 2001. Historical climate data for Baggs, Wyoming.

## REFERENCES CITED

---

- Western Regional Climate Center WWW Server. Online. <http://www.wrcc.sage.dri.edu>.
- Wiens, J.A. and M.I. Dyer. 1975. Rangeland avifaunas: Their composition, energetics, and role in the ecosystem. Pages 145-181, In D.R. Smith, Technical Coordinator, Symposium on Management of Forest and Range Habitat for Nongame Birds. U.S. Forest Service General Technical Report WO-1.
- Winterfeld, G. F. and Bown, T. M., 2003. Unpublished soil field survey results of the Atlantic Rim EIS area.
- Wyoming Geological Survey (WGS), 2003. 100 years of earthquakes (1871-1970). [www.wsgsweb.uwyo.edu/coop.asp](http://www.wsgsweb.uwyo.edu/coop.asp),  
[www.wrds.uwyo.edu/wrds/wsgs/hazards/quakes/quake.html](http://www.wrds.uwyo.edu/wrds/wsgs/hazards/quakes/quake.html)
- Winn, R. D., Hjr., Bishop, M.G., and Gardner, P. S., 1985a. Delta front and deep water basin floor deposition in North Atlantic interior seaway; Lewis Shale, south-central Wyoming. Earth Science Bulletin, v. 18, p. 65-66.
- \_\_\_\_\_. 1985b. Shallow water and sub storm base deposition of Lewis Shale in Cretaceous Western Interior seaway south-central Wyoming. AAPG Bulletin, v. 71, p. 859-881.
- \_\_\_\_\_. 1985c. Lewis Shale, south central Wyoming; shelf, delta front, and turbidite sedimentation in Wyoming Geological Association Guidebook, 36th Annual Field Conference, p. 113-130.
- Wyoming Department of Employment. 2003. Local Area Labor Force Information. 1990-2002 Wyoming Benchmark Labor Force Estimates--annual Averages. Website: <http://doe.state.wy.us/lmi/laus/9002aa.htm>
- Wyoming Department of Administration and Information, Division of Economic Analysis (WDAI). 2003a Employment by Industry for the United States, Wyoming and Wyoming Counties.
- \_\_\_\_\_. WDAI 2003b. Total Tax Collections by County. Website: <http://eadiv.state.wy.us/s&UTax/s&u.asp>
- \_\_\_\_\_. WDAI 2003c. Consensus Revenue Estimating Group, Wyoming State Revenue Forecasts. Fiscal Year 2003 - Fiscal Year 2008. Table 6. Mineral Severance Taxes to All Accounts; Fiscal Year Distributions by Mineral. January 2003
- \_\_\_\_\_. WDAI 2003d. Consensus Revenue Estimating Group, Wyoming State Revenue Forecasts. Fiscal Year 2003 - Fiscal Year 2008. Table 7: Federal Mineral Royalties (Including Coal Lease Bonuses) Projections: Fiscal Year Distributions by Account. January 2003.
- \_\_\_\_\_. WDAI 2001. Population for Counties and Incorporated Places: 1990 and 2000.

## REFERENCES CITED

---

- Wyoming Department of Administration and Information. (WDAI). 2000a Employment by Industry for the United States, Wyoming and Wyoming Counties.
- \_\_\_\_\_. (WDAI). 2000b. Division of Economic Analysis. Sales Tax for Wyoming and Counties by Major Industrial Sector and Use Tax for Wyoming and Counties by Major Industrial Sector. Undated. Cheyenne, WY.
- \_\_\_\_\_. (WDAI) 2000c. October 2000 CREG Severance Taxes.
- \_\_\_\_\_. (WDAI) 2000d. October 2000 Federal Mineral Royalties (Including Coal Leases).
- \_\_\_\_\_. (WDAI) 2001. Population for Counties and Incorporated Places: 1990 and 2000.
- Wyoming Department of Employment. 2000. Labor Force, Employment and Unemployment Statistics.
- Wyoming Department of Environmental Quality. (WDEQ) - AQD. 1997. Background pollutant information on file at the Wyoming Department of Environmental Quality – Air Quality Division. Cheyenne, Wyoming.
- \_\_\_\_\_. (WDEQ). 2000. *Water Quality Rules and Regulations*.
- WYDOT 2001. Wyoming Department of Transportation, Transportation Planning Program. Vehicle Miles 2001.
- Wyoming Game and Fish Department. (WGFD). 1999. Annual big game herd unit reports 1998. Wyoming Game and Fish Department, Green River Region, Cheyenne, WY. 436pp.
- \_\_\_\_\_. (WGFD). 2000a. Annual big game herd unit reports 1999. Wyoming Game and Fish Department, Green River Region, Cheyenne, WY. 501pp.
- \_\_\_\_\_. (WGFD). 2000b. Annual report of upland game and furbearer harvest 1999. Wyoming Game and Fish Department. 103pp.
- \_\_\_\_\_. (WGFD). 2000c. Wildlife Observation System. Data base printout, T12-18N:R89-92
- Wyoming Natural Diversity Database. (WYNDD). 2000. WYNDD search request results for T12-18N:R89-92W from Rebekah Smith, WYNDD Data and Biological Assistant. Addressed to Dawn Martin, Hayden-Wing Associates, dated February 16, 2000.
- Wyoming Oil and Gas Conservation Commission. 1995 - 1999. Annual Statistical Summaries 1995, 1996, 1997, 1998, 1999. Casper, WY.

## REFERENCES CITED

---

Wyoming State Land Use Commission. 1979. Wyoming state land use plan: A program for land use planning in the State of Wyoming. The Wyoming State Land Use Commission, Cheyenne, Wyoming. 180pp + maps.

Wyoming Taxpayers Association (WTA). 2002. Wyoming Property Taxation 2002. December 2002. Cheyenne, WY.