T. 12 N., R. 90 W., Sixth Principal Meridian, Wyoming, Field Note Links

| Plat Accession Number(s) | Year(s) of Survey | |
|--------------------------|----------------------|---|
| | | Township Subdivision Plats |
| 8605 | 2013 | See plat for field notes. |
| 8551 | 2012 | Notice for Group 811 https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/t12nr90w_gp811notice.pdf |
| 8551 | 2010 | https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/t12nr90w_gp811fn.pdf |
| 739 | 1880 | https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/t12nr90w c113fn.pdf |
| | | Township Exterior Plats |
| 750 | 1882 | https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/retext0583.pdf |
| 750 | 1880 | https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/ext0750.pdf |
| | | State Boundary |
| - | 1880 | https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/sbretmp155 191fn.pdf |
| 5988 | 1873 | https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/sb mp180-209.pdf |
| - | 1873 | https://www.wy.blm.gov/cadastral/countyplats/laramie/fieldnotes/sb astro notes.pdf |
| 5987 | 1873 | https://www.wy.blm.gov/cadastral/countyplats/carbon/fieldnotes/sb mp150-179.pdf |

Mean

TOWNSHIP 12 NORTH, RANGE 90 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY AND METES AND BOUNDS SURVEY

Lat. 41°01′06.084″ N. Long. 107°30′25.849″ W. NAD 83 (20II) (EPOCH:20I0.0000) **ENLARGED DIAGRAM** (Not to Scale) SEE ENLARGED NWI/4 SEC. 15 / 2 1.52 3 39.51 N.89°45'E. Magnetic Declination Lat. 4!°00'40.011" N. Long. 107°30'25.444" W. NAD 83 (2011) (EPOCH:2010.0000)

Scale in Chains

SURVEY INFORMATION AND CERTIFICATE

This plat represents the entire record of the dependent resurvey of a portion of the subdivision of section 15, and the metes and bounds survey of Lot 2, section 15, Township 12 North, Range 90 West, Sixth Principal Meridian, Wyoming.

The history of earlier surveys pertaining to this survey is as follows:

George W. Baker retraced the Wyoming-Colorado State Boundary, surveyed the Third Standard Parallel North (north boundary), the remaining township exteriors and the subdivisional lines in 1880. Sonja S. Sparks resurveyed a portion of the subdivisional lines, and surveyed the subdivision of section 15 in 2010.

Except as indicated hereon, the lottings and areas are as shown on the plat approved April 20, 1881.

The area embraced by this survey is situated in southwest Carbon County, approximately I mile S. of Dixon, Wyoming, near the Wyoming-Colorado State Boundary. The terrain is nearly level to mountainous, with a mean elevation of 6500 ft. above sea level. The soil is sandy and rocky. Vegetation consists of sagebrush and native grasses, mixed with cottonwood, juniper and cedar trees. Drainage of the area is generally northerly to the Little Snake River, which drains northwest. There are ranching and haying operations in the area. Access is provided by U.S. Highway 789, Wyoming State Highway 70, Carbon County Roads No. 601 and 607, Moffett County, Colo. Road No. 2, and unimproved dirt roads.

The direction and length of all lines were determined by Trimble Model R8M3 Global Positioning System/Global Navigation Satellite Systems (GPS/GNSS) receivers. Cadastral project control and corner measurements determined during the GPS/GNSS survey achieve the accuracy standards stated in "Standards For the Positional Accuracy of Cadastral Surveys When Using Global Navigation Satellite Systems (GNSS)", dated February 23, 2009. The directions of all lines refer to the true meridian and are reported as mean bearings. All reported positions are referenced to the NAD 83(CORS 96) (EPOCH: 20002) datum. The National Geodetic Survey Online Positioning Service (OPUS) -Static was used to determine the coordinates of the GPS Control. Documentation of the determined positions is included in the group file.

I, Bradley F. Dillon, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions dated May 6, 2013, and Assignment Instructions dated May 6, 2013, for Group Number 883, Wyoming, I have dependently resurveyed a portion of the subdivision of section 15 and executed the metes and bounds survey of Lot 2, section 15, Township 12 North, Range 90 West, Sixth Principal Meridian, Wyoming, and that this plat, in one sheet, represents the entire record of this survey. Survey commenced May 30, 2013, and completed June 18, 2013, and has been made in strict conformity with the special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 2009, and in specific manner described hereon.

Bradley F. Dilla Bradley F. Dillon Cadastral Surveyor

August 7, 2013


Date

The center 1/4 sec. cor. of sec. 15, monumented with a stainless steel post, 2 1/2 ins. diam., as described in the official record of the 2010 dependent resurvey, executed under Group No. 811, Wyoming.

Cor. is located on a steep NNW. facing slope.

Point for Cor. No. I. Lot 2, sec. 15.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.



Set a steel fence post nearby.

Cor. is located 24 lks. W. of trail road, bears irregularly N. and SSW.

The center N. 1/16 sec. cor. of sec. 15, monumented with a stainless steel post, 2 1/2 ins. diam., as described in the official record of the 2010 dependent resurvey, executed under Group No. 811, Wyoming.

Point for Cor. No. 2, Lot 2, sec. 15.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.

Cor. is located near the corner of a 2 strand barbed wire and wire mesh fence extending NNE. and E.

2013

The 1/4 sec. cor. of secs. 10 and 15, monumented with a stainless steel post, 2 1/2 ins. diam., as described in the official record of the 2010 dependent resurvey, executed under Group No. 811, Wyoming.

Cor. is located in an open horse pasture.

Point for Cor. No. 3. Lot 2, sec. 15.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.

TI2N R90W

Cor. is located I lk. N. of a 6 strand barbed wire fence extending E. and W.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming


August 7, 2013


This plat representing the entire record of this survey. having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Chief Cadastral Surveyor for Wyoming

855I ORIGINAL






EXTERIOR LINES

Scale, 3 miles to an inch.

Magnetic variation East.



| Surneys Hesignated | By whom surneyed | Hate of contract | Imount of surveys | when surneyed |
|--------------------|------------------|-------------------|-------------------|--------------------|
| Exterior times | d.W. Haker | Sentember 21,1880 | 84 . 10 . 73 | Non z Hecemb. 1880 |
| Connections | | | 20 65 | |

Thereby certify that the above diagram of the exterior lines of Township 12 North, Ranges 86 to 91 inclusive, Townships 138 14 North, Ranges 89 to 91 West of the 6 th Principal Meridian, Wyoming Ter is strictly conformable to the field nates of the survey thereof on file in this Office, which have been examined and approved.

Surveyor denerals Office,


Cheyonne, myo. April 20, 1881.


Edw. C. Lavid
Surveyor General.

SOUTH BOUNDARY OF WYOMING

LATITUDE 41 NORTH

From mile-post No. 180, to mile-post No. 210.





I hereby certify, that the above map is a correct representation of so much of the South Boundary of Wyoming, as extends from mile-post No. 180. to mile-post No. 210, as surveyed and marked by me, under contract from the Commissioner of the General Land Office, dated Sept. 13- 1872. A. V. Richard.

U. S. Surveyor.


No. 6.

SOUTH BOUNDARY OF WYOMING

LATITUDE 41 NORTH

From mile-post No. 150, to mile-post No. 180.

Scale 2 miles to an inch.



I hereby certify, that the above map is a correct representation of so much of the survey of the South Boundary of Wyoming, as extends from mile-post No. 150 to mile-post No. 180, as surveyed and marked by me, under contract from the Commissioner of the General Land Office, dated Sept. 13-1872.

U. S. Surveyor.

37