1929 ORIGINAL (4-675 a) Accepted December 2, 1921.

Supplemental Plat N° 5

Resurvey Township N° 32 North, Range N° 72 West of the Sixth Principal Meridian, Wyoming

Table of Equivalent Descriptions

By Plat approved May 5, 1883 and June 29, 1915				By this Plat					
						Entry		Status in Land Office	
T.	R.	Sec.	Subdivisions	Sec.	Subdivisions	Kind	Number		Entryman
32	72	2	Lot 1	2	Lot 22	D.L.S	List 34	Pending	Wyoming
"	"	2	Lot 2	2	Lot 21	"	"	"	" "
"	"	2	Lot 3	2	Lot 20	"	"	"	" "
"	"	2	Lot 4	2	Lot 19	"	"	"	" "
"	"	3	Lot 1	3	Lot 20	"	"	"	" "
"	"	3	Lot 2	3	Lot 21	"	"	"	" "
"	"	3	Lot 3	3	Lot 22	"	"	"	" "
"	"	3	Lot 4	3	Lot 23	"	"	"	" "
"	"	4	Lot 1	4	Lot 20	"	"	"	" "
"	"	4	Lot 2	4	Lot 19	"	"	"	" "
"	"	5	Lot 2	5	Lot 19	"	"	"	" "
"	"	5	Lot 3	5	Lot 18	"	"	"	" "
"	"	5	Lot 4	5	Lot 17	"	"	"	" "
"	"	4	Lots 3,4	4	Lots 18, 17	D.E	02836	F.C. Issued	Mary Pexton
"	"	5	Lot 1	5	Lot 20	"	" "	"	" "

This Supplemental Plat No. 5, Resurvey of Sections 2, 3, 4 and 5, T. 32 N., R. 72 W., 6th P.M. Wyoming, according to plat of original township survey, approved May 5, 1883, and plat of restoration resurvey, approved June 29, 1915, is prepared in accordance with directions given in Commissioner's letter "E" 129361-Douglas 023625-02836, Aug. 24, '21, for the purpose of permitting the lands in Sections 2, 3, 4 and 5, included in approved Wyoming Desert Land Segregation, List 34, to be patented under their true areas, and is hereby approved.

Office of U.S. Surveyor General, October 4, 1921.

Charles L. Decker
Surveyor General.

Areas in Acres	
Public Land	
Indian Reservation	
Indian Allotments	
Mineral Claims	
Water Surface	
Total Area	

Scale 40 Chains to an inch

Mean Magnetic Declination

Surveys Designated	By Whom Surveyed	Group No.	Group Date	Amount of Surveys Mls.	Amount of Surveys chs.	Amount of Surveys lks.	When Surveyed Begun	When Surveyed Completed

The above map of Township No. ____ Range No. ____ of the ____ Meridian ____ is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

U.S. Surveyor General's Office.

Surveyor General.

A.L.R. A.P.T.

1415 F.

32 - 72

Trans. to Douglas L.O. December 16, 1921

1928 ORIGINAL (4-675a) Accepted November 19 1919 G.L.O.

Supplemental Plat No.3

Resurvey Township No. 32 North, Range No. 72 West of the Sixth Principal Meridian, Wyoming



Sec.5	Sec.4	Sec.3	Sec.2	Sec.1
Sec.8	Sec.9	Sec.10	Sec.11	Sec.12
Sec.18	Sec.17	Sec.16	Sec.15	Sec.14	Sec.13
Sec.19	Sec.20	Sec.21	Sec.22	Sec.23	Sec.24
Sec.30	Sec.29	Sec.28	Sec.27	Sec.26	Sec.25
Sec.31	Sec.32	Sec.33	Sec.34	Sec.35	Sec.36

INDEX TO SEGREGATED TRACTS

Resurvey Tract No.	Description by Original Survey T.	R.	Sec.	Subdivisions	Entry Kind	Entry No.	Status in Land Office	Entryman
39	32	72	7	SE¼	Ind.Sel. list 16		Canceled	Wyoming
40	"	"	"	Lots 2,3,4	H.E.	1261	Patented	Ward O. Brooks
41	"	"	"	NW¼NE¼	Pre.	106	Patented	Ward O. Brooks

In accordance with COMMISSIONER'S letter "E" dated July 15, 1919

THIS SUPPLEMENTAL PLAT (No.3) of Secs. 6 and 7, T. 32 N., R. 72 W. Sixth Principal Meridian is prepared for the purpose of assembling all legal subdivisions in said Secs. 6 and 7 under their current designations, the origin of said designations being as follows:

All lands in Sec. 6 north of the South Boundary of the Abandoned Ft. Fetterman Military Reservation being shown on the Plat of the Subdivision of the Ft. Fetterman Military Reservation approved May 26, 1888.

All lands in Sec. 6 south of the South Boundary of the Abandoned Ft. Fetterman Military Reservation and all lands in Sec. 7 being shown on Supplemental Plat of Resurvey of west range of sections in T. 32 N., R. 72 W. approved November 24, 1908;

and for the purpose of correcting the "INDEX TO SEGREGATED TRACTS" appearing on plat of Resurvey of west range of sections in T. 32 N., R. 72 W. approved November 24, 1908, so as to clear the record of the erroneous description in terms of the original township survey approved May 5, 1883 for the parcel designated Tract 41;

and for the purpose of showing Lot 23 of Sec. 6, T. 32 N., R. 72 W. in its correct condition, the plat of the resurvey of the north tier of sections in T. 32 N., R. 72 W. approved June 29, 1915 failing to show its contact with segregated Tract No. 41;

and is hereby approved.

U.S. Surveyor General's Office,
Cheyenne, Wyoming.
November 3, 1919.

Charles L. Decker
U.S. Surveyor General.

Areas in Acres	
Public Land	
Indian Reservation	
Indian Allotments	
Mineral Claims	
Water Surface	
Total Area	

TRUE MERIDIAN

0 10 20 40 80

Scale 40 Chains to an inch

Mean Magnetic Declination

Surveys Designated	By Whom Surveyed	Group No.	Group Date	Amount of Surveys Mls.	Amount of Surveys chs.	Amount of Surveys lks.	When Surveyed Begun	When Surveyed Completed

The above map of Township No. ____ Range No. ____ of the ____ Meridian ____ is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

U.S. Surveyor General's Office.

Surveyor General.

RMT

1415-E

Transmitted to Douglas Land Office February 25, 1920.

32 - 72

1927 (4-675 a)

Resurvey Fractional
Township No. 32 North, Range No. 72 West of the Sixth Principal Meridian, Wyoming



This plat is based upon a retracement and reestablishment of the lines defining the lands in Secs. 1 to 6, inclusive, T. 32 N., R. 72 W., shown upon the official plats approved May 5, 1883, and May 26, 1888. Titles and areas based upon the original plats remain undisturbed for position and description.

Areas in Acres	
Public Land	
Indian Reservation	
Indian Allotments	
Mineral Claims	
Water Surface	
Total Area	

0 10 20 40 80 — Scale 40 Chains to an inch

True Meridian

Mean Magnetic Declination
Latitude 42° 47' N. } N.E. Cor. Sec. 1
Longitude 105° 24' W.

Surveys Designated	By Whom Surveyed	Group No.	Group Date	Amount of Surveys Mls.	Amount of Surveys chs.	Amount of Surveys lks.	When Surveyed Begun	When Surveyed Completed
Retracement & Resurvey 8th Standard Parallel North Retracement	Hans. D. Voigt	5	April 26, 1911.	6	40	96	October 29, 1913.	November 7, 1913.
East Boundary	" "	"	" "	1	00	63	October 30, 1913.	October 30, 1913.
Resurvey West Boundary	W. H. Clark	"	" "		50	40	September 3, 1914.	November 11, 1914.
Retracement West Boundary	Edward F. Stahle	Cont. 323 Group	March 27, 1907		30	42	August 29, 1907.	August 29, 1907.
Retracement & Resurvey Subdivisions	Hans. D. Voigt	5	April 25, 1911	10	26	54	November 6, 1913.	November 8, 1913.
Resurvey Subdivisions	W. H. Clark	"	" "	1	01	18	May 14, 1915.	May 14, 1915.
Connections	Hans. D. Voigt	"	" "	3	40	11	October 29, 1913.	November 1, 1914.
Retracement & Resurvey Ft. Fetterman Reservation	" "	"	" "	6	65	91	October 30, 1913.	September 3, 1914.

The above map of Resurvey Township No. 32 North Range No. 72 West of the Sixth Principal Meridian Wyoming is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved

U. S. Surveyor General's Office.
Cheyenne, Wyoming, June 29, 1915

Charles L. Decker
Surveyor General.

32 - 72 Accepted by the Hon. Commissioner in letter "E", February 10, 1916. Transmitted to Douglas Land Office — 1916

1415-D

38

Click Here for Field Notes

Click Here for Private Land Claim Notes

8

access. in no 1924

(4-675a)

Resurvey Township Nº 32 North, Range Nº 72 West of the Sixth Principal Meridian, Wyoming.

See Supplemental Plat

Segregated Tracts 630.12 Acres: Public Land 2971.48 Acres: Total number of Acres 3601.10

Surveys Designated	By Whom Surveyed	Date of Contract Nº	Amount of Surveys M.	Ch.	Lks.	When Surveyed
Retracement U.S. Township lines	Edward F. Stahle	323, March 27, 1907	6	35	46	Aug. 23-29, 1907
Retracement Subdivisions	" " "	" " " "	10	47	79	Aug. 30-31, 1907
Segregated Tracts	" " "	" " " "	9	04	69	Aug. 26-27, 1907
Connections	" " "	" " " "		0	26	Aug. 30-31, 1907

A. L. R. Computer AP

THE HOWELL-PETERS CO., WASHINGTON, D. C.

INDEX TO SEGREGATED TRACTS

Tract Nº	Original Survey T.	R.	Sec.	Subdivision	Entry Kind	Entry Nº	Entryman
37	32	72	19	Lots 3+4	H.	853	Howard G Peters
	"	73	24	N.E.¼ SE.¼			
38	"	72	18	Lot 1, N.½ NE.¼ SW.¼ NE.¼	H.	1108	Paul Spehr
39	"	"	7	SE.¼	S.L.		Wyoming
40	"	"	"	Lots 2, 3+4	H.	1261	Ward Q. Brooks
41	"	"	"	Lot 1	H.	2506	Orin D. Brooks

SEGREGATED TRACTS

Number	Area Total	Area In Township
37	158.44 Acres	9.12 Acres
38	203.54 "	203.54 "
39	158.30 "	158.30 "
40	227.75 "	227.75 "
41	40.46 "	31.41 "
	Total	630.12 Acres

resurvey of

The above Map of Township Nº 32 North of Range Nº 72 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the Survey thereof on file in this Office, which have been examined and approved.

Surveyor Generals Office, Cheyenne, Wyoming, November 24, 1908.

Stephen V. Gorman
Sur. Gen.

Resurvey accepted by the Hon. Commissioner of the G.L.O. in his letter "E" Feby 4. 1909.

Triplicate plat forwarded to the Douglas Land Office May 4. 1909.

1415 A

32 - 72

38

9

1925

Supplemental Plat No. 1.

Resurvey Township No 32 North, Range No 72 West of the Sixth Principal Meridian, Wyoming.

Scale: 20 chains to 1 inch



This Supplemental Map of the Resurvey Township No 31 North, Range No 72 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved.

Surveyor General's Office,
Cheyenne, Wyoming,
November, 24, 1908.

Surveyor General.

Resurvey

Edward F. Stahle, D.S.
Contract No 323, March 27, 1907.

A. Letterer
C.E.R. Computer

32 - 72

Resurvey accepted by the Hon. Commissioner of the G. L. O. in his letter "E" Feby 4, 1909.
Triplicate forwarded to Douglas Land Office May 4, 1909

1415 B

38

10

1926

(4-675a)

Supplemental Plat of the Resurvey
Township No. 32 North Range No. 72 West of the Sixth Principal Meridian Wyoming

G f F e E d D c C b B a A

g Sec. 6. Sec. 5. Sec. 4. Sec. 3. Sec. 2. Sec. 1. y

H Y

h Sec. 7. Sec. 8. Sec. 9. Sec. 10. Sec. 11. Sec. 12. x

I X

i Sec. 18. Sec. 17. Sec. 16. Sec. 15. Sec. 14. Sec. 13. w

K W

k Sec. 19. Sec. 20. Sec. 21. Sec. 24. v

L V

l Sec. 30. Sec. 29. Sec. 28. Sec. 25. u

M U

m Sec. 31. Sec. 32. Sec. 33. Sec. 36. t

N n O o P p Q q R r S s T



Scale 40 Chains to 1 Inch



Scale 20 Chains to 1 Inch

Scale 40 Chains to an Inch.

True Meridian.

Meanders of

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s

Tract No. 38 203.41 Acres
In Original Survey
Homestead Entry No. 1108 Paul Spehr
Lot 1, N.E. NE.¼ SE.¼ NE.¼ Sec. 18 T. 32 N., R. 72 W.

I hereby certify that this plat of Tract No. 38 and Sec. 18, T. 32 N., R. 72 W. is correct and in conformity with the field notes of the resurvey, and the instructions contained in letter E. Feb. 4. 1909 by the Hon. Commissioner of the General Land Office and is hereby approved.

Surveyor General's Office
Cheyenne Wyoming Feb. 11 1909

A. G. Johns, Sur. Gen'l

Total number of Acres

Surveys Designated	By Whom Surveyed	Date of Contract No.	Amount of Surveys M. Ch.s D.s.	When Surveyed	
Township lines					
Retracement	Edward F. Stahle	323, March 27, 1907		August 19-21, 1907	
Subdivisions	"	" " "		" 26, "	
Segregated Tract					

The above Map of Township No. ____ of Range No. ____ Meridian, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor Generals Office. } Sur. Gen'l

A.L.R.

THE NORRIS PETERS CO. LITHO. WASHINGTON, D. C.

32 - 72

Resurvey accepted by the Hon. Commissioner of the G. L. O. in his letter "E" Feby 4, 1909.
Triplicate forwarded to Douglas Land Office May 4, 1909

1415 C

Click Here for Field Notes

(19)

62

1923

TOWNSHIP Nº 32 NORTH. RANGE Nº 72 WEST of the 6TH Principal MERIDIAN.

FORT FETTERMAN MILITARY RESERVATION

Sec 31 | Sec 32 | Sec 33 | Sec 34 | Sec 35 | Sec 36

8th Stand. P.N. S. 89° 53' W.

Sec. 6. 189 03 | Sec. 5. 220 56 | Sec. 4. 220 79 | Sec. 3. 221 07 | Sec. 2 220 55 | Sec. 1. 221 52

Sec. 7. 354 80 | Sec. 8. 640 | Sec. 9. 640 | Sec. 10. 640 | Sec. 11. 640 | Sec. 12. 640

Sec. 18. 355 180 | Sec. 17. 640 | Sec. 16. 640 | Sec. 15. 640 | Sec. 14. 640 | Sec. 13. 640

Sec. 19. 355 332 | Sec. 20. 640 | Sec. 21. 640 | Sec. 22. 640 | Sec. 23. 640 | Sec. 24. 640

Sec. 30. 355 860 | Sec. 29. 640 | Sec. 28. 640 | Sec. 27. 640 | Sec. 26. 640 | Sec. 25. 640

Sec. 31. 355 992 | Sec. 32. 640 | Sec. 33. 640 | Sec. 34. 640 | Sec. 35. 640 | Sec. 36. 640

Bed Tick Cr.

Bad lands

6th Guide Mer. West

Scale 40 Chains to an Inch.

Total number of Acres. 20,067. 24

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys Mls	Chs	Lks	When Surveyed	Magnetic Declination
S. & W. Township lines	Wm B. Verby	May 7. 1879	11	70	58	Oct. 10, 11, 1873	15° 34' East
Subdivisions	Bruce & Proctor	April 20, 1881	56	2	43	Oct. 3d & 5th 1881	15° 35' "
Connections							
9th Guide M.W.	Wm B. Verby	May 7. 1879	6	00	00	July 4. 1879	
8th Stand. P.N.	Wm B Verby	May 7. 1879	5	52	44	July 8, 1879	

The above Map of Township Nº 32 North Range Nº 72 West of the Sixth Principal Meridian Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved

Surveyor Generals Office, Cheyenne Wyoming May 5th 1883

Edwd. C. Dawes Asst Surv Genl

A. Gast & Co. St. Louis Mo.

1415

32 - 72

Click Here for Field Notes

FORT FETTERMAN MILITARY RESERVATION.

Scale 40 chs. to 1 inch. - Magnetic Variation, East.



Rules of Survey.	Surveys Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys: mls.	chs.	lks.	When Surveyed.	Magnetic Declination.
Boundary lines at $4.00 per Mile.	Boundary lines	U.S. Owen	March 17th 1887	32	0	0	June 3rd-11th 1887	15°12'-15'30' East.
Township " " 5.00 " "	Subdivis.l lines	" " "	" " "	99	22	21	" 12-24 "	15°12'-15'33' "
Subdivis.l " 4.00 " "	Township lines	" " "	" " "	5	26	48	" 14 "	15°27 "
Connection " " 4.00 " "	Connection lines	" " "	" " "	5	51	62	" 12-24 "	15°12-15'33' "
Meander " " 9.00 " "	Meander lines	" " "	" " "	39	38	74	" 25-July 1st "	15° 15-15'30' "
Prelim.y to B.y " " 4.00 " "	Prelim.y to B.y	" " "	" " "	5	0	0	" 9 "	13 15

Total number of Acres 36505.65

I certify that the above plat of the Fort Fetterman Military Reservation in Townships 32 North, Ranges 71, 72 and 73 West, and Townships 33 North, Ranges 71, 72 and 73 West of the 6th Principal Meridian, in Wyoming Territory, is strictly conformable to the field notes of survey thereof on file in this office, which have been examined and approved.

Surveyor Generals Office,
Cheyenne, Wyoming.
May 26th 1888.

John Charles Thompson
U.S. Surveyor General.

1416

T 32, 33 N R 71, 72, 73 W

Accession No. 1930

FORT FETTERMAN MILITARY RESERVATION

Scale 40 chs to 1 inch. Mag. Var. East.



Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys Chs	Dis	When Surveyed	Magnetic Declination
Boundary Lines	Wm O Owen	March 17th 1887	32	0	0	June 9th 11th 1887	15°12' 15°30' East.
Subdivision " " "	" " "	" " "	99	22	21		
Township " " "	" " "	" " "	5	26	48		
Connections " " "	" " "	" " "	5	51	62		
Meanders " " "	" " "	" " "	39	39	74		
Protract'd " " "	" " "	" " "	5	0	0		

Total number of Acres 36305 45

I certify that the above plat of The Fort Fetterman Military Reservation in Tps 32 N., Rgs 71, 72 and 73 W, and Tps 33 N., Rgs 71, 72 and 73 W. of the 6th Principal Meridian, in Wyoming Territory, is strictly conformable to the field notes of survey thereof on file in this office, which have been examined and approved.

Surveyor Gen'l's Office, Wyoming, March 26th 1888

U.S. Surveyor General.

1416

89 - 73 - 24 - 72

38

Click Here for Field Notes

3

1876

TOWNSHIP EXTERIORS

Scale: 1 inch to 160 chains



This Plat
of the
Retracement
of the
Ninth Guide Meridian West No 1 through Townships 29, 30, 31 and 32 North, Ranges 72½ and 73 West,
Ninth Guide Meridian West No 2, through Townships 29, 30, 31 and 32 North, Ranges 72 and 72½ West,
and the
North boundaries of Townships 29, 30 and 31, Range 72½ West of the
Sixth Principal Meridian
Wyoming
is strictly conformable to the field notes of the resurvey thereof by
Edward F. Stahle U.S.D.S.
under his
Contract No 323
dated March 27, 1907
which have been examined, approved and filed in this office
U.S. Surv. Gen'l's Office,
Cheyenne, Wyoming,
November 24, 1908.

Stephen L. Johnson
U.S. Surv. Gen'l.

Surveys Designated	Amount Mls.	Chs.	Lks.	When Surveyed
Standard Lines	36	4	71	August 13-29, 1907
Township Lines		43	75	" " " "
Connections	1	64	38	" " " "

2921

Survey accepted by the Com. Commissioner of the G. L. O. in his letter "E" Feby 4, 1909.

30

1346

92

Click Here for Field Notes

EXTERIOR LINES

Scale 1 inch = 2 miles, Mag Var. East.



Standard lines	at	miles	chs	links
"	minimum	rates	29	88	0
"	intermediate	"	16	39	53
Guide	minimum	"	11	37	0
"	intermediate	"	12	28	53
Connection	minimum	"	2	10	0
Exterior	minimum	"	22	16	11
"	intermediate	"	53	71	49
				72	98

Surveys Designated	By whom surveyed	Date of Contract	Amount Mis	Chs	Lks	Date of Survey	Magnetic Declination
Exterior Lines	Wm O. Owen	June 25, 1891 1892	76	64	47	June 18 July 5 1891	15° 30' East
7th Stand Par.	" " "	" " "	24	0	0	May 6-June 3-91	15° 30' "
8th Stand Par.	" " "	" " "	22	16	88	June 14-16-1891	16° 00' "
9th Guide Mer.	" " "	" " "	23	38	53	May 20-24, 1891	15° 00' "
Connections	" " "	" " "	2	16	11		

I hereby certify that the above diagram of the 7th Standard Parallel North in Ranges 73, 74, 75 and 76 West; the 8th Standard Parallel North in Ranges 76, 75, 74 and 73 West; the 10th Guide Meridian West in Townships 29, 30, 31 and 32 North; and the Exterior Lines of Townships 29 North, Ranges 73 West, Townships 31 North, Ranges 73 and 74 West, Townships 32 North, Ranges 73, 74, 75 and 76 West of the 6th Principal Meridian in Wyoming is strictly conformable to the field notes of the survey thereof, on file in this office, which have been examined and approved.

Surveyor Generals Office.
Cheyenne, Wyoming. December 4th 1891.

Wm A. Richards
Surveyor General.

2508

(14) 1232 69

INTERSECTIONS of STANDARD LINES
WITH BOUNDARIES OF
Ft FETTERMAN MILITARY RESERVATION.

IN TOWNSHIP'S 32 & 33 NORTH, RANGES 71, 72 & 73 WEST, 6th PRL. MER. WY. TER.



Surveys Designated	By Whom surveyed	Date of Contract	Amount of surveys mls. chs. lks.	When surveyed
Exter. lines of Ft Fetterman Mil. Res.				
8th Stand. Pt. N. in T 33 N., Rgs. 71 & 72 West and 9th Guide Mer. W. in T 32 N., betw. Rgs 72 & 73 West	W.B. Verby	May 7th 1879		July 5, 8 & 9, 1879
8th Stand. Pt. N. in T 33 N., Range 73 W.	Downey & Grant	Aug 12, 1880		Sep. 7, 1880
9th Guide M. W. in T 33 N., betw. Rgs. 72 & 73 W.	Mc. Carthy & Moore	Febr. 2, 1881		Feb. 14, 1881

Scale, 80 chains to an inch.

I hereby certify, that the above diagram of intersections of standard lines with the boundaries of Ft Fetterman Military Reservation is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.
Surveyor Generals Office,
Cheyenne, Wyo August 15th 1882

Edw. C. David
Surveyor Gen'l

904

(10) Indexed

Click Here for Field Notes

Ret. / Resurvey Notes, All or Part

57

646

EXTERIOR LINES.

Scale 3 miles to an inch. Magnetic variation East.



Surveys designated.	By whom surveyed.	Date of contract.	Amount of surveys			When surveyed
			Miles	Chs	Lks	
Exterior lines.	Wm B. Yerby	May 7, 1879.	311	18	18	Sept & Oct. 1879.
Connections.	" " "	" " "	65		83	" " "

I hereby certify that the above diagram of the exterior lines of Townships 29, 30, 31 & 32 N. Ranges 65 to 72 inclusive, West of the 6th Principal Meridian, in Wyoming Territory, is strictly conformable to the original field notes of the survey thereof, on file in this office, which have been examined and approved.

Surveyor General's Office,
Cheyenne, Wyo. Feby 7, 1880

Edw. C. David
Surveyor General.

538

Click Here for Field Notes

Retracement Notes, All or Part

(10) Indepd's 630

42

9TH GUIDE MERIDIAN WEST,

From the 6th to the 8th Standard Parallel N. between Ranges 72 & 73 W. of the 6th Pr. Mer.



Surveys designated.	By whom surveyed.	Date of contract.	Amount of surveys. Mls Chs Lks	When surveyed.
9th Guide Merd W.	Wm B. Yerby	May 7, 1879.	48. 00. 00	June & July, 1879.

I hereby certify that the above diagram of the 9th Guide Meridian West of the 6th Principal Meridian, from the 6th to the 8th Standard Parallel N. in Wyoming Territory, is strictly conformable to the field notes of the survey thereof, on file in this office, which have been examined & approved.

Surveyor General's Office, Cheyenne Wyo. Oct. 16, 1879.

Edw. C. David
Surveyor General.