


T. 43 N., R. 100 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
Township Subdivision Plats		
7010	1964	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr100w_gp285fn.pdf
4412	1891	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr100w_c241fn.pdf
Township Exterior Plats		
4371	1891	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2533.pdf

DEPENDENT RESURVEY



Survey executed by Carl W. Enix, Cadastral Surveyor, beginning May 8, 1964, and completed June 17, 1964, pursuant to Special Instructions for Group No. 285, Wyoming, approved June 14, 1963.

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Clark L. Gamm

Acting Chief, Division of Engineering


MC Sec. 29 & 30
T. 8 N., R. 1 W., W. R. M.
S. 53° 46' W.
108 13
From MC Secs.
31 & 32

A graphical scale bar labeled "SCALE IN CHAINS". The bar has markings at 0, 5, 10, 20, 40, and 80. The distance between 0 and 10 is divided into two equal parts by a tick mark at 5. The distance between 10 and 20 is divided into four equal parts by tick marks at 12.5, 15, and 17.5. The distance between 20 and 40 is divided into two equal parts by a tick mark at 30. The distance between 40 and 80 is divided into four equal parts by tick marks at 50, 60, and 70.

Area Resurveyed 18,228.30 Acres

44/2

Township N^o 43 North Range N^o 100 West of the 6th Principal Meridian

[illegible]

<i>Surveys Designated</i>	<i>By Whom Surveyed</i>	<i>Date of Contract</i>	<i>Amount of Surveys</i> <i>M. Chs. Ecs.</i>	<i>When Surveyed</i>	<i>Magnetic Declination</i>
<i>Township lines</i>					
<i>Subdivisions</i>					
<i>Mapmakers</i>	<i>Carpenter Warner</i>	<i>April 1, 1891</i>	<i>48 59 39</i>	<i>Sept 27 Oct 29/1</i>	<i>17° 35' East.</i>
	" "	" " "	<i>6 55 30</i>	<i>Oct 2, 1891</i>	<i>17° 24' "</i>


The above Map of Township N. 43 North of Range N. 100 West of the 6th Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office.
Cheyenne, Wyo. May 21st 1892

Wm A. Richardson
Sur.^y Gen.^l


Wm. A. Richards
Sur.^y Gen.^l

Botton of slate body drawer



EXTERIOR LINES

Scale 1 inch = 2 miles. Mag. Var. East.



Standard lines at intermediate rates, 19^{mls} 44th 42th
 " " " minimum " 16 " 39 " 16 "
 Township " " intermediate " 4 " 51 " 74 "
 " " " minimum " 42 " 69 " 07 "

Survey Designated	By Whom Surveyed	Date of Contract	Amount of Contract	When Surveyed	Magnetic Declination
11th Stand. Par.	Carpenter & Warner	April 1 - 1891	24 3 08	July 13-16, 1891	17° 28' East
12th Aux. Mer	"	"	12 0 50	" 17-18, "	17° 36 "
Exteriors	"	"	47 40 81	Sept. 13-20, 1891	17° 26 "

I hereby certify that the above diagram of the 11th Standard Parallel North in Ranges 97, 98, 99 and 100 West; the 12th Auxiliary Meridian West in Townships 43 and 44 North, and the Exterior lines of Fractional Townships 43 North Ranges 97, 98, 99 and 100 West; Townships 44 North Ranges 97, 98, 99 and 100 West, and the exterior lines of the 6th Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof on file in this Office which have been examined and approved.

Surveyor General's Office
 Cheyenne Wyo. May 21, 1892

J. H. Warner
 Surveyor General.