



T. 43 N., R. 92 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
Township Subdivision Plats		
4182; 4183; 4184; 4185; 4186; 4187	1921	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr92w_gp051fn.pdf
4182; 4183; 4184; 4185; 4186; 4187	1921	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr92w_gp051fn_bnd.pdf
4181	1884	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr92w_c112fn.pdf
Township Exterior Plats		
4370	1891	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2532.pdf
4152	1884	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2406.pdf
4150	1884	https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2404.pdf

TOWNSHIP 43 NORTH, RANGE 92 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

SUPPLEMENTAL PLAT



This plat showing the subdivision of Tract 5I-D into new Tracts 5I-Q and 5I-R, T. 43 N., R. 92 W., Sixth Principal Meridian, Wyoming, is based on a survey performed in May, 2006, by Sherman B. Allred, Wyoming Professional Engineer and Land Surveyor, Registration No. 2920. A plat of this survey, titled "Exhibit A Jim Wilson Plat Showing 10.0 Acre Parcel of Land in Tract 5I-D T. 43 N., R. 92 W. Hot Springs County, Wyoming" was recorded in the Hot Springs County Clerk's Office, on May 12, 2010, Reception No. 488735, book 141 MF, page 582.

Except as indicated hereon, the lottings and areas are as shown on the plat approved March 29, 1923.

Plat prepared by Joel T. Ebner, Cadastral Surveyor,
beginning July 14, 2010 and completed July 15, 2010,
pursuant to special instructions dated July 13, 2010,
for Group No. 824, Wyoming.

LEGEND

- 1921 GLO monument found and used by Sherman B. Allred, P.E. & L.S. 2920, in 2006.
- ◎ Remains of 1921 GLO monument found by Sherman B. Allred, P.E. & L.S. 2920, in 2006 and remonumented with an aluminum cap on 5/8" by 24" steel reinforcement rod.
- ⊕ Monumented by Sherman B. Allred, P.E. & L.S. 2920, in 2006, with an aluminum cap on a 5/8" by 24" steel reinforcement rod.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming

July 27, 2010

This plat, showing amended lottings, is based upon official and local records and, having been correctly prepared in accordance with the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee

John P. Lee
Chief Cadastral Surveyor for Wyoming

Index to Segregated Tracts
Resurvey Township N^o 43 North, Range N^o 92 West of the Sixth Principal Meridian, Wyoming
Group N^o 51

Resurvey Tract Number	Original Survey			Entry		Status in Land Office	Entryman
	T.	R.	Sec.	Subdivisions	Kind	Number	
37	43	92	5	SW ² SW ²			
"	"	"	6	Lot 6, NE ² SW ² , N ² SE ² , SE ² SE ²	S.S.	06363	Valid, Wyoming
38	"	"	4	SW ² SW ²			
"	"	"	5	SE ² SW ² , S ² SE ²	S.S.	07694	Patented Wyoming
39	"	"	9	N ² NW ² , SE ² NW ² , W ² SE ²	S.S.	06598	Approved Wyoming
A-B-C-E-F	"	"	9	SW ² NE ²	S.S.	06598	Valid Wyoming
39-D	"	"	9	NW ² NE ²	C.E.	1756	Patented John M. Barry
40	"	"	9	SE ² SE ²			
41	"	"	10	S ² SW ²	H.E.	08134	Patented Bertie M. Ray
"	"	"	10	SW ² SE ²	H.E.	013571	Valid Dave Curran
42	"	"	14	SW ² NW ²			
43	"	"	15	NE ² NW ² , E ² NE ² , NW ² NE ²	H.E.	08134	Patented Bertie M. Ray
44	"	"	16	All	School Section		Grant Wyoming
45	"	"	14	W ² NE ² , E ² NW ²	A.H.E.	07293	Patented Harry O. Ray
46	"	"	14	E ² SW ² , W ² SE ²	H.E.	06811	Patented Harry O. Ray
47	"	"	13	SW ² SW ²	C.E.	1769	Patented David Picard
48	"	"	22	W ² NW ²	S.A.H.	2063	Patented Alex. T. Butler
49	"	"	21	NE ² , E ² SW ² , W ² SE ²	H.E.	014665	Valid Ernest Ritchie
50	"	"	15	SW ² SW ²	S.A.H.	013317	Patented Curtis C. Moore
51	"	"	21	E ² SE ²			
"	"	"	22	W ² SW ²			
"	"	"	27	NW ² , N ² SW ² , SE ² SW ² , W ² SE ²			
"	"	"	28	NE ² NE ²			
"	"	"	34	N ² NE ²	H.E.	011259	Valid Frederick W. Bryceson
52	"	"	22	E ² SW ²	S.A.H.	03402	Patented Alex. T. Butler
53	"	"	22	SE ²	H.E.	014324	Cancelled Arthur K. Lee
54	"	"	27	W ² NE ²	H.E.	3222	Patented Alex. T. Butler
55	"	"	26	W ² NW ²			
"	"	"	27	E ² NE ²	H.E.	014318	Valid Ora E. Shelburne
56	"	"	27	E ² SE ²	S.A.H.	2360	Patented Lucy L. Morrison
57	"	"	35	W ² NW ²	H.E.	2507	Patented Alex. T. Butler
58	"	"	35	SE ² NW ²	S.A.H.	013727	Patented Curtis G. Moore
59	"	"	35	S ²	S.S.	List 19	Approved Wyoming
60	"	"	36	All	School Section		Grant Wyoming
61	"	"	33	S ² SW ²	H.E.	013593	Patented Elmer E. Brantley
62	"	"	28	SE ² SW ²			
"	"	"	33	NE ² NW ²	S.S.	List 118	Approved Wyoming
63	"	"	28	SW ² SW ²			
"	"	"	33	NW ² NW ²	H.E.	3027	Patented Lucy L. Morrison
64	"	"	19	SE ² SW ²			
"	"	"	30	W ² NE ² , E ² NW ² , NE ² SW ² , Lots 2, 3	H.E.	012478	Valid Fred Dillow
65	"	"	19	Lots 1, 2, 3	C.E.	1853	Patented Thomas B. Hood


This Index to Segregated Tracts is made to accompany the
plat of Resurvey Township N^o 43 North, Range N^o 92 West of
the Sixth Principal Meridian, Wyoming, and is hereby approved.
U.S. Surveyor General's Office
Cheyenne, Wyoming
March 29, 1923

Edw. W. Arthur
Surveyor General

Supplemental Plat N^o 4SE ¹/₄ Resurvey Township N^o 43 North, Range N^o 92 West of the Sixth Principal Meridian, Wyoming

Scale 120 Chains to an Inch

Sec's 22, 23, 24, 25, 26, 27, 34, 35, 36



This supplemental plat of SE ¹/₄ Resurvey Township N^o 43 North, Range N^o 92 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved

U.S. Surveyor General's Office
Cheyenne, Wyoming
March 29, 1923


W. H. Arthur
Surveyor General

Supplemental Plat N°3

SW¼ Resurvey Township N°43 North, Range N°92 West of the Sixth Principal Meridian, Wyoming

Scale: 20 Chains to an Inch

Secs 19, 20, 21, 28, 29, 30, 31, 32, 33



This supplemental plat of SW¼ Resurvey Township N°43 North, Range N°92 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved U.S. Surveyor General's Office Cheyenne, Wyoming March 29, 1923


Clyde W. Athuly
Surveyor General

Each distance shown in parenthesis is obtained by computation

2421-D

Trans to Buffalo
June 7, 1923 43-92

Supplemental Plat N°2
NW¼ Resurvey Township N° 43 North, Range N° 92 West of the Sixth Principal Meridian, Wyoming
Scale: 20 Chains to an Inch
Sec's 45, 6, 7, 8, 9, 16, 17, 18



This supplemental plat of NW¼ Resurvey Township N° 43 North, Range N° 92 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved
U.S. Surveyor General's Office
Cheyenne, Wyoming
March 29, 1923

Clyde W. Atherly
Surveyor General

Table of Conflicts


Area of conflict of Tract 37-E with SE*NE*Sec.1
T.43 N., R.93 W. S.S. List 85, State of Wyoming 12.54 A.
Area of conflict of Tract 37-E with NE*SE*Sec.1
T.43 N., R.93 W. S.S. List 85, State of Wyoming 5.30 A.
Area of Tract 37-E exclusive of conflicts with SE*NE* and
NE*SE*Sec.1, T.43 N., R.93 W. S.S. List 85, State of Wyoming 00.00 A.
Area of SE*NE*Sec.1, T.43 N., R.93 W. S.S. List 85 State of Wyoming
exclusive of conflict with Tract 37-E 27.46 A.
Area of NE*SE*Sec.1, T.43 N., R.93 W. S.S. List 85, State of
Wyoming, exclusive of conflict with Tract 37-E 34.70 A.

Each distance shown in parenthesis is obtained by computation

Supplemental Plat No 1
NE 4 Resurvey Township No 43 North, Range No 92 West of the Sixth Principal Meridian, Wyoming

Scale: 20 Chains to an Inch

Sec's 1, 2, 3, 10, 11, 12, 13, 14, 15




This supplemental plat of NE 4 Resurvey Township No 43 North, Range No 92 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the resurvey thereof on file in this office, which have been examined and approved.
U.S. Surveyor General's Office
Cheyenne, Wyoming
March 29, 1923

Clyde W. Atchley
Surveyor General

Each distance shown in parenthesis is obtained by computation

Resurvey Township N° 43 North, Range N° 92 West of the Sixth Principal Meridian, Wyoming

In Six Sheets



Surveys Designated	By Whom Surveyed	Group	Amount of Surveys	When Surveyed
		No. Date	Mls. chs. lks.	Begin Completed
Resurvey Subdivisions	Bond and Lytle	51 August 3, 1921	60 09 03	Oct. 21, 1921 Nov. 5, 1921
Connections	" " "	" " "	3 76 44	" " "
Segregated Tracts	" " "	" " "	49 40 27	Oct. 21, 1921 Nov. 4, 1921
Resur. N. S. & E. Bdy's	" " "	" " "	18 01 02 1/2	Sept. 15, 1921 Nov. 5, 1921
Resur. 11th Aux. Mer. W.	" " "	" " "	6 01 77 1/2	Oct. 24, 1921 Nov. 5, 1921

The above map of Township No. 43 North Range No. 92 West of the Sixth Principal Meridian Wyoming is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved

U. S. Surveyor General's Office.
Cheyenne, Wyoming, March 29, 1923


Clyde W. Arthur
Surveyor General.

2421-A

Drawn to Buffalo
June 9, 1923
43-92

4181

TOWNSHIP N^o 43 NORTH, RANGE N^o 92 WEST of the 6th Principal MERIDIAN.



All Augmented Rates.

Total number of Acres. 22,964. 16

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Survey M ² Ch ² Lk ²	When Surveyed	Magnetic Declination
N ^o Township line	Ed. F. Stahle	Sep. 21 st 1880	5 77 32	Aug 22 nd 1884	
Subdivisions			59 72 96	Sep. 19-24, 1884	17° 26' 17.55" E.
Connections					
11 th Aux. Mer. W.			6 0 0	Aug. 6 th 1884	

The above Map of Township N^o 43 North, Range N^o 92 West of the Sixth Principal Meridian Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved
Surveyor General's Office
Cheyenne, Wyoming
Febr. 27th 1885
J. W. Wilcox
Supt. Gen.


2421

2421
43-92

4370

EXTERIOR LINES

Scale 1 inch = 2 miles. Mag. Var. East.



WIND RIVER OR SHOSHONE INDIAN RESERVATION

Standard lines at intermediate rates	19 ^{mi}	41 ^{ch}	97 ^{ac}
" " " minimum	36	77	55
Exterior " " intermediate	16	69	63
" " " minimum	45	10	96
Connection " " "	70	08	

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M ² Ch ² L ²	When Surveyed	Magnetic Declination
11 th Stand. Par.	Carpenter & Warner	April 1, 1891	23 70 61	July 8-10, 1891	17° 12' East
11 th Aux. Mer.	"	"	24 00 60	" 5-7 "	17° 04' "
12 th Guide Mer.	"	"	8 48 31	" 12 "	17° 20' "
Exteriors	"	"	62 00 59	Sept 23-30 "	17° 14' "
Connections	"	"	70 08	July 8-10, 1891	17° 12' "


I hereby certify that the above diagram of the 11th Standard Parallel North in Ranges 93, 94, 95 and 96 West; the 11th Guide Meridian West in Townships 41, 42, 43 and 44 North; the 12th Guide Meridian West in Townships 43 and 44 North, and the Exterior Boundaries of Townships 43 North Range 93 West, Townships 44 North, Ranges 93, 94, 95 and 96 West, and Fractional Townships 43 North, Ranges 94, 95 and 96 West of the 6th Principal Meridian in Wyoming, is strictly conformable to the field notes of the survey thereof on file in this office which have been examined and approved.

Surveyor General's Office
Cheyenne, Wyo. May 21st 1892

Wm. A. Richards
Surveyor General

11TH AUXILIARY MERIDIAN WEST.

From the 10th to the 11th Stand. Par. N., between R's 92 & 93 W. of the 6th Prin. Mer. Wyo. Ter.
Scale 40 Chs to 1 inch. Magnetic Var. East.



All Augmented Rates.


Surveys Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys. Alts. Chs. Lks.	When Surveyed.
11 th Aux. Mer. W.	Ed. F. Stahlc	Sep. 21 st 1880	24 5 27	Aug 5-7, 1884
Connections.	" " "	" " "	5 40	" " "

Thereby certify that the above diagram of the 11th Auxiliary Meridian West from the 10th to 11th Stand. Par. N. between R's 92 & 93 W. of the 6th Principal Meridian Wyoming Territory, is strictly conformable to the field notes of the survey thereof on file in this office which have been examined and approved.
Surveyor General's Office
Cheyenne Wyoming. Febr. 27th 1885

4150

EXTERIOR LINES.

Scale 3 miles to 1 inch. Mag. Var. East.



T. 44N.

T. 43N.

T. 42N.

T. 41N.

R. 92W.

R. 91W.

R. 90W.

R. 89W.

All Augmented Rates.

Surveys Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys.	When Surveyed.
Township lines	Ed. F. Stahl	Sep. 21 st 1880	143 74 6	Aug. 11-29, 1884
Connections	" " "	" " "	28 25	" " "

I hereby certify that the above diagram of the Exterior lines of Tps 41, 42, 43 & 44 N. R's 89, 90, 91 & 92 W. of the 6th Principal Meridian Wyoming Territory, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.

Surveyor General's Office,
Cheyenne Wyoming, Febr. 9 27th 1885

John A. McLean
Sur. Gen.