


## T. 43 N., R. 93 W., Sixth Principal Meridian, Wyoming, Field Note Links

| Plat Accession Number(s)   | Year(s) of Survey |                                                                                                                                                                                               |
|----------------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Township Subdivision Plats |                   |                                                                                                                                                                                               |
| 8637                       | 2013              | <a href="https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr93w_gp898fn.pdf">https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr93w_gp898fn.pdf</a> |
| 6928                       | 1962              | <a href="https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr93w_gp279fn.pdf">https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr93w_gp279fn.pdf</a> |
| 4396                       | 1891              | <a href="https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr93w_c214fn.pdf">https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/t43nr93w_c214fn.pdf</a>   |
| Township Exterior Plats    |                   |                                                                                                                                                                                               |
| 4370                       | 1891              | <a href="https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2532.pdf">https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2532.pdf</a>                   |
| 4152                       | 1884              | <a href="https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2406.pdf">https://www.wy.blm.gov/cadastral/countyplats/hotsprings/fieldnotes/ext2406.pdf</a>                   |



## TOWNSHIP 43 NORTH, RANGE 93 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

## CORRECTIVE DEPENDENT RESURVEY

Sec. 33



Mean  
Magnetic  
Declination  
10 1/2° E.



A history of surveys is contained in the field notes.

This plat represents the corrective dependent resurvey of a portion of the north boundary, designed to restore the corners in their true original locations according to the best available evidence, T. 43 N., R. 93 W., Sixth Principal Meridian, Wyoming.

The lotting and areas are as shown on the plats approved May 21, 1892 and August 27, 1963.

Survey executed by Lee T. Wilson, Cadastral Surveyor, beginning October 22, 2013, and completed October 23, 2013, pursuant to Special Instructions and Assignment Instructions dated August 21, 2013, for Group No. 898, Wyoming.

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming

May 15, 2014


This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee  
Chief Cadastral Surveyor for Wyoming



TOWNSHIP 43 NORTH, RANGE 93 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.  
SUPPLEMENTAL PLAT OF SECTION 1



This supplemental plat of section 1, Township 43 North, Range 93 West, of the Sixth Principal Meridian, Wyoming, shows by protraction the segregation of Tract 37 E, which is in conflict with portions of the SE $\frac{1}{4}$ NE $\frac{1}{4}$  and NE $\frac{1}{4}$ SE $\frac{1}{4}$  of section 1, selected by the State of Wyoming, List No. 23, approved September 14, 1922.

This supplemental plat of section 1, supersedes the showing of this section on the plat of T. 43 N., R. 93 W., accepted August 27, 1963.

The lottings and areas are as shown on the plats approved May 21, 1892, and accepted May 10, 1923.

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
Washington, D. C. June 9, 1964

This plat, showing amended lottings, is based upon the official records, and having been correctly prepared in accordance with the regulations, is hereby accepted.

For the Director


*E. H. Remington*

Chief, Division of Engineering



## TOWNSHIP 43 NORTH, RANGE 93 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

## DEPENDENT RESURVEY



This plat represents a retracement and reestablishment of the south and west boundaries and the subdivisional lines designed to restore the corners in their true original locations according to the best available evidence.

The history of previous surveys is contained in the field note record.

The resurveys were executed by Joe N. LaRue, Supervisory Surveying Technician and Carl W. Enix, Agricultural Engineer beginning September 25, 1962, and completed November 1, 1962, pursuant to special instructions for Group No. 279, Wyoming, dated September 12, 1962.

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
Washington, D. C. August 27, 1963

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

*E. J. Lemington*

Chief, Division of Engineering

Sec. 31.



Township No. 43 North, Range No. 93 West of the Sixth Principal Meridian, Wyoming




Table of Conflicts

|   |         |                                                                                                                              |          |
|---|---------|------------------------------------------------------------------------------------------------------------------------------|----------|
|   |         | Area of conflict of SE*NE*Sec. 1, S.S. List 85, State of Wyoming with Tract 37-E, T. 43 N., R. 92 W.                         | 12.54 A. |
|   |         | Area of conflict of NE*SE*Sec. 1, S.S. List 85, State of Wyoming with Tract 37-E, T. 43 N., R. 92 W.                         | 5.30 A.  |
| I |         | Area of SE*NE*Sec. 1, S.S. List 85, State of Wyoming, exclusive of conflict with Tract 37-E, T. 43 N., R. 92 W.              | 27.46 A. |
|   |         | Area of NE*SE*Sec. 1, S.S. List 85, State of Wyoming, exclusive of conflict with Tract 37-E, T. 43 N., R. 92 W.              | 34.70 A. |
| i | Sec. 13 | Area of Tract 37-E, T. 43 N., R. 92 W., exclusive of conflicts with NE*SE* and SE*NE* Sec. 1, S.S. List 85, State of Wyoming | 00.00 A. |

This Supplemental Plat No. 1, Survey of T. 43 N., R. 93 W. of the Sixth Principal Meridian, approved May 21, 1892 is prepared in connection with the return of the official resurvey of T. 43 N., R. 92 W., executed in Group 51, Wyoming, for the purpose of putting on record the conflict between Wyoming State Selection, List No. 85, Lander Series, for SE $\frac{1}{4}$ NE $\frac{1}{4}$ , NE $\frac{1}{4}$ SE $\frac{1}{4}$  Sec. 1, T. 43 N., R. 93 W., and sub-tract No. 37-E of Segregated Tract No. 37, created in the Resurvey of T. 43 N., R. 92 W. to define Wyoming State Selection Buffalo 06363 for the SW $\frac{1}{4}$ SW $\frac{1}{4}$  Sec. 5, SE $\frac{1}{4}$ SE $\frac{1}{4}$ , NE $\frac{1}{4}$ SE $\frac{1}{4}$ , NE $\frac{1}{4}$ SW $\frac{1}{4}$  and Lot 6, Sec. 6, of the original survey of T. 43 N., R. 92 W.; and is hereby approved.

U.S. Surveyor General's Office  
Cheyenne, Wyoming March 29, 1923

*Clyde W. Athuly*  
Surveyor General

| Areas in Acres     |  |
|--------------------|--|
| Public Land        |  |
| Indian Reservation |  |
| Indian Allotments  |  |
| Mineral Claims     |  |
| Water Surface      |  |
| Total Area         |  |

Scale 40 Chains to an inch

Mean Magnetic Declination

| Surveys Designated | By Whom Surveyed | Contract |      | Amount of Surveys |      |      | When Surveyed |           |
|--------------------|------------------|----------|------|-------------------|------|------|---------------|-----------|
|                    |                  | No.      | Date | Mls.              | chs. | lks. | Begun         | Completed |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |
|                    |                  |          |      |                   |      |      |               |           |

The above map of Township No. \_\_\_\_\_ Range No. \_\_\_\_\_ of the \_\_\_\_\_ Meridian is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved

U.S. Surveyor General's Office.

Surveyor General.



Township N<sup>o</sup> 43 North Range N<sup>o</sup> 93 West of the 6<sup>th</sup> Principal Meridian

| <i>Surveys Designated</i>      | <i>By Whom Surveyed</i> | <i>Date of Contract</i>      | <i>Amount of Surveys</i><br><i>M. Ch<sup>s</sup> Lk<sup>s</sup></i> | <i>When Surveyed</i> | <i>Magnetic declination</i> |
|--------------------------------|-------------------------|------------------------------|---------------------------------------------------------------------|----------------------|-----------------------------|
| Township lines<br>Subdivisions | Carpenter & Warner      | April 1 <sup>st</sup> , 1891 | 59 71 27                                                            | Oct. 26-31, 1891     | 17° 12' East                |

The above Map of Township 1<sup>st</sup> 43 North of Range 1<sup>st</sup> 93 West of the 6<sup>th</sup> Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office.  
Cheyenne Wyo. May 21<sup>st</sup> 1893


Wm B. Richardson  
Sur. Genl



Accession  
No.  
4370

# EXTERIOR LINES

Scale 1 inch = 2 miles. Mag. Var. East.



|                                      |                   |                  |                  |
|--------------------------------------|-------------------|------------------|------------------|
| Standard lines at intermediate rates | 19 <sup>mls</sup> | 41 <sup>ch</sup> | 97 <sup>ac</sup> |
| " " " minimum                        | 36"               | 77"              | 55"              |
| Exterior " " intermediate            | 16"               | 69"              | 63"              |
| " " " minimum                        | 45"               | 10"              | 96"              |
| Connection " " "                     |                   | 70"              | 08"              |

| Surveys Designated           | By Whom Surveyed   | Date of Contract | Amount of Surveys<br>M <sup>2</sup> Ch <sup>2</sup> L <sup>2</sup> | When Surveyed   | Magnetic Declination |
|------------------------------|--------------------|------------------|--------------------------------------------------------------------|-----------------|----------------------|
| 11 <sup>th</sup> Stand. Par. | Carpenter & Warner | April 1, 1891    | 23 70 61                                                           | July 8-10, 1891 | 17° 12' East         |
| 11 <sup>th</sup> Aux. Mer.   | "                  | "                | 24 00 60                                                           | " 5-7 "         | 17° 04' "            |
| 12 <sup>th</sup> Guide Mer.  | "                  | "                | 8 48 31                                                            | " 12 "          | 17° 20' "            |
| Exteriors                    | "                  | "                | 62 00 59                                                           | Sept 23-30 "    | 17° 14' "            |
| Connections                  | "                  | "                | 70 08                                                              | July 8-10, 1891 | 17° 12' "            |

I hereby certify that the above diagram of the 11<sup>th</sup> Standard Parallel North in Ranges 93, 94, 95 and 96 West; the 11<sup>th</sup> Guide Meridian West in Townships 43, 44 and 45 North; the 12<sup>th</sup> Guide Meridian West in Townships 43 and 44 North, and the Exterior Boundaries of Townships 43 North Range 93 West, Townships 44 North, Ranges 93, 94, 95 and 96 West, and Fractional Townships 43 North, Ranges 94, 95 and 96 West of the 6<sup>th</sup> Principal Meridian in Wyoming, is strictly conformable to the field notes of the survey thereof on file in this office which have been examined and approved.


Surveyor General's Office  
Cheyenne, Wyo. May 21<sup>st</sup> 1892

Wm. A. Richards  
Surveyor General



# 11<sup>TH</sup> AUXILIARY MERIDIAN WEST.

From the 10<sup>th</sup> to the 11<sup>th</sup> Stand. Par. N. between R's 92 & 93 W. of the 6<sup>th</sup> Prin. Mer. Wyo. Ter.  
Scale 40 Chs to 1 inch. Magnetic Var. East.



## All Augmented Rates.

| Surveys Designated.           | By Whom Surveyed. | Date of Contract.          | Amount of Surveys.<br>Chs. Lks. | When Surveyed. |
|-------------------------------|-------------------|----------------------------|---------------------------------|----------------|
| 11 <sup>th</sup> Aux. Mer. W. | Ed. F. Stahlc     | Sep. 21 <sup>st</sup> 1880 | 24 5 27                         | Aug 5-7, 1884  |
| Connections.                  | " " "             | " " "                      | 5 40                            | " " "          |

I hereby certify that the above diagram of the 11<sup>th</sup> Auxiliary Meridian West from the 10<sup>th</sup> to 11<sup>th</sup> Stand. Par. N. between R's 92 & 93 W. of the 6<sup>th</sup> Principal Meridian Wyoming Territory, is strictly conformable to the field notes of the survey thereof on file in this office which have been examined and approved.  
Surveyor General's Office  
Cheyenne Wyoming. Febr. 27<sup>th</sup> 1885