FIELD [illegible]TES.

SUBDIVISIONS.

315 523

VOL. 22

1872.

VOL. 22. Subdivisions.

P.

315 -1. Subdivisions T. 17 N., R. 70 W.

316-63. Subdivision T. 18 N., R. 70 W.

317-118. Subdivision T. 16 N., R. 60 W.

318-155. Subdivision T. 15 N., R. 61 W.

319-197. Subdivision T. 16 N., R. 61 W.

320-237. Subdivision T. 15 N., R. 62 W.

321-282. Subdivision T. 16 N., R. 62 W.

322-322. Subdivision T. 21 N., R. 78 W.

323-367. Subdivision T. 21 N., R. 80 W.

Field notes of the survey of the subdivisional lines in Township No. 15 N. of Range 62 West of the 6 P. M. in Wyoming Territory by

J. Wesley Hammond,

Deputy Surveyor

under his contract No. 88

bearing date June 19th 1872.

Survey commenced July 9 1872.

Survey completed July 15th 1872.

320

INDEXED

Township 15 N. R. 62 W.



Names of assistants

Wm J. Godfrey Chainmen
Edward Frenzel Chainman
Charles Henry Flagman
Wm Barrett Flagman
James Whitman Axeman

Townships 15 N. R. 62 W. 272

Chs. To determine the proper adjustment of my compass for sub-dividing this Township, I commence at the corner to Townships 14 & 15 N. Ranges 61 & 62 West, and run N. on a blank line along the East Boundary of Sec. 36

Va. 15° 27' E.

39.80 To a point 6 lks. East of ¼ quarter

79.84 To a point 18 lks. East of the corner to secs. 25 and 36.

To retrace this line or run parallel thereto my compass must be adjusted to a Va. of 15° 33' East.

From same Township cor. I run West, on a blank line along the South Boundary of Sec. 36.

Va. 15° 27' E.

Township 15 N. R. 62 W.

39.76	To a point 8 lks. S. of the ¼ sec. cor.
75.74	To a point 11 lks. South of the cor. to secs. 35 & 36
	To retrace this line or run parallel thereto my compass must be adjusted to a Va. of 15° 22' E.
	July 2nd '76
	From the corner to sections 1. 2. 35 & 36 on the South Boundary of the Township I run
	North between secs. 35 & 36 Va. 15° 35' East.
40.00	Set sand stone 16 x 10 x 5 for ¼ sec. cor.
75.00	Spring Creek 6 lks. wide runs E.
80.00	Set sand stone 18 x 10 x 4 for cor. to secs. 25. 26. 35 & 36,
	I am rolling; 2nd rate soil & Veg. Grass.

Township 15 N. R. 62 W.

East on a random line between secs. 25 & 36.

Va. 15° 22' E.

40.00 Set a temporary 1/4 sec. cor.

79.72 Intersected the East Boundary of the Township 47 lks. N. of the cor. to secs. 25 & 36.

from which corner I run

N. 89.40 W.

on a true line between sections 25 and 36

39.86 Set sand stone 16×12×4 for 1/4 sec. cor.

79.72 The corner to secs. 25.26.35 & 36

Land gently rolling; 2d rate,

Veg. grass

[illegible]

×

North between sections 25 & 26

Va. 15° 35' East.

40.00 Set sand stone 14×10×5 for 1/4 sec. cor.

80.00 Set sand stone 18×11×7 for

4 240

275

Township 15 N. R. 62 W.

Obs. corner to secs. 23. 24. 25 & 26

Land gently rolling 2d rate

Veg. grass.

East on a random line

between sections 24 & 25

Var. 15° 22' E.

40.00 Set a temporary ¼ sec. cor.

78.50 Intersected the East Boundary

of the Township 5-3 lks. N. of

the corner to sections 24 & 25

from which corner I run

N. 88° 37' W.

on a true line between

sections 24 & 25

39.75 Set sand stone 18 x 6 x 6 for ¼ sec. cor.

78.50 The corner to sections 23. 24. 25. 26.

Land gently rolling; 2d rate

Veg. grass.

Township 15 N. R. 62 W. 276

Chs.	
	North between sections 23 & 24
	Va. 15° 35' East.
40.00	Set sandstone 16x10x6 for ¼ sec. cor.
80.00	Set sand stone 22x10x5 for cor. to sections 13. 14. 23. & 24.
	Land rolling: 2d. rate.
	Veg. grass.
	X
	East on a random line between sections 13 & 24.
	Va. 15° 22' East.
40.00	Set temporary ¼ sec. cor.
79.96	Intersected the East Boundary of the Township 70 lks. N. of the corner to sections 18 & 24. from which corner Bears
	N. 88° 30' W.
	on a true line between sections 18 & 24.
39.98	Set sand stone 18x10x6 for ¼ sec. cor.

Township 16 N. Range 62 W.

Chs.	
77.96	The corner to sections 13.14.23.24 Land rolling; 2d rate; Veg. grass
	North between sections 13 & 14 Var. 15° 35' East
40.00	Set sand stone 15x9x5 for ¼ sec. cor.
80.00	Set sand stone 18x11x6 for cor. to sections 11. 12. 13. & 14.
	Land gently rolling; 2d rate; Veg. grass
	East on a random line between sections 12 & 13. Var. 16° 22' East.
40.00	Set a temporary ¼ sec. cor.
80.04	Intersected the East Boundary of the Township 65 chs. & N. of the corner to sections 12 & 13

Township 16 N. Range 62 W.

Chs.	
	from which corner a pine
	N. 8 E. 32' W.
	on a true line between sections 12 & 13
40.02	Set sand stone 18x11x5 for 1/4 sec. cor.
80.04	The corner to sections 11. 12. 13. & 14.
	Land level; 2d rate,
	Veg. grass

	North between sections 11 & 12
	Va. 15° 30' East,
40.00	Set sand stone 12x10x7 for 1/4 sec. cor.
66.50	Dry run, runs E.
80.00	Set sand stone 18x10x9 for corner
	to sections 1. 2. 11. & 12,
	Land gently rolling; 2d rate,
	Veg. grass

	East on a random line
	between sections 1 & 12
	Va. 15° 22' E.
40.01	Set a temporary 1/4 sec. cor.

Township 15 N. Range 62 W.

Chs.	
51.00	A dry run, runs N. E.
60.00	Same run, runs S. E.
70.00	Same run, runs N. E.
79.90	Intersected the East Boundary of the Township 55 lks. N. of the corner to sections 1 & 12, from which corner I run, N. 89° 36' W. on a true line between sections 1 & 12.
39.95	Set sand stone 14x10x4 for ¼ sec. co
79.90	The corner to sections 1. 2. 11. & 12. Land rolling; 2d rate, Veg. grass,

---

North on a random line between sections 1 & 2

Va. 15° 35' East,

40.00	Set a temporary ¼ sec. cor,

Township 15 N. Range 62 W.

Chs.

79.83 Intersected the N. Boundary of the Township 24 lks. W. of the corner to sections 1 & 2,

from which corner I run

S. 00° 15' W.

on a true line between sections 1 & 2

99.83 Set sand stone 16 x 8 x 5 for 1/4 sec. cor.

79.83 The corner to sections 1. 2. 11 & 12.

Land level; 2d rate,

Veg. grass,

July 9th 1872.

North between sections 34 & 35

Var. 15° 35' East,

40.00 Set sand stone 16 x 8 x 5 for 1/4 sec. cor.

75.00 Spring Creek, Dry, runs N. E.

80.00 Set sand stone 20 x 10 x 5 for corner to sections 26. 27. 34 & 35;

Land gently rolling; 2d rate

Veg. grass

Township 18 N. Range 62 W.

Chs.	East on a random line between sections 26 & 35
	Va. 15° 22' East
6.00	Spring Creek, dry, runs N. E.
25.00	Same Creek, dry, runs S. E.
40.00	Set temporary ¼ sec. cor.
80.00	Intersected the N. & S. line 40 lks. S. of the corner to sections 25. 26. 35 & 36, from which corner I run S. 89° 43' W. on a true line between sections 26 & 35
40.00	Set sand stone 15 x 6 x 5 for ¼ sec. cor.
80.00	The corner to sections 26. 27. 34. 35, Land rolling; 2d rate, Veg. grass

Township 16 N. Range 62 W.

Chs.	
	North between sections 26 & 27.
	Va. 15° 30' East.
40.00	Set sand stone 16 x 9 x 5 for 1/4 sec. cor.
80.00	Set sand stone 18 x 8 x 5 for comer
	to sections 22. 23. 26 & 27.
	Land gently rolling. 2d rate
	Veg. grass.

x

	East on a random line
	between sections 23 & 26
	Va. 15° 22' East.
40.00	Set a temporary 1/4 sec. cor.
80.28	Intersected the N. & S. line
	68 lks. S. of the corner to
	sections 22. 24. 25 & 26
	from which corner A pine
	S. 89° 31' W.
	on a true line between
	sections 23 & 26.
140.14	Set sand stone 14 x 12 x 4 for 1/4 sec. cor.

Township 15 N. Range 62 W.

Chs.	
80.28	The corner to sections 22.23.26.27.
	Land rolling; 2d rate
	Veg. grass
	×
	North between sections 22 & 23
	Va. 15° 35' East.
15.00	Out crop of sand stone, bears E & W.
40.00	Set sand stone 16×12×5 for ¼ sec. cor.
80.00	Set sand stone 20×10×4 for corner to sections 14.15.22 & 23.
	Land rolling; 2d rate
	Veg. grass.
	×
	East on a random line between sections 14 & 23.
	Va. 15° 22' East
40.00	Set a temporary ¼ sec. cor.
80.00	Intersected the N. & S. line 53 lks. S. of the corner to sections 13.14.23 & 24.

Township 15 N. Range 62 W.

Chs. from which corner I run

S. 89° 37' W.

on a true line between sections 14 & 23,

40.00 Set sand stone 18×10×5 for 1/4 sec. cor,

80.00 The corner to sections 14.15.22.23,

Land level; 2d rate,

Veg. grass,

X

North between sections 14 & 15,

Va. 15° 35' East,

40.00 Set sand stone 17×6×5 for 1/4 sec. cor,

80.00 Set sand stone 18×8×5 for corner to sections 10.11.14 & 15,

Land gently rolling; 2d rate,

Veg. grass,

X

East on a random line between sections 11 & 14

Va. 15° 22' East,

40.00 Set a temporary 1/4 sec. cor,

18 2 50

285

Township 15 N. Range 62 W.

Chs.	
80.12	Intersected the N. & S. line 36 lks. S. of the corner to sections 11. 12. 13. & 14. from which corner I run S. 89°. 45' W. on a true line between sections 11 & 14
40.06	Set sand stone 14 X 11 X 4 for ¼ sec. cor.
80.12	The corner to sections 10. 11. 14 & 15. Land gently rolling; 2d. rate, Veg. grass.

North between sections 10 & 11 Va. 15°. 35' East,

40.00	Set sand stone 16 X 9 X 5 for ¼ sec. cor.
61.00	A dry run, runs E.
80.00	Set sand stone 18 X 10 X 4 for cor. to sections 2. 3. 10 & 11. Land rolling; 2d. rate, Veg. grass.

Township 15 N. Range 6 2 W.

Chs.	East on a random line between sections 2 & 11 Va. 15° 22' East-
40.00	Set a temporary ¼ sec. cor.
79.76	Intersected the N. & S. line 5 lks. S. of the corner to sections 1. 2. 11. 12. from which corner I run S. 89° 5-8' W. on a true line between sections 2 & 11
39.88	Set sand stone 16x12x4 for ¼ sec. cor.
79.76	The corner to sections 2. 3. 10 & 11 Land gently rolling: 2d rate Veg. grass

×

	North on a random line between sections 2 & 3, Va. 15° 35' East-
40.00	Set a temporary ¼ sec. cor.
79.90	Intersected the North Boundary of the Township 20 lks. East of the corner to sections 2 & 3

Township 15 N. Range 62 W.

Chs.	
	from which corner I run
	S. 00° 09' E.
	on a true line between
	sections 2 & 3.
39.90	Set sand stone 18×10×5 for ¼ sec. c
79.90	The corner to sections 2. 3. 10 & 11
	Land gently rolling; 2d rate,
	Veg. grass,
	July 10th 1872.

×

	North between sections 33 & 34
	Va. 15° 35' East,
40.00	Set sand stone 15×8×5 for ¼ sec. c
80.00	Set sand stone 20×10×8 for
	corner to sections 27. 28. 33 & 34
	Land rolling; 2d rate,
	Veg. grass

×

Township 15 N. Range 62 W.

Chs.	East on a random line between sections 27 & 34, Va. 15° 22' East,
40.00	Set a temporary ¼ sec. Cor.
65.00	Spring Creek, 40 lks. wide, dry, runs S. E.
80.00	Intersected the N. & S. line 30 lks. N. of the corner to sections 26. 27. 34 & 35, from which corner I run, N. 89° 47' W.
40.00	Set sand stone 15 x 10 x 8 for ¼ sec. co
80.00	The corner to sections 27. 28. 33 & 34 Land rolling: 2d rate, Veg. grass,

---

North between sections 27 & 28, Va. 15° 35' East,

40.00	Set sand stone 16 x 9 x 6 for ¼ sec. cor.
48.00	Spring Creek, 30 lks. wide, dry, runs, E.

Township 15 N. Range 12 W.

Chs.	
80.00	Set sand stone 20x8x5 for corner to sections 21. 22. 27. & 28. Land rolling: 2d rate Veg. grass

East on a random line between sections 22 & 27, Va. 15° 22' East,

40.00	Set a temporary ¼ sec. cor.
79.80	Intersected the N. & S. line 13 lks. S. of the corner to sections 22. 23. 26 & 27. from which corner B pine S. 88° 5-4' W. on a true line between sections 22 & 27.
39.80	Set sand stone 14x12x4 for ¼ sec. co.
79.80	The corner to sections 21. 22. 27 & 28. Land gently rolling: 2d rate Veg. grass

Township 15 S. Range 62 W.

Chs.	
	North between sections 21 & 22
	Va. 15° 35' East,
40.00	Set sand stone 16x10x4 for ¼ sec. cor.
80.00	Set sand stone 18x8x6 for corner
	to sections 15. 16. 21 & 22.
	Land level; 2d. rate,
	Veg. grass.

	East on a random line
	between sections 15 & 22.
	Va. 15° 22' East.
40.00	Set a temporary ¼ sec. cor.
79.80	Intersected the N. & S. line
	15 lks. S. of the corner to sections
	14. 15. 22. & 23,
	from which corner it runs
	S. 89° 54' W.
	on a true line between
	sections 15 & 22
89.90	Set sand stone 18x12x6 for ¼ sec. cor.
79.80	The corner to sections 15. 16. 21. 22.

Township 15 S. Range 62 W.

Chs.	
	Land level; 2d rate,
	Veg. grass,

×

	North between sections 15 & 16
	Va. 15° 35' East,
40.00	Set sand stone 15 x 10 x 4 for ¼ sec. cor.
80.00	Set sand stone 20 x 10 x 5 for
	corner to sections 9. 10. 15. & 16,
	Land rolling; 2d rate,
	Veg. grass,

×

	East on a random line
	between sections 10 & 15
	Va. 15° 22' East,
40.00	Set sand stone 12 x 10 x 6 for ¼ sec. cor.
80.00	Intersected the N. & S. line
	40 lks. S. of the corner to sections
	10. 11. 14 & 15,
	from which corner a pine
	S. 8° 48' W.
4.00	Set sand stone 12 x 10 x 6 for ¼ sec. cor.

Township 15 N. Range 62 W.

Chs.	
80.00	The corner to sections 9. 10. 15 & 16.
	Land level; 2d rate,
	Veg. grass,

×

	North between sections 9 & 10
	Va. 15° 35' East,
40.00	Set sand stone 18x12x4 for ¼ sec. cor.
78.50	A dry pine, pins, N. E.
80.00	Set sand stone 20x10x5 for corner to sections 3. 4. 9. & 10,
	Land rolling; 2d rate,
	Veg. grass,

×

	East on a random line between sections 3 & 10
	Va. 15° 22' East,
12.00	A dry pine, pins N. E.
36.00	Same pine, pins. S. E.
40.00	Set a temporary ¼ sec. cor.

Township 15 N. Range 62 W.

Chs.

79.90 Intersected the N. & S. line 25 lks. N. of the corner to sections 2. 3. 10. & 11 from which corner I run N. 89° 45' W. on a true line between sections 3 & 10.

39.95 Set sand stone 14x10x4 for 1/4 sec. cor.

79.90 The corner to sections 3. 4. 9. & 10.

Land rolling; 2d rate.

Veg. grass and cactus.

North on a random line between sections 3 & 4.

Var. 15° 85' East.

40.00 Set a temporary 1/4 sec. cor.

79.90 Intersected the North Boundary of the Township 22 lks. W. of the corner to sections 3 & 4

Township 15 N. Range 62 W.

Chs.	
	from which corner I run
	S. 00°. 09' W.
	on a true line between
	sections 3 & 4.
39.90	Set sand stone 16×9×5 for ¼ sec. cor.
79.90	The corner to sections 3. 4. 9. & 10
	Land rolling: 2d. rate,
	Veg. grass,
	July 11th 1872.

×

	North between sections 32 & 33,
	Va. 15°. 35' East.
40.00	Set sand stone 14×7×6 for ¼ sec. cor.
80.00	Set sand stone 20×10×4 for corner
	to sections 28. 29. 32 & 33.
	Land rolling: 2d. rate,
	Veg. grass,

×

Township 15 N. Range 62 W.

Lks.	
	East on a random line between sections 28 & 33. Va. 15° 22' East,
22.50	A wagon road bears N. & S.
40.00	Set a temporary ¼ sec. cor.
79.93	Intersected the N. & S. line 50 lks. S. of the corner to sections 27. 28. 33. & 34, from which corner I run S. 89° 39' W. on a true line between sections 28 & 33.
39.96½	Set sand stone 17 x 9 x 5 for ¼ sec. cor.
79.93	The corner to sections 28. 29. 32. & 33. Land level & 2d. rate, Veg. grass.

North between sections 28 & 29, Va. 15° 35' East,

40.00	Set sand stone 18 x 10 x 5 for ¼ sec. cor.
76.00	A dry run runs E.

Township 15. N. Range 62. W.

Chs.	
80.01	Set sand stone 20×12×4 for corner to sections 20. 21. 28 & 29. Land rolling; 2d. rate, Veg. grass,
	East on a random line between sections 21 & 28. Va. 16° 22' East.
13.50	Spring Creek, dry, runs S. E.
17.00	A wagon road bears N. & S.
40.00	Set a temporary ¼ sec. cor.
80.00	Intersected the N. & S. line 30 lks. S. of the corner to sections 21. 22. 27 & 28, from which corner S. sun S. 88° 47' W. on a true line between sections 21 & 28
44.00	Set sand stone 18×11×4 for ¼ cor.

Township 15 S. Range 62 W.

Lks.	
8.00	The corner to sections 20. 21. 28 & 29
	Land rolling; 2d rate,
	Veg. grass

	North between sections 20 & 21
	Va. 15° 35' East,
7.00	Spring Creek, 50 lks. wide, runs E. S.
4.00	Set a sand stone 16 x 9 x 5, for 1/4 sec. cor.
8.00	Set sand stone 20 x 10 x 4 for corner to sections 16. 17. 20 & 21,
	Land rolling; 2d rate,
	Veg. grass,

	East on a random line between sections 16 & 21,
	Va. 16° 22' E.
18.00	S. S. wagon road bears N. & S.
40.00	Set a temporary 1/4 sec. cor.
79.80	Intersected the N. & S. line 40 lks. S. of the corner

Township 15 S. Range 62 W.

Chs.	to sections 16. 16. 21 & 22.
	from police corner S sun
	S. 89° 48' W.
	on a true line between
	sections 16 & 21.
39.20	Set sand stone 18x12x5 for 1/4 sec. cor.
79.80	The corner to sections 16. 17. 20 & 21.
	Land rolling; 2d rate.
	Veg. grass

×

	North between sections 16 & 17
	Va. 15° 35' East,
40.00	Set sand stone 16x10x5 for 1/4 sec. cor.
80.00	Set set sand stone 20x12x5 for
	the corner to sections 8. 9. 16. & 17
	Land rolling; 2d rate.
	Veg. grass.

×

Township 15 N. Range 62 W.

Chs.	East on a random line between sections 9 & 16,
18.00	A wagon road, bears, S. & N. va 15° 22' E.
40.00	Set a temporary ¼ sec. cor.
79.50	Intersected the N. & S. line 3 lks. S. of the corner to sections 9. 10. 15 & 16. from which corner I run S. 89° 59' W. on a true line between sections 9 & 16.
39.75	Set sand stone 17 x 9 x 4 for ¼ sec. cor.
79.50	The corner to sections 8. 9. 16. & 17

Land rolling: 2d. rate,
Veg. grass,

Township 15 N. R. 62 W.

Chs.	
	North between sections 8 & 9
	Va. 15° 35' East,
40.00	Set sand stone 16x10x5 for 1/4 sec. cor.
80.00	Set sand stone 20x12x4 for corner
	to sections 4. 5. 8. & 9.
	Land gently rolling: 2d rate.
	Veg. grass.

×

	East on a random line
	between sections 4 & 9.
	Va. 15° 22' East.
16.00	A wagon road bears N. & S.
40.00	Set a temporary 1/4 sec. cor.
41.00	Enter bed of dry run, runs S.
77.50	Leave bed of same, runs S.E.
79.82	Intersected the N. & S. line
	35 lks. S. of the corner to
	sections 3. 4. 9. & 10.
	from which corner a pine
	S. 89° 45' W.
	on a true line between

Township 15 N. Range 62 W.

Chs.	
	sections 4 & 9.
39.91	Set sand stone 24 x 8 x 4 for 1/4 sec. cor.
79.82	The corner to sections 4. 5. 8. 9.
	Land rolling; 2d rate,
	Veg. grass,
	J. [illegible]

North on a random line between sections 4 & 5,

Va. 15° 35' East.

17.00	A wagon road bears N. 30° W. & S. 30° E.
	A dry run runs E. soon S. E.
40.00	Set a temporary 1/4 sec. cor.
79.94	Intersected the North Boundary of the Township 40 lks. E. of the corner to sections 4 & 5 from which corner I run
	S. 00. 17' E.
	on a true line between sections 4 & 5.
39.94	Set sand stone 18 x 10 x 4 for 1/4 sec. cor.

Township 15 N. Range 62 W.

Chs.	
79.94	The same to sections 4. 6. 8. & 9.
	Land rolling; 2d rate.
	Veg. grass.
	July 12th 1872.
	North between sections 31 & 32
	Va. 16° 35' East.
40.00	Set sand stone 16x10x4 for 1/4 sec. cor.
42.50	Lodge Pole Creek 20 lks. wide
	runs S. E.
80.00	Set sand stone 18x10x6 for
	to sections 29. 30. 31 & 32.
	Land rolling; 2d rate.
	Veg. grass.
	East on a random line
	between sections 29 & 32
	Va. 15° 22' East.
40.00	Set a temporary 1/4 sec. cor.
80.00	Intersected the N. & S. line

Township 15 N. Range 62 W.

Chs. 30 lks. S. of the corner to sections 28. 29. 32 & 33, from which corner I run S. 65° 47' W. on a true line between sections 29 & 32.

40.00 Set sand stone 17x10x4 for ¼ sec. cor.

80.00 The corner to sections 29. 30. 31. & 32. Land rolling; 2d. rate. Veg. grass.

West on a random line between sections 30 & 31 Va. 15° 22' East,

40.00 Set a temporary ¼ sec. cor.

65.00 Lodge Pole Creek, 12 lks. wide. runs S. E.

82.45 Intersected the West Boundary of the Township 2 lks. S. of the corner to sections 30 & 31.

Township 15 N. Range 6 W.

Chs.	
	from which corner S. pine S. 89° 55' E. on a true line between sections 30 & 31.
42.45	Set sand stone 18x10x4 for ¼ sec. cor.
82.45	The corner to sections 29. 30. 31. 32

	North between sections 29 & 30 Va. 15° 35' East.
40.00	Set sand stone 20x12x8 for ¼ sec. cor.
80.00	Set sand stone 18x12x4 for corner to sections 19. 20. 29. & 30. Land rolling; 2d rate. Veg. grass.

	East on a random line between sections 20 & 29. Va. 15° 22' East.
32.00	A dry pine mrkd. S. E.
40.00	Set a temporary ¼ sec. cor.
80.12	Intersected the N. & S. line

Township 15 N. Range 62 W.

Chs.	50 lks. S. of the corner to sections 20 21. 28 & 29. from which corner I run S. 89° 39' W. on a true line between sections 20 & 29.
40.06	Set sand stone 18x8x4 for ¼ sec. cor.
80.12	The corner to sections 19. 20. 29. 30. Land rolling: 2d rate Veg. grass.

West on a random line between sections 19 & 30 Va. 15° 22' East

40.00	Set a temporary ¼ sec. cor.
82.37	Intersected the West Boundary of the Township 15 lks. S. of the corner to sections 19 & 30 from which corner I run S. 89° 54' E. on a true line between

Township 15 N. Range 62 W.

Chs.	
	sections 19 & 30.
42.37	Set sand stone x 20 x 6 x 6 for ¼ sec. cor.
82.37	The same to sections 19. 20. 29. 30.
	Land gently rolling; 2d rate.
	Veg. grass.

×

	North between sections 19 & 20.
	Va. 15° 35' East.
40.00	Set sand stone 18 x 10 x 4 for ¼ sec. cor.
69.00	Spring Creek, 20 lks. wide, dry, runs E. sometimes S. E.
80.00	Set sand stone 20 x 9 x 3 for cor. to sections 17. 18. 19. & 20.
	Land rolling; 2d rate.
	Veg. grass.

×

	East on a random line between sections 17 & 20.
	Va. 15° 22' East.
40.00	Set a temporary ¼ sec. cor.

Township 15 N. Range 62 W.

Chs.

80.15 Intersected the N. & S. line 35 lks.
S. of the corner to sections 16.17.20.21
from which corner I run
S. 89° 45' W.
on a true line between
sections 17. & 20.

40.07½ Set sand stone 18x10x4 for ¼ sec. cor.

80.15 The corner to sections 17.18.19.20
Land rolling: 2d rate,
Veg. grass,
July 13th 1872

West on a random line
between sections 18 & 19
Va. 15° 22' East,

25.00 Spring Creek, dry, runs, S. E.

40.00 Set a temporary ¼ sec. cor.

82.00 Intersected the West Boundary
of the Township 8 lks. S. of
the corner to sections 18 & 19.

Township 75 N. Range 62 W.

Chs.	
	from which corner I run
	S. 89° 57' E.
	on a true line between
	sections 18 & 19
42.00	Set sand stone 16x10x4 for ¼ sec. cor.
82.00	The corner to sections 17.18.19.20
	Land rolling; 2d rate.
	Veg. grass.
	North between sections 17 & 18
	Va. 15° 35' E.
40.00	Set sand stone 16x7x5 for ¼ sec. cor.
80.00	Set sand stone 20x10x4 for the
	corner to sections 7.8.17 & 18
	Land rolling; 2d rate.
	Veg. grass.

309

Township 15 N. Range 62 W.

Chs. East on a random line
between sections 8 & 17.
Va. 15° 22' East,

40.00 Set a temporary 1/4 sec. cor.
80.00 Intersect the N. & S. line
12 lks. S. of the corner to sections
8. 9. 16 & 17,
from which corner I run
S. 89° 55' W.
on a true line between sections
8 & 17,

40.00 Set a sand stone 18x8x4 for 1/4 sec. cor.
80.00 The corner to sections 7. 8. 17 & 18.
Land level; 2d rate
Veg. grass

Township 15 N. R. 62 W.

Chs.	West on a random line between sections 7 & 18, Va. 15° 22' East,
40.00	Set a temporary 1/4 sec. cor.
81.50	Intersected the West Boundary of the Township 20 lks. S. of the corner to sections 7 & 18, from which corner B Pine S. 89° 51' E.
	on a true line between sections 7 & 18.
41.50	Set sand stone 14 x 10 x 5 for 1/4 sec. cor.
81.50	The corner to sections 7. 8. 17. 18.
	Land level; 2d rate
	Veg. grass.

Township 16 N. Range 62 W.

Chs.	North between sections 7 & 8
	Va. 15°. 35' East
40.00	Set sand stone 20x10x8 for 1/4 sec. cor.
80.00	Set sand stone 20x12x8 for comm
	to sections 5, 6, 7, 8,
	Land rolling; 2d rate,
	Veg. grass,

×

	East on a random line between
	sections 5 & 8.
	Va. 15°. 22' East,
40.00	Set a temporary 1/4 sec. cor,
80.40	Intersect the N. & S. line
	30 lks. S. of the comm to sections 4, 5, 8, 9;
	from which corner a pine
	S. 88°. 45' W.
	on a true line between
	sections 5 & 8.
40.20	Set sand stone 17x8x6 for 1/4 sec. cor.
80.40	The corner to sections 6, 6, 7, & 8,

Township 15 N. Range 62 W.

Chs.	Land rolling; 2d rate, Veg. grass,
	West on a random line between sections 6 & 7, Va. 15° 22' East,
40.00	Set a temporary 1/4 sec. cor,
80.90	Intersected the West Boundary of the Township 10 lks. S. of the corner to sections 6 & 7, from which corner B' runs S. 89° 56' E, on a true line between sections 6 & 7,
40.90	Set sand stone 18x10x8 for 1/4 sec. cor,
80.90	The corner to sections 5, 6, 7, 8, Land level; 2d rate Veg. grass,

Township 15 N. Range 62 W.

Chs.

North on a random line
between sections 5 & 6
Va. 15.35' East,

40.00 Set a temporary 1/4 sec. Cor.

60.32 Intersected the N. Boundary
of the Township 10 chs. East
of the corner to sections 5 & 6,
from which corner N. run
S. 00°. 04' E.
on a true line between
sections 5 & 6,

40.32 Set sand stone 18 x 12 x 4 for
1/4 sec. Cor.

60.32 The corner to sections 5. 6. 7. 8.
Land level. 2d rate
Veg. grass,
July 15th 1872

Township 15 N. Range 62 W. 6th P.M.

General Description

This Township is a high, rolling plain. It is watered in the South by Spring Creek, a small stream which rises in Sec 33, and runs E. also by Sage Creek in section 30 & 31, and runs South. Bluestem grass is abundant and affords fine facilities for grazing. The soil is a sandy loam, and is all tillable, could water be produced.

~~44~~ 280 315

Township 15 N. Range 62 W.

Chs.

List of Names.

Wm Godfroy, Chairman
Edward Frenzell, " "
Wm Barrett, Flagman
Charles Hanry " "
James Whitmore Commman

— — — — — — — —

O. 316

Township 15 N. Range 62 W.

6th.

Surveyor Generals Office
Cheyenne Wyoming
November 1st 1872

The foregoing field notes of the survey of the subdivision lines in Tp. 15 North. Range 62 West. executed by J. Wesley Hammond. under his contract of June 19th 1872 — in the month of July 1872 — having been critically examined, the necessary corrections and explanations made, the said field notes, and the survey they describe are hereby approved.

Silas Reed
Surveyor General.