

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE
REMONUMENTATION
OF THE
1/4 SECTION CORNER
OF SECTIONS 11 AND 14,
TOWNSHIP 56 NORTH, RANGE 77 WEST,
OF THE SIXTH PRINCIPAL MERIDIAN,
IN THE STATE OF WYOMING.

EXECUTED BY

JAMES E. JACOB

CADASTRAL SURVEYOR

Under Special Instructions dated JUNE 13, 2011, approved JUNE 13, 2011, which provided for the surveys included under Group Number 850, Wyoming, and Assignment Instructions dated JUNE 13, 2011.

Survey commenced JUNE 13, 2011

Survey completed JUNE 13, 2011

T. 56 N., R. 77 W., Sixth Principal Meridian, Wyoming

<p>Chains</p>	<p>The following field notes are those of the remonumentation of the 1/4 sec. cor. of secs. 11 and 14, Township 56 North, Range 77 West, Sixth Principal Meridian, Wyoming.</p> <p>Charles Holcomb surveyed the subdivisional lines in 1883. This survey was subsequently cancelled with the survey of private land claims and the independent resurvey of the subdivisional lines executed by Mark M. Kelley in 1914-15. Ernest Parker and Roswell M. Humphrey dependently resurveyed a portion of the subdivisional lines in 1948.</p> <hr/> <p style="text-align: center;">Remonumentation of the 1/4 Sec. Cor. of Secs. 11 and 14, T. 56 N., R. 77 W., Sixth Principal Meridian, Wyoming</p> <hr/> <p>The 1/4 sec. cor. of secs. 11 and 14, monumented with a badly rusted and broken iron post, 20 ins. long, 1 in. diam., firmly set 18 ins. in the ground, with top portion, 14 ins. long, lying loose alongside, with brass cap mkd. S 11 1/4 S 14 1914. This position is filed in the Sheridan County Clerk's Office by John I. Dolinar, Wyoming Professional Land Surveyor No. 2608.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <p style="text-align: center;">T56N R77W S 11 1/4 ——— S 14 2011</p> <p>Remove the 1914 cor. monument from the area.</p> <p>Cor. is located on steep W. bank of wash, drains N., and 20 lks. N. of abandoned fence extending E. and W.</p> <p>The geographic position of this cor., based on NAD 83 (CORS96)(EPOCH:2002) and determined by Global Positioning Methods, is:</p> <p>Latitude 44° 50' 10.527" N., Longitude 106° 05' 39.674" W.</p> <hr/>
----------------------	--

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD ASSISTANTS


NAMES	CAPACITY
Lee T. Wilson	Survey Technician

CERTIFICATE OF SURVEY

I, James E. Jacob, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 13th day of June, 2011, I have remonumented the 1/4 sec. cor. of secs. 11 and 14, Township 56 North, Range 77 West, of the Sixth Principal Meridian, in the State of Wyoming, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said Special Instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

July 20, 2011

Date



James E. Jacob
Cadastral Surveyor


CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Cheyenne, Wyoming

The foregoing field notes of the remonumentation of the 1/4 sec. cor. of secs. 11 and 14, Township 56 North, Range 77 West, Sixth Principal Meridian, Wyoming, executed by James E. Jacob, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

July 20, 2011

Date



John P. Lee
Chief Cadastral Surveyor for Wyoming