

FIELD NOTES
SUBDIVISIONS

2836 2844

VOL. 307

1891

Subdivisions.

Vol. 307.

Page.

1. Subdivision T. 27 N., R. 106 W. 2836
57. Subdivision T. 28 N., R. 106 W. 2837
116. Subdivision T. 25 N., R. 107 W. 2838
177. Subdivision T. 25 N., R. 108 W. 2839
237. Subdivision T. 26 N., R. 107 W. 2840
297. Subdivision T. 26 N., R. 108 W. 2841
355. Subdivision T. 27 N., R. 107 W. 2842
416. Subdivision T. 28 N., R. 107 W. 2843
472. Subdivision T. 27 N., R. 108 W. 2844

BOOK NO 1

FIELD NOTES
of the survey of the
SUBDIVISION LINES
of

INDEXED
mgr

Township No 28 N, Range No. 10⁶ West.
of the

SIXTH PRINCIPAL MERIDIAN,
in the

STATE OF WYOMING,
as surveyed by

J. E. SHANNON AND A. L. COLEMAN

U.S. DEPUTY SURVEYORS
joint of J. E. Shannon and A. L. Coleman
UNDER THEIR CONTRACT NO 240

DATED Apr. 27th 1891.

Survey commenced Aug. 13th 1891

Survey completed Aug 17th 1891

Names and duties of assistants

Frank Brown.	Chairman
Geo. W. Rickard	Chairman
C. Holland	Axeman
Frank Wilkerson	Flagman

Diagram Township 28 N., R. 106 W.

6	60	5	7	8	3	2	1
59	54	41	30	19	9		
7	58	8	9	10	11	12	
54	53	39	28	17	7		
18	52	17	16	15	14	13	
51	50	37	26	15	5		
19	49	20	21	22	23	24	
46	47	35	24	14	4		
30	48	29	28	27	26	25	
45	44	33	24	18	2		
31	43	32	33	34	35	36	

cho.

From the cor. to. Secs. 1, 2, 35 and 36 I take the magnetic bearing of line bet secs 1 & 36 and find it to be N. 73° 28' E. From thence

N. 51° W. Parallel to Range line bet.

secs. 35 and 36.

Over rolling land

N. 16° 53' E.

4000

Set a lime stone 15 X 11 X 4 ins., 10 ins. in the ground for 1/4 sec. cor. marked 1/4 S on w. face, dug pits 18 X 18 X 12 ins. N. and S. of stone 5 1/2 ft. dist.

raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base along side

5000

Set a lime stone 18 X 10 X 4 ins., 12 ins. in the ground for cor. to secs. 25, 26, 35 and 36 marked with ^{not to} ~~face~~ on E. and S. ~~edges~~ ^{faces}. dug pits 18 X 18 X 12 ins. in each sec. 5 1/2 ft. dist.

raised a mound of earth 2 ft. high 4 1/2 ft.

base along side.

Land rolling.

Soil Sandy 1st rate.

Subdivisions T28N, R10W - Continued

Chains.

Thence $S 89^{\circ} 41' E$, on a random line, parallel to S.
boundary of sec. 36, bet. recs 25 and 36,
Va. $16^{\circ} 53' E$,

40. 00 Set temporary $\frac{1}{4}$ sec. cor.

80. 01 Intersect E. body Tp 5 N. of cor. to recs. 25, 30,
31 and 36.

✓ Thence ^{From} $N 89^{\circ} 39' W$ on a true line, bet. recs. 25 and 36,
Va. $16^{\circ} 55' E$.

Over rolling land.

40. 00 $\frac{1}{2}$ Set limestone $14 \times 10 \times 4$ ins., 10 ins. in the ground, for
 $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pit $18 \times 18 \times 2$ ins.
E and W. of stone, $5\frac{1}{4}$ ft. dirt, and raised a mound
of earth $1\frac{1}{4}$ ft. high, $5\frac{1}{2}$ ft. base, along side.

80. 01 The cor. to recs 25, 26, 35 and 36.

Sand, rolling.

Soil, sandy, $\frac{1}{2}$ rate.

Vegetation, grass and sage.

Subdivisions T28N. R106W. - Continued

Chains.

N. 0° 01' W. parallel to range line bet. sec. 25 and 26
2 a. 16° 55' 00"

Overrolling land.

40.00

Set ^a limestone 18x10x5 ins., 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pile 18x8x12
ins. N. and S. of stone, 5 ft. dist. and raised a mound
of earth 1 1/2 ft. high, 3 1/2 ft. base along side.

80.00

Set ^a limestone 18x10x6 ins., 12 ins. in the ground,
for cor. to sec. 23, 24, 25, and 26, marked with 1
~~notch~~ ^{notches} on the E. and 2 ~~notches~~ ^{notches} on the S. ~~face~~ ^{face}; dug
pile 18x8x12 ins. in each sec. 5 ft. dist.; and
raised a mound of earth 2 ft. high, 4 1/2 ft. base
along side.

Land, rolling.

Soil, sandy and gravelly; 1st rate.

Vegetation, grass and sage.

Subdivisions T. 28 N., R. 706 W. - Continued

Chains. Thence S. $89^{\circ}39'$ E., on a random line, parallel to S. boundary of sec. 25, bet. sec. 24 and 25,
 Va. $16^{\circ}55'$ E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect ~~N. and S. line~~ ^{E. $89^{\circ}39'$} & lhr. S. of cor., to sec. 19, 24,
 25 and 30,

Thence ^{From} N. $89^{\circ}41'$ W. on a true line bet. sec. 24 and 25,
 Va. $16^{\circ}55'$ E.

Overrolling land.

40.01 $\frac{1}{2}$ Set ^a limestone $24 \times 20 \times 2$ in., 18 in. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dug pit $15 \times 8 \times 2$ in. sand & stone, $5\frac{1}{2}$ ft. dirt; and raised a mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, a long side.

80.03 The cor. to sec. 23, 24, 25, and 26.

Sand, rolling. Soil, sandy; $1\frac{1}{4}$ rate.
 Vegetation, bluegrass and sage.

Subdivisions T₂₈N, R₁₀₆W - Continued

Chains

N. or W. parallel to range line, bet. sec. 23 and 24,
Va. 16° 53' E,

Over rolling land.

40. 00 Set ^a limestone 18x0x3 ins., 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dug pile 18x18x12
ins. N. and S. of stone, 5 $\frac{1}{2}$ ft. dist., and raised a
mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

80. 00 Set ^a black sandstone 22x12x2 ins., 17 ins. in the
ground, for cor. to sec. 13, 14, 23 and 24, marked with
~~notch~~ ^{notches} on the E and S ~~edges~~ ^{edges}, dug pile:
18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist.; and raised a
mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base, along side.
Land, rolling. Soil, gravelly 1 $\frac{1}{2}$ ft. rate.
Vegetation Bluegrass and sage.

Thence S. 89° 41' E, on a random line, parallel to
S. boundary of sec. 24, bet. ^{sec} 13, and 24,
Va. 16° 53' E.

40. 00 Set ^a temporary $\frac{1}{4}$ sec. cor.

Subdivisions T28N, R106W-Continued.

Chains.

79.97 ^{E. Ety of T₄} Intersect ~~Hand. S. line~~, 3 lks. N. of cor. to sec. 13, 18,
29, and 24,
Thence ^{from} N. 89° 40' W. on a true line bet. sec. 13 and 24,
Va. 16° 55' E.,

Over rolling land.

39.98 Set ^a Limestone 17x10x3 ins., 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face; dug pit 18x18x12
ins. Sand N. of stone, 5 $\frac{1}{2}$ ft. dist., and raised a
mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

79.97 The cor. to sec. 13, 14, 23 and 24.

Sand, rolling. Soil, gravelly; 2 nd $\frac{1}{4}$ m. E.
Vegetation, bluegrass and sage.

N. 0° or W. parallel to range line, bet. sec. 13 and 14,
Va. 16° 55' E.,

Over rolling land.

40.00 Set ^a Limestone 20x18x2 ins., 15 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, dug pit 18x18x12
ins. N. and S. of stone, 5 $\frac{1}{2}$ ft. dist., and raised a

Subdivisions T28N., R70W. - Continued
Chorns.

80.00

mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side.
Set ^a limestone, $23 \times 10 \times 2\frac{1}{2}$ ins., 18 ins. in the ground,
for cor. to sec. 11, 12, 13, and 14, marked with ^{note} 19 ~~square~~
on the E. and 4 ^{notches} ~~grooves~~ on the S. ^{edges} ~~faces~~; dug pits 18×12 ins. in each sec. $5\frac{1}{2}$ ft. dist.; and raised a
mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, along side.
Sand, rolling. Soil, sandy, $\frac{1}{4}$ calc.
Vegetation, bluegrass and Sage.

Thence S. $89^{\circ} 40' E$, on a random line, parallel to
S. boundary of sec. 13, bet. secs. 12 and 13,
Va. $16^{\circ} 55' E$.

40.00

Set ^a temporary $\frac{1}{4}$ sec. cor.
^{E. Bdy of Twp.}

79.99

Intersect N. and S. line 4 hrs. S. of cor. to sec.
7, 12, 13 and 18.

Thence ^{from} $N. 89^{\circ} 42' W$. on a true line, bet. secs. 12 and 13,
Va. $16^{\circ} 55' E$,

Over rolling land.

39.97

Set ^a limestone $18 \times 10 \times 4$ ins., 10 ins. in the ground,

Subdivisions T28N. R70W. - Continued

Chains.

for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pile 18x18x12 ins.
E. and W. of stone, 5 $\frac{1}{2}$ ft. dist., and raised a mound of
earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. bare, a long side.

79.94 The cor. to secs. 11, 12, 13 and 14.

Land, rolling. Soil, sandy; 1 $\frac{1}{2}$ ft. rate.
Vegetation, bluegrass and sage.

N. or W. parallel to range line, bet. secs. 11, and 12,
Va. 16° 55' E.

Over rolling land.

40.08 Set ^a sand stone 14x12x8 ins., 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pile 18x18x12 ins.
N. and S. of stone, 5 $\frac{1}{2}$ ft. dist.; and raised a mound of
earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. bare, a long side.

80.08 Set ^a limestone 24x20x4 ins., 18 ins. in the ground,
marked with ^{notches} on the E. and ^{notches} on the
S. ^{edges} face; dug pile 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft.
bare, a long side.

Subdivisions T28N R70W - Continued

Chains

Sand, rolling. Soil, sandy, 1^{st} and 2^{nd} water.
Vegetation, bluegrass and sage.

Thence S. $89^{\circ} 42' E$, on a random line, parallel to
S. boundary of sec. 12, bet. secs. 10 and 12,
Va. $16^{\circ} 55' E$.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect ~~N. and E. line~~ ^{E. Bdy of T7}, 7 lks. S. of cor. to secs.
1, 6, 7, and 12.

Thence ^{from} N. $89^{\circ} 45' W$, on a true line, bet. secs. 10 and 12,
Va. $16^{\circ} 55' E$.

(over rolling land.

39.95 Set ^a limestone $17 \times 8 \times 4$ ins., 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, dug pile $18 \times 8 \times 12$
ins. E. and W. of stone, $5\frac{1}{2}$ ft. dist., and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base,
along side.

79.90 Thence cor. to secs. 1, 2, 11 and 12.

Sand, rolling. Soil, gravelly, 2^{nd} water.

Subdivisions T. 28 N., R. 106 W. - Continued.

Chains. Vegetation, grass and sage.

N. 0° 01' W., parallel to range line, bet. sec. 1 and 2.

Ca. 16° 53' E.,

Over rolling land.

- 40.00 Set sand stone, 16 x 10 x 4 ins., 10 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $1\frac{1}{2}$ on W. face; dug pits 18 x 8 x 12 ins. N. and S. of stone, 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. bare, along side.
- 42.29 Intersect 7th Standard, Parallel 2.77 chr. W. of Standard $\frac{1}{4}$ sec. cor., on S. boundary of sec. 31 7.29 N. R. 105 W., which is a sandstone 8 x 14 x 4 ins. above ground, marked S.C. $\frac{1}{4}$, on N. face, with pits and mound of earth.
- At point of intersection set a limestone 17 x 10 x 3 ins., 12 ins. in the ground, for closing cor. to sec. 1 and 2, marked C.C. with 1 groove on the E. and 5 grooves on the W. face; dug pits 18 x 18 x 12

Subdivisions T28N, R106W-Continued

Charns

ins. E. and W. of stone, $5\frac{1}{2}$ ft. dist., and raised
a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, alongside
sand, rolling. Soil, sandy, $7\frac{1}{2}$ in. calc.

Vegetation, grass and sage.

Aug. 13th. 1891

From the cor. to recs. 2, 3, 34, and 35 on the S. bound-
ary of this $\frac{1}{4}$, then N. $0^{\circ}02'$ W. parallel to range line
bet. recs. 34 and 35.

Co. 16.53 E.

Ground
over rolling land.

30.00 Top of a ridge bears E. and W. and descend.

40.00 Set ^a limestone, 12 x 10 x 4 in., 8 in. the ground,
for $\frac{1}{4}$ sec. cor., marked, $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12
ins. N. and S. of stone, $5\frac{1}{2}$ ft. dist., and raised
a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

Subdivisions T28N, R106W - Continued

Charns
80.00

^a Set limestone 18x16x22 ins, 12 ins in the ground for cor. to sec. 26, 27, 34, and 35, marked with 2 ^{edges} ~~edges~~ on the E, and ~~10~~ ¹⁰ ~~feet~~ on the S. ^{edges} ~~feet~~; dug pits 18x18x12 ins. in each sec. 5 1/2 ft. dist; and raised a mound of earth 2 ft. high, 4 1/2 ft. base, along side.
Land, rolling. Soil, sandy, 1 1/2" and 2 1/2" male.
Vegetation, grass and sage.

Thence S. 89° 41' E, on a random line, parallel to S. boundary of sec. 35; bet. sec. 26 and 35;
Ca. 16° 53' E.

^a
40.00 Set temporary 1/4 sec. cor.
80.00 Intersect N and S. line, 6 lbs. N. of cor. to sec. 25, 26, 35 and 36.
Thence ^{true} N. 89° 38' W. on a true line bet. sec. 26 and 35;
Ca. 16° 53' E,

Over rolling land.

^a
40.00 Set limestone 14x10x4 ins, 10 ins in the ground, for 1/4 sec. cor., marked "4" on N. face; dug pits 18x18x12

Subdivisions T28N, R106W-Continued
Chains.

80. 00
ins. E. and W. of stone, $5\frac{1}{2}$ ft. dist., and raised
a mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side
The cor. to sec. 26, 27, 34 and 35.
Sand, rolling. Soil, sandy; $1\frac{1}{4}$ mte.
Vegetation, grass and sage.

N. 0° 02' W., parallel to range line, bet. sec. 26 and 27,
Ca. 16° 53' E.,

Over slightly rolling land.

40. 00
Set ^a limestone 17 x 10 x 4 ins., 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked "on W. face; dug pile 18 x 8 x 2
ins. N. and S. of stone $5\frac{1}{2}$ ft. dist., and raised a
mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side.
80. 00
Set ^a limestone 36 x 10 x 2 ins., 27 ins. in the ground,
for cor. to sec. 22, 23, 26 and 27, marked with 2
~~notches~~ ^{grooves} on the E. and S. ^{faces}, dug pile 18 x 8 x 2
ins. in each sec., $5\frac{1}{2}$ ft. dist., and raised a
mound of earth, 2 ft. high, $4\frac{1}{2}$ ft. base, along side.
Sand, rolling. Soil, sandy; $1\frac{1}{4}$ mte.

Subdivisions T₁₈N, R₁₀W. - Continued

Chains.

Vegetation, bluegrass and sage.

Thence S $89^{\circ}38'E$, on a random line, parallel to
S. boundary of sec. 26, bet. secs. 23 and 26

Va. $16^{\circ}55'E$,

40.00 Set ² temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line 2 lks. S. of cor. to sec.

23, 24, 25 and 26.

Thence ^{Iron} N. $89^{\circ}39'N$, on a true line bet. secs. 23 and 26,

Va. $16^{\circ}55'E$,

Overrolling land.

40.01 $\frac{1}{2}$ Set limestone $22 \times 10 \times 2\frac{1}{2}$ ins., 17 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins.
E and W. of stone, $5\frac{1}{2}$ ft. dist., and raised a
mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

80.03 The cor. to sec. 22, 23, 26 and 27.

Land, rolling. Soil sandy, 1st rate.

Vegetation, bluegrass and sage.

Subdivision T28N, R106W - Continued

Chains.

N. 0° 02' W. parallel to range line, bet. sec. 22 and 23,
Ca. 16° 55' E.

Over rolling land.

40.00 Set ^a sandstone 15 x 12 x 2 ins, 10 ins in the ground,
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on the N. face; dug pile 18 x 8 x 2
ins. N. and E. of stone, 5 $\frac{1}{2}$ ft. dia.; and raised a mound
of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

80.00 Set ^a sandstone 15 x 12 x 4 ins, 10 ins in the ground,
for cor. to sec. 14, 15, 22, and 23, marked with 2
~~grooves~~ ^{notches} on the E. and 3 on the S. ~~face~~ ^{side} dug pile;
18 x 8 x 2 ins in each sec. 5 $\frac{1}{2}$ ft. dia.; and raised
a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base, along side.
Sand, rolling. Soil, sandy, 1 $\frac{1}{2}$ ft. water.
Vegetation, bluegrass and sage.

Thence S. 89° 39' E. on a random line, parallel to
S. boundary of sec. 23, bet. sec. 14 and 23,
Ca. 16° 55' E.

40.00 Set Temporary $\frac{1}{4}$ sec. cor.

Subdivisions T. 28 N., R. 106 W. - Continued

Chains.

80.06 Intersect N. and S. line & the N. of cor. to sec.

13, 14, 23 and 24.

Thence ^{from} N. $89^{\circ} 37' W.$, on a true line, bet. sec. 14 and 23,Co. $16^{\circ} 53' E.$,

Over rolling land.

40.03 Set ^a limestone $18 \times 10 \times 3$ ins., 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pit $18 \times 8 \times 12$ ins. E. and W. of stone, $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, along side.

80.06 The cor. to sec. 14, 15, 22 and 23.

Land, rolling. Soil, sandy, $\frac{1}{4}$ mte.

Vegetation, bluegrass and rag.

N. $0^{\circ} 02' W.$, parallel to range line, bet. sec. 14 and 15,
Co. $16^{\circ} 53' E.$

Over rough rolling land.

40.08 Set ^a limestone $12 \times 10 \times 5$ ins., 8 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pit $18 \times 18 \times 12$ ins. N. and S. of stone, $5\frac{1}{2}$ ft. dist., and raised a mound

73 77
17
Subdivisions T28N, R106W-Continued

Chains. of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side,

48.40 Top of ridge, bear S. 20° W., N. 20° E.

80.00 Set ^a limestone 20 or 24 ins., 15 ins. in the ground
for cor. to sec. 10, 11, 14 and 15, marked with ^{notches} ~~iron~~
on the E., and 4 on the S. ^{edges} ~~flat~~ dug pits 18 x 12
ins. in each sec. $5\frac{1}{2}$ ft. dist., and raised a mound
of earth 2 ft. high, $4\frac{1}{2}$ ft. base, along side.

Sand, rolling. Soil, sandy; $1\frac{1}{2}$ mile.
Vegetation, grass and sage.

Thence S. $89^{\circ} 57'$ E., on a random line, parallel to
S. boundary of sec. 14, bet. sec. 11 and 14,
Va. $16^{\circ} 53'$ E.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect N. and S. line, 6ths. S. of cor. to sec.
11, 12, 13 and 14.

Thence ^{from} N. $89^{\circ} 40'$ W. on a true line, bet. sec. 11, and 14,
Va. $16^{\circ} 55'$ E.

Over rolling land.

Subdivisions T28N, R106W-Continued

Chains.

40.04 1/2

Set ^a limestone 18x12x4 ins., 12 ins. in the ground, for ¹/₄ sec. cor., marked ¹/₄ on N. face; dug pile 18x18x12 ins. S. and N. of stone, 5 1/2 ft. dirt; and raised a mound of earth 1 1/2 ft. high, 3 ft. base, along side.

80.00

Second steep bluff.

80.09

The cor. to sec. 10, 11, 14 and 15.

Sand, rolling. Soil, sandy, 1 1/2 ft. water.
Vegetation, bluegrass and sage.

N. 0° 02' W. parallel to range line, bet. sec. 10 and 11,
Ta. 16° 58' E.

14.00

Foot of ridge, thence over rolling land.

40.00

Set ^a sandstone 19x10x3 ins., 15 ins. in the ground, for ¹/₄ sec. cor., marked ¹/₄ on N. face; dug pile 18x18x12 ins. N. and S. of stone, 5 1/2 ft. dirt; and raised a mound of earth 1 1/2 ft. high, 3 ft. base, along side.

80.00

Set ^a sandstone 20x12x4 ins., 15 ins. in the ground for cor. to sec. 2, 3, 10 and 11, marked with 2 ^{notches} ^{grooves} on the E. and 5 on the S. ^{edges} ^{face}; dug pile 18x18x12 ins.

Subdivisions T. 28 N. R. 70 W. Continued

Chairs

in each rec. $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, alongside.

Sand, rolling. Soil, sandy, 2nd rate.

Vegetation, grass and sage.

~~Thence~~ S $19^{\circ} 40'$ E., on a random line, parallel to S. boundary of rec. 11 bet. recs. 2 and 11,
Va. $16^{\circ} 53'$ E.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

80.07 Intersect N. and S. line, 7 lks. S. of cor. to recs. 1, 2, 11 and 12.

Thence ^{found} N. $89^{\circ} 43'$ W. on a true line, bet. recs. 2 and 11,

Va. $16^{\circ} 53'$ E.,

Over rolling land.

40.03 Set ^a limestone $15 \times 10 \times 4$ ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pits $15 \times 8 \times 2$ ins. E and W. of stone, $5\frac{1}{2}$ ft. dist.; and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

80.07 The cor. to recs. 2, 3, 10 and 11. Sand, rolling.

Soil, gravelly, 2nd rate. Vegetation, grass and sage.

Subdivisions T 18 N, R. 106 W. - Continued

Charns.

N. 0° 02' W. parallel to range line, bet. sec. 2 and 3,
2nd 16° 55' E.

Over rough rolling land.

40, 68

Set ^a limestone 27 x 10 x 2 ins., 20 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12 ins.
N. and S. of stone 5 $\frac{1}{2}$ ft. dist., and raised a mound
of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

42, 33

Intersect $7^{\frac{1}{4}}$ Standard Parallel N. 268 chs. W.
of Standard $\frac{1}{4}$ sec. cor., or S. boundary of sec. 36, T. 29
N. R. 106 W., which is a granite stone 8 x 2 x 4 ins. above
ground, marked S. C. $\frac{1}{4}$ on N. face, with pile to, and
W. of stone 6 ft. dist., and a mound of earth along side.
At point of intersection, set a granite stone 14 x 12 x 6 ins.
10 ins. in the ground, for closing cor. to sec. 2 and 3,
marked C. C. with 2 grooves on the E. and 4 on the W. face,
dug pits 18 x 18 x 12 ins. S. E. and W. of stone, 5 $\frac{1}{2}$ ft. dist., and
raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base,
along side. Land, rough rolling. Soil sandy, $\frac{1}{2}$ to 3% water.
Vegetation, grass and sage. Aug. 1st 1891

Subdivisions T28N, R706W-Continued

Chains.

From the cor. to recs. 33 and 34, on S. boundary of 4, 9 min.
N. $0^{\circ} 02' W.$, parallel to range line bet. recs. 33 and 34,
Ca. $16^{\circ} 53' E.$

Over rolling land.

40.00

Set ^a limestone $17 \times 12 \times 4$ ins., 12 ins. in the ground,
for 4 sec. cor. marked $\frac{1}{4}$ on W. face, dug pits $18 \times 8 \times 12$ ins.
N. and S. of stone, $5\frac{1}{2}$ ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, a long side.

80.00

Set ^a limestone $12 \times 10 \times 8$ ins., 8 ins. in the ground
for cor. to recs. 27, 28, 33 and 34, marked with ^{notches} ~~grooves~~
on the E. and ^{notch} ~~groove~~ on the S. ^{edges} ~~face~~, dug pits $18 \times 18 \times 12$
ins., in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound
of earth 2 ft. high, $4\frac{1}{2}$ ft. base, a long side.

Sand, rolling. Soil, gravelly and a little silt.

Vegetation, grass, sage and greasewood.

Subdivisions T28N, R706W - Continued

Chains.

Thence S. 89° 41' E, on a random line, parallel to S.
boundary of sec. 34, bet. secs. 27 and 34,
Va. 16° 55' E,

40.00

^a
Set temporary $\frac{1}{4}$ sec. cor.

80.00

Intersect N. and S. line, 7 hrs. S. of cor. to secs.

26, 27, 34, and 35.

Thence ^{True} N. 89° 44' W, on a true line, bet. secs. 27 and 34,
Va. 16° 55' E,

Gently rolling land.

40.00

Set limestone 18 x 11 x 3 ins., 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pile 18 x 18 x 12 ins.
E and W of stone, 5 $\frac{1}{2}$ ft. dirt, and raised a mound
of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

80.00

The cor. to secs. 27, 28, 33 and 34.

Land, gently rolling.

Soil, adobe, 2 $\frac{1}{2}$ ^{red} $\frac{1}{2}$ rate.

Vegetation, grass and sage.

Subdivisions T28N, R70W - Continued

Chains

N. 0° 02' W., parallel to range line, bet. sec. 27 and 28.
Va. 16° 55' E.,

- 10.40 cross gulch 15 lbs. wide course W.
- 33.00 Ascend S. side of ridge, bear W.
- 40.00 Set ^a limestone 16 x 10 x 4 ins. 11 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face, dug pit 18 x 8 x 12
ins. N and S of stone $5\frac{1}{2}$ ft. dist., and raised a
mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, along side.
- 70.00 Top of ridge and enter level land.
- 80.00 Set ^a limestone 14 x 12 x 4 ins., 10 ins. in the ground,
for cor. to sec. 21, 22, 27 and 28, marked with
3 ^{notches} ~~grooves~~ on the E. and 2 on the S. ^{edges} ~~faces~~; dug pit
18 x 8 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist., and raised
a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, along side.
Sand, rolling.
Soil, sandy and gravelly, 2nd rate.
Vegetation, grass and sage.

Subdivisions T₂₈N, R₁₀₆W-Continued

- Charns. ⁴ Hence S. 89° 44' E, on a random line, parallel to
S. boundary of sec. 27, bet. sec. 22 and 27,
Va. 16° 55' E,
- 40.02 ^a Set temporary $\frac{1}{4}$ sec. cor.
N 78° like an the
- 80.09 Intersect cor. to sec. 22, 23, 26 and 27.
^{Some} Hence N. 89° 44' W, on a true line, bet. sec. 22 and 27,
Va. 16° 55' E.
- Over rolling land.
- 40.04 ^a Set limestone 14x10x4 ins., 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, dug pit 18x18x12 ins.
Sand & M. of stone, 5 $\frac{1}{2}$ ft. dirt, and raised a mound of
earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.
- 80.09 The cor. to sec. 21, 22, 27 and 28.
Sand, rolling.
Soil, sandy; 2nd rate.
Vegetation, grass and sage.

Subdivisions T28N, R106W, Cont. in 25

Chains N. 0° 02' W., parallel to range line, bet. sec. 21 and 22,
 2 a. 16° 55' E.,

Cover nearly level land.

40.00 Set ^alimestone 16 x 7 x 5 ins., 11 ins. in the ground,
 for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dug pile 18 x 8 x 12
 ins. N. and S. of stone, 5 $\frac{1}{2}$ ft. dirt; and raised a
 mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

80.00 Set ^alimestone 12 x 8 x 8 ins., 8 ins. in the ground
 for cor. to sec. 15, 16, 21, and 22, marked with ^{notches} 3 g _{marks}
 on the E. and S. ~~faces~~ ^{edges}; dug pile 18 x 8 x 12 ins. in
 each sec., 5 $\frac{1}{2}$ ft. dirt; and raised a mound of
 earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

Land, nearly level.

Soil, sandy, 1 $\frac{1}{2}$ ft. rate.

Vegetation grass and sage.

Subdivisions T28N, R106W-Continued

Charns.

Thence S. $89^{\circ}44'E$, on a random line, parallel to
S. boundary of sec. 22, bet. sec. 15, and 22,
2a. $16^{\circ}53'E$.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

80.14 Intersect N. and S. line, 4 hrs. N. of cor. to sec.
14, 15, 22 and 23.

Thence ^{from} N. $89^{\circ}42'W$, on a true line, bet. sec. 15 and 22,
2a. $16^{\circ}53'E$,

Convergently rolling land.

40.07 Set ^a limestone $17 \times 10 \times 10$ ins., 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pit $18 \times 18 \times 12$
ins. E. and W. of stone, $5\frac{1}{2}$ ft. dist.; and, raised a
mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base along side.

80.14 The cor. to sec. 15, 16, 21 and 22.

Sand, gently rolling.

Soil, sandy and adobe; 2nd rate.

Vegetation, grass and sage.

Subdivisions T28N, R106W-Continued

Chairs. No. 02 W. parallel to range line, bet. sec. 15 and 16,
 Va. 16556,

Over rolling land.

40. 00 Set ^a limestone 13x10x8 ins, 9 ins in the ground for
 sec. cor., marked on W. face; dug pits 18x18x12 ins. N
 and S. of stone 5 1/2 ft. dirt; and raised a mound of
 earth 1 1/2 ft. high, 5 1/2 ft. base, along side.

80. 00 Set ^a limestone 14x6x6 ins, 10 ins in the ground for
 cor. to sec. 9, 10, 15 and 16, marked with ^{notches} ~~grooves~~ on the
 E. and 4 on the S. ^{edges} ~~face~~; dug pits 18x18x12 ins. in each
 5 1/2 ft. dirt; and raised a mound of earth 2 ft. high,
 4 1/2 ft. base, along side.

Land, rolling.

Soil, adobe; 2nd rate.

Vegetation, grass, sage, and salt sage.

Subdivisions T₂₈N, R₁₀₆W - Continued

Charns ²/₄ ~~Line~~ S. 89° 42' E. on a random line, parallel to S.
boundary of sec. 15, bet. ^{sect} 10 and 15;
Va. 16° 53' E.,

40. 00 Set ^a temporary ⁴/₄ sec. cor.

80. 20 Intersect N. and S. line 5th N. of cor. to sec.
10, 11, 14 and 15.

^{From}
Thence ²/₄ N. 89° 40' W. on a true line, bet. sec. 10 and 15;
Va. 16° 53' E.,

Gently rolling land.

40. 10 Set ^a limestone 19 x 13 x 3 in. 10 in. in the ground
for ⁴/₄ sec. cor., marked ⁴/₄ on N. face; dug pits 15 x 15 in.
band N. of stone, 5¹/₂ ft. dist.; and raised a mound
of earth 1¹/₂ ft. high, 3¹/₂ ft. base, along side.

80. 20 The cor. to sec. 9, 10, 15 and 16.

Sand, gently rolling.

Soil, adobe, 2nd rate.

Vegetation, grass and sage.

Subdivisions T28N, R10W-Continued
Chains.

N. 0° 01' W., parallel to range line, bet sec. 9, and 10,
Va. 16° 53' E.

Overrolling land.

40. 00 Set ^a limestone 14 x 10 x 6 ins., 10 ins. in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ on W. face dug pit 15 x 18 x 12 ins.
N. and S. of stone, 5 $\frac{1}{2}$ ft. dist., and raised a mound
of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

80. 00 Set ^a limestone 20 x 6 x 6 ins., 15 ins. in the ground,
for cor. to sec. 3, 4, 9, and 10, marked with ^{notches} ~~3~~ ~~4~~ ~~5~~
on the E. and S. on the S. ^{edges} ~~face~~, dug pit 18 x 18 x 12 ins.
in each sec. 5 $\frac{1}{2}$ ft. dist., and raised a mound of
earth 2 ft. high, 4 $\frac{1}{2}$ ft. base, along side.

Sand, rolling.

Soil, gravelly and a clok, 2 nd ~~nd~~ note.

Vegetation, grass and sage.

Subdivisions T28N, R706W-Continued

Chains. ~~Thence~~ S. 89°40' E. on a random line, parallel to
S. boundary of sec. 10, bet. sec. 3 and 10,
Va. 16°55' E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.28 Intersect W. and S. line, 3 lks. S. of cor. to sec. 2, 3, 10 and 11.
Thence ^{Survey} N. 89°41' W. on a true line bet. sec. 3 and 10,
Va. 16°53' E.

Over rolling land.

40.14 Set ^a limestone 19x10x3 ins., 14 ins. in the ground, for
 $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pit 18x18x12 ins.
E and W of stone, 5 $\frac{1}{2}$ ft. dirt; and raised a mound
of earth 1 $\frac{1}{2}$ ft. high, 5 $\frac{1}{2}$ ft. base, along side.

80.28 The cor. to sec. 3, 4, 9, and 10.

Sand, rolling.

Soil, silt and gravelly; 2nd rate.

Vegetation, grass and sage.

Subdivisions T28N, R106W-Continued

Chains

N. 0° 02' W. parallel to range line, bet. sec. 3 and 4,
Ca. 16° 55' E.

(over rolling land.

40.00 Deposited a marked stone 12 ins. in the ground, for
1/4 sec. cor.; dug pits 18x18x12 ins. N and S. of cor, 5 1/2 ft. dirt,
and raised a mound of earth 1 1/2 ft. high, 5 1/2 ft. base,
over it. In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 in N. face.

42.36 Intersect 7th Standard Parallel N. & S. of Standard
1/4 sec. cor., on S. boundary of sec. 35; 4.29. N. R. 106 W.,
which is a sandstone 12x4x3 ins. above ground
marked S.C. 1/4.

At point of intersection set a sandstone 18x7x6 ins.
12 ins. in the ground, for closing cor. to sec. 3 and 4,
marked C.C., with 3 grooves on E and W. faces; dug
pits 18x18x12 ins. S. & N. of stone 5 1/2 ft. dirt; and
raised a mound of earth 2 ft. high 4 1/2 ft. base,
along side. Land rolling. Soil sandy, # soil.
Big sandstone has N. 15° E., 1 ch. general course S. 15° W.

Subdivisions T28N, R106W-Continued

Charns.

Aug. 15 Ch. 1891

From the cor. to sec. 4, 5, 32 and 33, on the S. boundary of this 40
N. 0° 03' W., parallel to range line, bet. sec. 32 and 33,
Ca 16° 53' to,

Over rolling land.

39. 00 Level mark 9 lbs. wide beam W.

40. 00 Set limestone 24x10x3 ins., 18 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dug pile 18x8x2 ins.
and raised a ~~wd~~ of earth, 1 1/2 ft. high
N. and S. of stone 5 1/2 ft. dist., 4 1/2 ft. bare, a long side.

80. 00 Set limestone 20x12x2 1/2 ins., 10 ins. in the ground for
cor. to sec. 28, 29, 32, and 33, marked with 4 ~~stones~~
on the E. and ~~1 stone~~ on the S. ~~face~~ ^{edges}, dug pile 18x8x12 ins.
in each sec., 5 1/2 ft. dist.; and raised a mound of
earth 2 ft. high, 4 1/2 ft. bare, a long side
Land, rolling.

Soil, gravelly; 2nd rate.

Vegetation, grass and sage.

Subdivisions T28N, R706W. - Continued

Charns.

Thence S. $89^{\circ}41'$ E, on a random line, parallel to S.
boundary of sec. 33, bet. secs. 28 and 33.
Ca. $16^{\circ}55'$ E.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

N. 98 E. at the

79.94 Intersect cor. to sec. 28, 28, 33 and 34.

Thence ^{to line} N. $89^{\circ}41'$ W, on a true line bet. sec. 28 and 33,
Ca. $16^{\circ}55'$ E.

Over rolling land.

39.97 Set ^a limestone $23 \times 10 \times 2\frac{1}{2}$ ins, 18 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pit $18 \times 8 \times 2$ ins.
E. and W. of stone, $5\frac{1}{2}$ ft. dist.; and raised a mound of
earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

79.94 The cor. to sec. 28, 29, 32 and 33.

Sand, rolling.

Soil, gravelly; 2nd rate.

Vegetation, grass and sage.

Subdivisions T28N., R106W. Continued

Chains.

N. 5° 05' W. parallel to range line, bet. sec. 28 and 29,
 Va. 16° 55' E.

Over rolling land.

40. 00 - Set ^a limestone 19 x 12 x 3 ins., 14 ins. in the ground, for 4
 sec. cor., marked 4 on W. face; dug pit 18 x 18 x 2 ins. N and
 S. of stone, 5 1/2 ft. dirt; and raised a mound of earth
 1 1/2 ft. high, 3 1/2 ft. bare, along side.

65. 00 - Iron mark 14 lbs. wide, bear W.

80. 00 - Set ^a limestone 15 x 12 x 2 ins., 10 ins. in the ground,
 for cor. to sec. 20, 21, 28 and 29, marked with 4
^{notches} on the E. and 2 on the S. ^{edges} face; dug pit 18 x 18 x 2
 ins. in each rec. 5 1/2 ft. dirt; and raised a mound
 of earth 2 ft. high, 4 1/2 ft. bare, along side.

Sand, rolling.

Soil, sandy and adobe; 2nd rate.

Vegetation, grass, sage, and greasewood.

Subdivisions T28N, R106W - Continued

Chains.

Thence S. 89° 41' E. on a random line, parallel to S. boundary of sec. 28, bet. secs. 21 and 28,
Va. 16° 55' E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect ^{W.S. line at this} cor. to secs. 21, 22, 27 and 28.

Thence N. 89° 41' W. on a true line, bet. secs. 21 and 28,
Va. 16° 55' E.

Over nearly level land.

38.00 Descend steep W. slope.

39.95 Set limestone 12 x 8 x 5 in., 8 in. in the ground for $\frac{1}{4}$ sec. cor., marked, $\frac{1}{4}$ on N. face, and raised a mound of stone 1 1/2 ft. high, 2 ft. base, along side. Pitts impracticable.

44.00 Foot of slope enter rolling land.

79.90 The cor. to secs. 20, 21, 28 and 29.

Land nearly level.

Soil, sandy, 2nd rate.

Vegetation, grass and sage.

Subdivisions T28N, R106W-Continued

Chains. N. 0° 05' W., parallel to range line, bet. sec. 20 and 21,
Va. 16° 53' E.,

Over rolling land.

40.00

Set ^A limestone 14x10x4 ins., 10 ins. in the ground, for
sec. cor., marked 4 on N. face, dug pit 18x8x12 ins. N.
and S. of stone, 5 1/2 ft. dirt; and raised a mound
of earth 1 1/2 ft. high, 3 1/2 ft. base, along side.

53.27

cross each bear W.

80.00

Set ^A limestone 20x6x5 ins., 15 ins. in the ground, for
cor. to sec. 16, 17, 20 and 21, marked with 4 ^{notches}
on the E. and 3 on the S. ^{edges} ~~face~~, dug pit 18x8x12 ins.
in each sec. 5 1/2 ft. dirt; and raised a mound of
earth, 2 ft. high, 4 1/2 ft. base, along side.

Sand, rolling.

Soil, sandy, 2nd rate.

Vegetation, grass and sage.

Subdivisions T28N, R706W - Continued

Chains. ^a Hence S. 89° 41' E. on a random line, parallel to S.
boundary of sec. 21, bet. sec. 16 and 21,
Va. 16° 55' E.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect N. and S. line, 6 lks. N. from tower.

15, 16, 21 and 22,

Hence ^{Don} N. 89° 38' W. on a true line bet. sec. 16 and 21,
Va. 16° 55' E.

Over rolling land.

39.92 Set ^a limestone 12 x 12 x 4 ins. 8 ins. in the ground, for
 $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, dug pile 18 x 19 x 12 ins.
E. and W. of stone, 5 $\frac{1}{2}$ ft. dist.; and, raised a mound
of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

79.84 The cor. to sec. 16, 17, 20, and 21.

Sand, rolling.

Soil sandy; 2 $\frac{1}{4}$ rate.

Vegetation, grass and sage.

Subdivisions T28N, R. 106W - Continued

Charns. N. 0° 03' W. parallel to range line, bet. sec. 16 and 17,
 Va. 16° 53' E,

Covering rolling land.

40.00 Set ^a limestone 16 x 9 x 4 ins., 11 ins. in the ground,
 for ¹/₄ sec. cor., marked ¹/₄ on W. face; dug pits 78 x 18 x 12 ins.
 N. and S. of stone, 5 ¹/₂ ft. dist., and raised a mound
 of earth 1 ¹/₂ ft. high, 3 ¹/₂ ft. base, along side.

46.92 Level wash 11 ¹/₂ ft. wide, bears. S. W.

80.00 Set ^a limestone 20 x 8 x 4 ins., 15 ins. in the ground,
 for cor. to sec. 9, 9, 16, and 17, marked with 4 ^{notches} ~~grooves~~
 on the E. and S. ^{plus} ~~faces~~, dug pits 78 x 18 x 12 ins. in each
 sec. 5 ¹/₂ ft. dist., and raised a mound of earth 2 ft.
 high, 4 ¹/₂ ft. base, along side.

Sand, rolling.

Soil, sandy; 2nd ^{rate}.

Vegetation, grass and sage.

Subdivisions T. 28 N, R. 106 W - Continued

Chains. ~~Thence~~ S. 89° 58' E, on a random line, parallel to S.
boundary of sec. 16, bet. secs. 9 and 16,
Ca. 16° 55' E.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

79.78 Entered N. and S. line & the S. of cor. to sec.
9, 10, 15 and 16.

^{Down} Thence N. 89° 40' W. on a true line, bet. sec. 9 and 16,
Ca. 16° 55' E.

Over rolling land:

39.89 Set ^a limestone 17 x 12 x 3 in., 12 in. in the ground for
 $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face, dug pile, 18 x 8 x 2 in.,
Band N. of stone, 5 $\frac{1}{2}$ ft. dist., and raised a mound of
earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

79.78 The cor. to sec. 8, 9, 16 and 17.

Sand, rolling.

Soil, sandy; 2nd rate.

Vegetation, grass and sage.

Subdivisions T.28N., R.106W.-Continued

Chains.

N. 0° 03' W., parallel to range line, bet. sec. 8 and 9,
 Va. 16° 55' E.

Over rolling land.

30. 00 Leave rolling land, and enter bad land hills.

40. 00 Set sandstone 14x13x4 ins. 10 ins. in the ground,
 for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dug pile 18x18x12 ins.
 N. and S. of stone, 5 $\frac{1}{2}$ ft. dist., and raised a mound
 of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, along side.

65. 00 Leave bad land hills, enter rolling bad lands.

80. 00 Set limestone 20x8x4 ins. 15 ins. in the ground,
 for cor. to sec. 4, 5, 8, and 9, marked with 4 ^{notches} ~~notches~~
 on the E. and 5 on the S. ^{edges} ~~faces~~; dug pile 18x18x12 ins.
 in each sec. 5 $\frac{1}{2}$ ft. dist., and raised a mound of
 earth 2 ft. high, 4 $\frac{1}{2}$ ft. base, along side.

Land, rolling.

Soil, sandy, and bad lands; 2nd and 4th note.

Vegetation, grass and sage.

Subdivisions T₂₈N, R₁₀₆W-Continued
Chains.

Thence S. 89° 40' E, on a random line, parallel to S.
boundary of sec. 9, bet. sec. 4 and 9,
Va. 16° 55' E.

40.00 Set ^a temporary 1/4 sec. cor.

79.80 Intersect N. and S. line to the N. of cor. to sec.

3, 4, 9 and 10

Thence ^{3rd} N. 89° 37' W, on a true line, bet. sec. 4 and 9,
Va. 16° 55' E.

Over rolling land.

39.90 Set ^a limestone 17x11x3₂ ins. in the ground,
for 1/4 sec. cor, marked, 1/4 on N. face, dug pit 18x8x12 ins.
E and W. of stone, 5 1/2 ft. dist., and, raised a mound
of earth 1 1/2 ft. high, 3 1/2 ft. base, along side.

70.00 Leave rolling land and enter bad lands.

79.80 The cor. to sec. 4, 5, 8 and 9.

Land, rolling.

Soil, sandy and bad lands, 2nd and 4th water,
Vegetation, grass and sage.

Subdivisions T. 28 N. R. 106 W. - Continued

Chains. N. 0° 03' W., parallel to range line, bet. sec. 4 and 5;
Ca. 16° 55' E.,

Over bad lands.

20. 00 Leave bad lands, enter bottom land.

27. 00 Left bank of Big Sandy creek, 1 ch. wide.

28 60 Right bank of Big Sandy creek enter heavy sage.

40. 00 Set ^alimestone 16 x 8 x 3 ins., 11 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked "4 on N. face; dug pit 18 x 8 x 12
ins. Hand-l. of stone, $5\frac{1}{2}$ ft. dist., and mined a
mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, a long ridge.

42 29 Intersect $7\frac{1}{2}$ ft. Standard Parallel, 280. chs W. of
Standard $\frac{1}{4}$ sec. cor. on S. boundary of sec. 34, T.
29. N., R. 106 W., which is sandstone 4 x 8 x 5 ins.
above ground, marked S.E. $\frac{1}{4}$ on N. face; pits
E. & W. and mound of earth.

At point of intersection, I set limestone 18 x 10 x 3 ins.
12 ins. in the ground for closing cor. to sec. 4
and 5, marked c.s. with 4 grooves on the E. and
2 on the W. face; dug pit 18 x 8 x 12 ins. S., E. and W.

Subdivisions T28N R106W-Continued
Charns

of stone $5\frac{1}{2}$ ft. dirt, and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. bare, along side.

Sand, rough.

Soil, bad lands 20. chs. 4 $\frac{1}{2}$ rods, rich alluvial bottom land 22, 29 chs.

Vegetation, grass, Willow and heavy sage.

Aug. 16 th. 1891

From the cor. to sec. 5, 6, 31, and 32, on S. boundary of this
Q. run N. $0^{\circ} 04'$ W. parallel to range line bet. sec. 31 and
32,

Ca. $16^{\circ} 55'$ E,

Overrolling land.

40. 00 Set $\frac{1}{4}$ sandstone $17 \times 8 \times 4$ ins, 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor. marked from W. face, dug pit $18 \times 8 \times 12$ ins
N. and S. of stone, $5\frac{1}{2}$ ft. dirt, and raised a mound
of earth 12 ft. high, $5\frac{1}{2}$ ft. bare, along side.

Subdivisions T. 28 N, R. 106 W - Continued

Charns.

80.00

Set ^a limestone 26x8x3 ins., 19 ins. in the ground,
for cor. to sec., 29, 30, 31 and 32, marked with ^{notches} ~~grooves~~
on the E. and ~~1/4~~ ^{edge} on the S. ~~face~~ ^{edge}, dug pits 18x8x2
ins. in each sec., 5 1/2 ft. dirt, and raised a mound
of earth 1 1/2 ft. high, 3 1/2 ft. base, along side.
Land, rolling. Soil, sandy; 1/4 shale.
Vegetation, grass and sage.

Thence S. 89° 41' E., on a random line, parallel to S.
boundary of sec., 32, bet. sec., 29 and 32,
Ca. 16° 55' E.

40.00

Set ^a temporary 1/4 sec. cor.

80.02

Intersect N. and S. line, 4 lks. N. of cor. to sec.

28, 29, 32 and 33.

Thence ^{Drum} N. 89° 39' W., on a true line, bet. sec., 29 and 32,
Ca. 16° 55' E.,

Over rolling land.

40.01

Set ^a limestone 18x10x2 1/2 ins., 12 ins. in the ground,
for 1/4 sec. cor., marked 1/4 on N. face, dug pits 18x18x2

Subdivisions T28N, R106W - Continued

Chairs.

ins. Sand & W. of stone, $5\frac{1}{2}$ ft. dirt, and raised a mound of earth, $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side. Hence over level land.

80.00 2

The cor. to sec. 29, 30, 31 and 32,

Sand, rolling. 40.01 ~~chs~~ level 40.01 ~~chs~~.

Soil, sandy, #14. Vegetation, grass and sage.

~~See~~ N. 89° 41' W. on a random line, parallel to S. boundary of sec. 31, bet. sec. 30 and 31,
 Ca. $16^{\circ} 55' E$.

40.00

Set temporary $\frac{1}{4}$ sec. cor.

78.14

Intersect W. boundary of $\frac{1}{4}$ sec. S. of cor. to sec. 25, 30, 31 and 36.

Hence ^{Tru} S. 89° 37' E, on a true line bet. sec. 30 and 31,
 Ca. $16^{\circ} 55' E$.

Over rolling land.

38.14

Set ^a limestone 15x10x4 ins., 10 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked "a" on N. face; dug pit 18x12 ins. Sand & W. of stone, $5\frac{1}{2}$ ft. dirt, and raised a

Subdivisions T. 28 N., R. 106 W. - Continued

Chains.

mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side.

78.19 The cor. to sec. 29, 30, 31 and 32.

Sand, rolling, Soil, sandy; $\frac{1}{4}$ mile.

Vegetation, grass and sage.

N. $0^{\circ}04'$ W., parallel to range line, bet. sec. 29, and 30,
Ca. $16^{\circ}55'$ E.,

Over level land.

40.00 Set Δ limestone $18 \times 8 \times 5\frac{1}{2}$ ins., 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked 4 on N. face; dug pile $18 \times 8 \times 2$
ins. N. and S. of stone, $5\frac{1}{2}$ ft. dist.; and raised a
mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side.
Thence over rolling land.

79.00 Lower gulch 20 lbs. wide, runs. S. W.

80.00 Set Δ limestone, $24 \times 20 \times 5$ ins., 18 ins. in the ground,
for cor. to sec. 19, 20, 29 and 30, marked with ^{notches} ~~grooves~~
on the E., and 2 on the S. ^{edges} ~~face~~; dug pile $18 \times 8 \times 2$ ins.
in each sec. $5\frac{1}{2}$ ft. dist.; and raised a mound
of earth 2 ft. high, $4\frac{1}{2}$ ft. base, along side.

Subdivisions T28N, R106W. Continued

Chains.

Land level rocks, rolling rocks.

Soil, sandy, and 2nd rate. Vegetation, grass and sage.

Thence S. $89^{\circ}39'E$, on a sand run line, parallel to
S. boundary of sec. 29, bet. sec. 20, and 29.
Ca. $16^{\circ}53'E$.

40. 00 Set ^a temporary $\frac{1}{4}$ sec. cor.

80. 05 Intersect N. and S. line, 6 lks. N. of cor. to sec.
20, 21, 28 and 29.

Thence ^{Spring} N. $89^{\circ}36'W$, on a true line, bet. sec. 20 and 29,
Ca. $16^{\circ}53'E$,

Convergently rolling land.

40. 02 ^a Set limestone $13 \times 12 \times 9$ ins, 9 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pile 18 x 18 x 12
ins. Sand & W. of stone, $5\frac{1}{2}$ ft. dist; and raised a
mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side.
Some gulch runs N. $20^{\circ}W$.

77. 00 Same gulch runs S. $40^{\circ}W$

80. 05 The cor. to sec. 19, 20, 29 and 30.

Subdivisions T28N. R. 106W. Continued

Chains. Sand Slope M., Soil, sandy, 2nd rate.
Vegetation, grass and sage.

~~Thence~~ N 89° 39' W, on a random line, parallel to S.
boundary of sec. 30, bet. secs. 19 and 30,
Va. 16° 55' E.

40. 00 Set temporary ^a 1/4 sec. cor.

78. 10 Intersect W. boundary of 1/4 S. lks. S. of cor. to secs.
19, 24, 25 and 30.

Thence ^{from} S 89° 37' E., on a true line, bet. secs. 19 and 30,
Va. 16° 55' E.

Ascend steep bluff.

2. 00 Top of bluff. Thence over rolling land.

38. 10 Set limestone, 16 x 11 x 3 ins., 11 ins. in the ground,
for 1/4 sec. cor., marked 1/4 on N. face; dug pits 18 x 8 x 12 in.
E and W. of stone, 5 1/2 ft. dirt, and raised a mound
of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.

62. 00 Over gulch, 15 lks. wide, course S. W.

78. 10 Thence to secs. 19, 24, 29, and 30

Subdivisions T 28 N, R 106 W. Continued

Chains. Sand, rolling, rocks. Soil, sandy 2nd rate.
Vegetation, grass and sage.

N. 0° 04' W. parallel to range line, bet. sec. 19 and 20.
E. 16° 55' E.

Around.

21. 00 Top of ridge, bear E. and W. thence over rolling land.

40. 00 Set ^a limestone 18 x 12 x 2 ins., 12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked 14 on N. face, dug pit 18 x 15 x 12
ins. N. and S. of stone, 5 $\frac{1}{2}$ ft. dirt, and raised a
mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. bare, along side.

80. 00 Set ^a limestone 28 x 12 x 9 ins., 21 ins. in the ground,
for cor. to sec. 17, 18, 19 and 20, marked with 3 ^{notches}
on S. and 5 ^{notches} on E. edges.
Dug pits 18 x 18 ft. ins. in each sec. 5 $\frac{1}{2}$ ft. dirt,
and raised a mound of earth 2 ft. high,
4 $\frac{1}{2}$ ft. bare, along side.

Sand, rolling. Soil, sandy, 2nd rate.
Vegetation, grass and sage.

Subdivisions T₂₈N, R₁₀₆W-Continued

Chains. ~~Thence~~ S. $89^{\circ}36'$ E, on a random line, parallel to
S. boundary of sec. 20, bet. secs. 17 and 20,
Ca. $16^{\circ}53'$ E.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

79.98 Intersect N. and S. line, 7 lks. S. of cor. to secs.
16, 17, 20, and 21.

Thence ^{South} N. $89^{\circ}39'$ W, on a true line, bet. secs. 17 and 20,
Ca. $16^{\circ}53'$ E.

Over rolling land.

39.99 Set ^a limestone $12 \times 12 \times 4$ ins, 8 ins. in the ground,
for $\frac{1}{4}$ sec. cor, marked $\frac{1}{4}$ on N. face; dug pit $278 \times 18 \times 12$
ins, E and W of stone, $5\frac{1}{2}$ ft. dist, and raised a
mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, along side.

71.00 Descend a steep N. slope.

79.98 The cor. to secs. 17, 18, 19, and 20.

Land, rolling. Soil, sandy, $2\frac{1}{2}$ % silt.
Vegetation, grass and low sage.

Subdivisions T18N, R106W - Continued

- Chains. N. $89^{\circ} 37' W$, on a random line, parallel to S. boundary of sec. 19, bet. rees. 18 and 19.
 $\angle a. 16^{\circ} 53' E$
- 40.00 Set ^a temp. mark $\frac{1}{4}$ sec. cor.
- 78.09 Intersect the W. boundary of $\frac{1}{4}$ 4 lbs. N. cor. to rees. 13, 18, 19 and 24.
 Thence ^{down} S. $89^{\circ} 39' E$, on a true line, bet. rees. 18 and 19.
 $\angle a. 16^{\circ} 53' E$
- Over level land.
- 12.00 Descend steep bluffs.
- 23.00 Foot of bluffs, thence descend gradually.
- 28.00 Cross Big Sandy, 2 chs. wide, flow. S., thence over level land through heavy sage.
- 38.09 Set a granite stone $16 \times 12 \times 5$ ins., 11 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pit $18 \times 18 \times 2$ ins. around N. of stone, $5\frac{1}{2}$ ft. dist.; and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.
- 43.00 Leave bottom land and ascend.

Subdivisions T28N. R. 106W. - Continued

Chains.
45.00

Thence over gradual W. slope.

78.09

The cor. to recs. 17, 18, 19, and 20.

Sand, level 2 chs. slopes 51 chs.

Soil, sandy, 2nd rate. Vegetation, grass and sage.N. 50° 4' W., parallel to range line, bet. recs. 17 and 18,
Pa. 16° 55' E.

Descend gradually.

40.00

Set ^a limestone 18 x 12 x 3 ins., 10 ins. in the ground,
for ¹/₄ sec. cor., marked 4 on N. face; dug pits 18 x 18 x 12
ins. N. and S. of stone, 5¹/₂ ft. dist., and raised
a mound of earth 1¹/₂ ft. high, 3¹/₂ ft. base, alongside.

49.67

Left bank of Big Sandy creek 2 chs. wide, near W.
to cross Big Sandy of. 2.50 chs. wide course E.

60.50

67.90

Big Sandy creek near S. 63° W.

72.60

Big Sandy creek 2.50 chs. wide, near E.

0.00

Set granite boulder 18 x 8 x 8 ins., 12 ins. in the ground,
for cor. to recs. 7, 8, 17 and 18, marked with 6 ^{on top} of stones
on the 2 and 4 on the S. ^{edges} ~~faces~~, dug pits 18 x 18 x 12 ins.
in each sec. 5¹/₂ ft. dist., and raised a mound

Subdivisions T. 18 N., R. 106 W. - Continued

Chains.

of earth 2 ft. high, 4 1/2 ft. base, along side.
 Sand level. Soil sandy, 1 1/4 mile.
 Vegetation, grass and sage.

Hence S. 89° 39' E., on a random line, parallel to
 S. boundary of sec. 17, bet. sec. 8 and 17,
 Ca. 16° 55' E.

40. 00 Set ^a temporary 1/4 sec. cor.

80. 10 Intersect N. and S. line, 4 lks. S. of cor. to sec.
 8, 9, 16, and 17.

Hence ^{rough} N. 89° 41' W., on a true line, bet. sec. 8 and 17,
 Ca. 16° 55' E.

Over rough, rolling land.

35. 00 Leave rolling and enter level bench land.

40. 05 Set ^a cottonwood post 4 1/2 ft. long, 4 in. square,
 with marked stone, 12 in. in the ground for
 1/4 sec. cor., marked 48 on N. face, 3.8 on N. and
 2.17 on S. face; dug pit 18 x 18 x 12 in. E. and W.
 of post, 5 1/2 ft. dirt, and raised a mound

Subdivisions T28N. R106W.-Continued

Chains.

of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around post.
from which cor. a corral, bears S., 3 chs. dist.

65.00 Leave bench land and descend.

67.00 Enter low bottom land.

80.10 The cor. to secs. 7, 8, 17 and 18.

Sand rough 37 chs, level 43.10 chs.

Soil sandy, $\frac{1}{4}$ and $2\frac{1}{4}$ mts. vegetation, grass and sage

Thence N. $89^{\circ}39'W$, on a random line, parallel to
S. boundary of sec. 18, bet. secs 7 and 18,

Ca. $16^{\circ}53' E$.

40.00 Set ^a temporary $\frac{1}{4}$ sec. cor.

77.97 Intersect. W. boundary of $\frac{1}{4}$ sec. S. of cor. to secs,
7, 12, 13 and 18.

Thence ^{from} S. $89^{\circ}36' E$, on a true line, bet. secs. 7 and 18,

Ca. $16^{\circ}53' E$,

Over level land.

7.00 Descend steep broken land.

7.97 Set ^a limestone $17 \times 10 \times 3$ ins. 12 ins. in the ground,

Subdivisions T28N R106W-Continued

Chains.

for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face; dug pile 18x18x12 ins. E. and W. of stone $5\frac{1}{2}$ ft. dist.; and raised a mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side.

75.25 Leave Big Sandy creek, 280 chs. wide, run S. 35° E.

77.97 The cor. to sec. 7, 8, 17, and 18.

Sand, level 7 chs, rough 72.97 chs.

Soil sandy, $\frac{1}{4}$ and $2\frac{1}{4}$ ft. deep. Vegetation grass and rough.

N. 0° 04' W. parallel to range line, bet. sec. 7 and 8
Va. 16° 55' E.

Over level land.

4.60 Big Sandy creek, 2 chs. wide run S. 30° W.

12.50 Leave low bottom and enter mountainous bluffs.

40.00 Set $\frac{1}{4}$ sandstone 18x13x3 ins., 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dug pile 18x18x12 ins. N. and S. of stone, $5\frac{1}{2}$ ft. dist.; and raised a mound of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, along side.

54.00 Leave mountainous bluffs and ascend over rough rolling land.

Subdivisions T28N, R106W. Continued.

Chains.

80. 08

Set a limestone 18x12x4 ins., 12 ins. in the ground
from cor. to recs. 5, 6, 7, and 8, marked with ^{notches} ~~grooves~~
on the E. and S. ^{edges} ~~faces~~ dug pile 18x18x12 ins. in each
rec. 5 1/2 ft. dist., and raised a mound of earth 2 ft.
high, 4 1/2 ft. base, along side.

Land, level 12.50 chs., mountainous 41.50 chs., rolling 2 chs.

Soil sandy and rocky; 1st, 2nd, and 4th rate.

Vegetation, grass and sage.

~~Thence~~ S. 89° 41' E, on a random line, parallel to S.
boundary of sec. 8, bet. recs. 5 and 8.

Var. 16° 55' E,

40. 00

Set ^a temporary 1/4 sec. cor.

0. 26

Intersect N. and S. line, 7 lks. N. of cor. to recs. 4, 5, 8, and 9.

Thence ^{thence} N. 89° 38' W, on a true line bet. recs. 5 and 8.

Var. 16° 55' E,

Descend steep W. slope.

13. 00

Big Sandy creek, 26.5 chs. wide, flows S.

10. 13

Set granite stone 12x8x6 ins., 8 ins. in the ground,

Subdivisions T28N, R 106W - Continued

Chairs.

for 4 sec. cor, marked 4 on N. face, dug pits 18x18x12 in.
E and W. of true, $5\frac{1}{2}$ ft. dist., and raised a mound
of earth $1\frac{1}{2}$ ft. high, $5\frac{1}{2}$ ft. base, a long side.

62.00 A megalith 40 lbs. wide, course S. E. and ascend.

80.26 The cor. to sec. 5, 6, 7, and 8.

Sand, rough, rolling. Soil, sandy; 2nd rate
Vegetation, grass and sage.

~~Thence~~ N. $89^{\circ}36'$ W. on a random line parallel to
S. boundary of sec. 7, bet. sec. 6 and 7.

Ca. $16^{\circ}58'$ E.

40.00 Set ^a temporary 1/4 sec. cor.

77.73 Intersect N. boundary of 4, 7 lbs. N of cor. to sec.
1, 6, 7 and 12.

Thence ^{Down} S. $89^{\circ}35'$ E, on a true line, bet. sec. 6 and 7.

Ca. $16^{\circ}55'$ E.

Over rough rolling land.

37.73 Set granitic stone 24x10x6 in., 18 in. in the ground
for 1/4 sec. cor, marked 4 on N. face, dug pits 78x18x12.

Subdivisions T28N R706W Continued

Chains.

ins. Sand & W. of stone, $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, a long side.

77.73

The cor. to sec. 5, 6, 7 and 8.

Land, rolling. Soil, sandy; ^{not} rate.

Vegetation, grass and sage.

N. $0^{\circ}04'$ W., parallel to range line, bet. sec. 5 and 6
Va. $16^{\circ}55'$ E.

Over rough rolling land.

35.00

Levee gulch 40 lbs. wide, runs E.

40.00

Set ^a granite stone 20x10x4 ins., 15 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dug pits 15x8x2 ins. N. and S. of cor., $5\frac{1}{2}$ ft. dist.; and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, a long side.

43.20

Intersect 7th Standard Parallel N. 2, 6 4 chs. W. of Standard $\frac{1}{4}$ sec. cor. on S. boundary ^{Sec.} 33, 4.29 N. R. 706 W., which is a granite stone 10x10x2 ins. above ground, marked, S. C. $\frac{1}{4}$ on W. face with pits and
Aug. 1897 ch 1897

Subdivisions T28N, R106W-Continued Chairs.

mound of earth. At point of intersection, set timber
30x10x4 ins., 20 ins. in the ground for closing bar to rocks
and 6, marked CC with 9 grooves on the top and 10 on the
W face, dug pits 18x8x2 ins. S. E. and W. of stone, 5 1/2 ft. dia.
and raised a mound of earth 2 ft. high 4 ft. base,
along side. Sand, rough rolling. Soil sandy, 7%
silt. Vegetation, grass and sage.

General Description

This township consists of level table, and
gently rolling land, with some bottom
land along Big Sandy Creek, which runs
from N.E. to S.W. through the N.W. portion of
the Tp. The soil is sandy and gravelly, much
of it is agricultural, with irrigation.
The vegetation is blue grass, and sage, with
willows and scattering cottonwood along the stream.

John E. Kauffman
U.S. Deputy Surveyor

U. S. Surveyor General's Office
Cheyenne Wyoming
February 24th 1892

The foregoing Field Notes of
the surveys of the subdivision
lines of T. 28. N. R. 106. West of
the 6th Principal Meridian in the
State of Wyoming, executed by
John E. Shannon U. S. Deputy Surveyor
under joint contract of John E. Shannon, and
A. H. Coleman, #240, dated April 21st 1891, having
been critically examined, the necessary
corrections and explanations made, the said
Field Notes and the surveys they describe
are hereby approved.

Wm A. Richards
U. S. Surveyor General for
Wyoming