


T. 29 N., R. 111 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
Township Subdivision Plats		
6880	1960	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t29nr111w_gp268fn_s17_18.pdf
4539	1916	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t29nr111w_gp031fn.pdf
4538	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t29nr111w_c248fn.pdf
4537	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t29nr111w_c246fn.pdf
Township Exterior Plats		
4799	1901	https://www.wy.blm.gov/cadastral/countyplats/lincoln/fieldnotes/retext2868.pdf
4623	1895	https://www.wy.blm.gov/cadastral/countyplats/sweetwater/fieldnotes/ext2709.pdf
4623	1895	https://www.wy.blm.gov/cadastral/countyplats/sweetwater/fieldnotes/retext2709.pdf
4536	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/ext2633.pdf
4421	1891	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/ext2567.pdf

TOWNSHIP 29 NORTH, RANGE III WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING

RESURVEY AND PARTIAL SUBDIVISION OF SECTIONS



This plat represents a resurvey of the boundaries and a survey of a portion of the subdivisional lines of secs. 17 and 18, Township 29 North, Range III West of the Sixth Principal Meridian, Wyoming, providing definition and monumentation of certain small tracts in the SW 1/4 SW 1/4 sec. 17 and SE 1/4 SE 1/4 sec. 18.

History of the previous surveys is set forth in the field note record.

The survey was executed at the request of the State Supervisor for Wyoming, as stated in memorandum LM:REC dated March 15, 1960.

As shown hereon, a resurvey of the boundaries and a partial subdivision of secs. 17 and 18, Township 29 North, Range III West of the Sixth Principal Meridian, Wyoming, was executed by Jack A. Eaves, from May 16 to June 1, 1960, under Special Instructions dated May 10, 1960, for Group 268, Wyoming.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Washington, D.C. December 11, 1961

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director


E. E. Remington
Chief, Division of Engineering



Area resurveyed - 1,278.74 Acres

Township N°29 North, Range N°111 West of the Sixth Principal Meridian, Wyoming

Scale: 10 Chains to 1 Inch



This plat of Sections 1 and 2 Township N°29 North, Range N°111 West of the Sixth Principal Meridian Wyoming displaying islands omitted from plat of township survey approved April 19, 1893 is strictly conformable to the field notes of the survey of said islands executed by Arthur D. Davis U.S. Surveyor under Supplemental Special Instructions Group N° 31, Wyoming dated April 11, 1916, which have been examined and approved U.S. Surveyor General's Office Cheyenne, Wyoming May 21, 1917

Charles L. Secker
Surveyor General

Surveys Designated	By Whom Surveyed	N°	Group		Amount		When Surveyed	
			Date		MI ²	Ch ²	Begin	Completed
Resurvey Subdivisions	A. D. Davis	31	April 11, 1916		1 00	59	August 1, 1916	August 1, 1916
Connections	" "	"	" "		6 07		August 1, 1916	August 1, 1916
Meanders	" "	"	" "		2 75	56	August 1, 1916	August 2, 1916
Retracement Meanders	" "	"	" "		3 15	56	August 1, 1916	August 2, 1916

2634-B

Trans. to Evanson
Dec. 4, 1917

29-111

1538

One

Township N° 29 North, Range N° 111 West of the 6th Principal Meridian

Cor. Secs. 9, 4, 33 and 34 on
Nbdy. Position computed
Lat. 42° 31' 51.69" N
Long. 110° 03' 52.04" W
Recd. U.S.F.S. 1928
Card

For rehabilitation of corr. - 1960
see Paul H. Scherbel file
1/4 W. bdy.
24/19



Subdivision lines at intermediate rates 5^{mls} 47^{ds} 17^{ds}
" " " minimum " 32" 32" 33"
Meander " " intermediate " 15" 1" 53"
" " " minimum " 12" 43" 46"

Total number of Acres 16,548.74

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Survey M. Ch. Lks	Date of Survey	Magnetic Declination
Subdivisions	Shannon & Shannon	Sept 2, 1892	37 79 50	Nov. 27 29-1892	17° 07' East.
Meanders	"	"	27 49 99	" " " "	" " " "

The above diagram of Township N° 29 North Range N° 111 West of the 6th Principal Meridian Wyoming is strictly conformable to the field notes of the survey thereof on file in this office which have been examined and approved.
Surveyor General's Office
Cheyenne Wyo. April 19, 1893
J. H. Richards
Surveyor General of

4537

Township N° 29 North, Range N° 111 West of the 6th Principal Meridian.



Subdivision lines at intermediate rates 17th 28th 77th
 " " " minimum " 4th 50th 74th

Total number of Acres 7675.50

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M. C. L.	When Surveyed	Magnetic Declination
Subdivisions	J. E. Shannon	Feb. 19 th 1892	21 79 48	Aug. 6-8 - 1892	17° 11' East

The above Map of Township N° 29 North, of Range 111 West of the 6th Principal Meridian Wyoming is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor General's Office
 Cheyenne, Wyo. March 5th 1893

Wm. A. Richards
 Sur. Gen.

2634

29-111


35
Induced
4799

orig.

TOWNSHIP EXTERIORS

Scale: 1 inch = 160 chains.

Table of Mileage			
Surveys Designated	Mis.	Amount Chs.	Lks.
Standard Lines Resur.	30	2	38
" Retr.	5	65	33
Township Lines Resur.	38	54	47
" Retr.	2	79	83
Connections		68	43
When Surveyed			
April 2-16, 1901			
" 15, "			
Nov. 7, 1900-Apr. 14, "			
April 1, "			
Nov. 7, 1900-Apr. 16, "			



Latitude 42° 17' N.
Longitude 110° 5' W.
Mean Mag. Decl. 17° 52' E.


This Plat
of the
Resurvey of
The 14th Guide Meridian West through Tps. 25, 26, 27 and 28N;
The Sixth Standard Parallel North through R. 112W.;
A part of the East boundary, and the North boundary
of T. 25N., R. 112W.;
The East boundary of T. 26N., R. 112W.;
The South, East and North boundaries of T. 27N., R. 112W.;
and the East boundary of T. 28N., R. 112W.;
The Retracing of
The Seventh Standard Parallel North through Rgs. 111 and 112W.;
and a part of the East boundary of T. 25N., R. 112W. of the
6th Principal Meridian,
Wyoming,
is strictly conformable to the field notes of the survey
thereof by
Edward F. Stahle, U.S.D.S.,
under his
Contract No. 283,
dated October 5, 1900,
which have been examined, approved and filed in this office.
U.S. Surv. Genl's Office,
Cheyenne, Wyoming,
December 7, 1901

Alphus P. Haman
U.S. Surv. Genl.

Survey accepted by the
Terr. Commissioner in his
letter E dated April 10, 1902.

TOWNSHIP EXTERIORS

Scale: 1 inch to 160 chains



This Plat
of the
Resurvey of the Sixth Standard Parallel North
through Range 109 West;
Retracement of the Sixth Standard Parallel
North, through Range 110 West;
Survey of the East Boundary of Tps. 25, 26, 27 and
28 N., R. 110 W.; the North Boundary of Tps. 25,
26, and 27 N., Rps. 109 and 110 W.; the East
Boundary of Tps. 27 and 28 N., R. 111 W.;
Resurvey of the South and West Boundaries
of the Tps. 27 and 28 N., Range 111 West
and the
Retracement of the Seventh Standard
Parallel North, through Ranges 109, 110 and
111 West of the
Sixth Principal Meridian, Wyoming.
is strictly conformable to the field notes
of the survey thereof
by
Gilmore and Leback, U.S. Dep. Surveyors
under their
Contract No. 255,
dated June 5th 1894,
which have been examined, approved and
filed in this Office.
U. S. Surv. Gen's Office
Cheyenne Wyoming,
April 27 1896.


John Charles Thompson
U.S. Surveyor General.

Table of Mileage

Surveys Designated	Amount	When Surveyed
	Mts. Chs. Lks.	
Standard Lines	5 76 08	June 7, 1895
Township Lines	95 9 72	" 8-Aug 18, 1895
Connections	0 33 33	June 15-Aug 18, 1895

EXTERIOR LINES.

Scale, 2 miles to 1 inch. Magnetic Variation East.



	M	Chs	Tn
<i>Standard, lines at intermediate rates</i>	2	06	00
" " " <i>minicam</i> "	21	74	00
<i>Meander</i> " " <i>intermediate</i> "	2	17	22
" " " <i>nanicam</i> "	20	44	00
<i>Exterior</i> " " <i>intermediate</i> "	19	00	00
" " " <i>nanicam</i> "	122	43	00

<i>Surveys Designated..</i>	<i>By Whom Surveyed..</i>	<i>Date of Contract..</i>	<i>Amount of Surveys.</i> <i>Mi. Chs. Ls.</i>			<i>When Surveyed..</i>	<i>Magnetic Declination.</i>
<i>Exterior Lines</i>	<i>J. E. Shannon</i>	<i>Feb. 19th 1892</i>	<i>14.1</i>	<i>44</i>	<i>33</i>		
<i>8th Stand. Par. N.</i>	<i>" " "</i>	<i>" " "</i>	<i>24</i>	<i>00</i>	<i>00</i>	<i>May 13-14, 1892</i>	<i>17° 40' East.</i>
<i>14th Guide M. W.</i>	<i>" " "</i>	<i>" " "</i>	<i>22</i>	<i>61</i>	<i>48</i>	<i>May 15-17, 1892</i>	<i>17° 30' East.</i>

I hereby certify that the above diagram of the Exterior lines of Townships
 29, 30, 31 and 32 North, Ranges 109, 110, 111 and 112 West of the 6th Principal
 Meridian, Wyoming, is strictly conformable to the field notes of survey
 thereof on file in this office, which have been examined and approved.
 U.S. Surveyor General's Office,
 Cheyenne, Wyoming,
 March 8th 1893.

Wm. A. Richards
 U.S. Surveyor General

Wm. A. Richards
U.S. Surveyor General.


31
Index

Orig. B. sheet 13

4421

EXTERIOR LINES.

Scale 2 miles to 1 inch Magnetic Dec^l E.



Standard lines at minimum rates	13 ^m	15 ^{chs}	80 ^{ths}
" " intermediate "	12 "	05 "	72 "
Exterior " " minimum "	45 "	58 "	15 "
" " intermediate "	31 "	71 "	38 "
Connection " " minimum "	0 "	16 "	63 "

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys	When Surveyed	Magnetic Declination
7 th Stand. Par ^l N.	Shannon & Coleman	July 22 ^d 1891	23 65 97	Oct. 9, 10, 11, 1891	16° 55' - 16° 58' East
6 th Stand. Par ^l N.	" " "	" " "	1 35 35	Oct. 12 th "	16° 55' East
Exterior lines	" " "	" " "	77 49 53	" " "	16° 56' East
Connections	" " "	" " "	16 68	" 15 th "	16° 57' "

The above diagram of the 6th and 7th Standard Parallel North and the Exterior lines of townships 25, 26, and 27 North, Ranges 111 and 112 West, and Twp 28 N., Rg. 112 West of the 6th Principal Meridian, Wyoming, are strictly conformable to the field notes of survey thereof on file in this office, which have been examined and approved.

U.S. Surveyor General's Office,
Cheyenne, Wyoming June 30th 1892

Wm. A. Richards
U.S. Surveyor General.