


T. 30 N., R. 111 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
		Township Subdivision Plats
4634	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t30nr111w_c248fn.pdf
		Township Exterior Plats
4536	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/ext2633.pdf

SUPPLEMENTAL PLAT



Plat prepared by Jeremy D. Davis, Cadastral
Surveyor beginning February 19, 2020 and
Completed February 28, 2020, pursuant to
special instructions dated February 19, 2020,
for Group No. 1021, Wyoming.

- 2½ ins. diam., stainless steel post with brass cap attached, set by Scott A. Scherbel, L.S. No. 3889.
- 2 ins. diam., stainless steel post with brass cap attached, set by Paul N. Scherbel, L.S. No. 164.

Cheyenne, Wyoming


March 25, 2020

This plat, showing amended lottings, is based upon official and state authority survey records and, having been correctly prepared in accordance with the regulations of this Bureau, is Hereby accepted

For the Director


Arjun Sonu

Sonja S. Sparks
Chief Cadastral Surveyor for Wyoming



4634

Township N° 30 North, Range N° 111 West of the 6th Principal Meridian.



Subdivision lines at intermediate rates 2 1/2 13 38 1/2
" " " minimum " 56 66 70

Total number of Acres 23,037.40

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Survey	When Surveyed	Magnetic Declination
Subdivisions	Shawano & Shawano	Sept. 2 ^d 1893	59 00 08	Sept. 14-18-1893	17°18' East

The above Map of Township N° 30 North, of Range N° 111 West of the 6th Principal Meridian, Wyoming is strictly conformable to the field notes of the survey thereof on file in this Office which have been examined and approved
Surveyor General's Office
Cheyenne, Wyo. Apr. 19, 1893
Wm. A. Richards
Sur. Genl.

2720


Indexed

4536

Register filed July 13-93

EXTERIOR LINES.

Scale, 2 miles to 1 inch. Magnetic Variation East.



8th Stand. Par. N.	2-17-20	20-44-17	21-74-	Totals
29-109	8-16.53	3-67.00	12-03.53	
30 "	2-62.50	9-21.72	12-64.22	
31 "		12-07.90	12-07.90	
32-110	5-74.50	5-48.71	5-48.71	
30-110	10.00	5-03.48	11-27.08	
31-110		11-33.77	11-33.77	
32-110		11-76.40	11-76.40	
29-111	1-46.00	5-26.12	5-26.12	
30-111		10-31.60	11-77.62	
31 "		11-72.57	11-72.57	
32-111		11-72.57	11-72.57	
29 "		10.30	4-78.91	
30 "		5-69.60	5-69.60	
31 "		9.00	5-69.60	
32 "		5-70.22	5-70.22	
Totals			121-47.05	

	M	Chs	Lks
Standard lines at intermediate rates	2	06	00
" " maximum	21	74	00
Meander " intermediate	2	17	20
" " maximum	20	44	28
Exterior " intermediate	19	00	83
" " maximum	122	43	50

Surveys Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys.	When Surveyed.	Magnetic Declination.
Exterior lines	J.E. Shannon	Feb. 19th 1892	141 44 33		
8th Stand. Par. N.	" "	" " "	24 00 00	May 13-14, 1892	17° 40' East.
14th Guide M. W.	" "	" " "	22 61 48	May 15-17, 1892	17° 30' East.

I hereby certify that the above diagram of the Exterior lines of Townships 29, 30, 31 and 32 North, Ranges 109, 110, 111 and 112 West of the 6th Principal Meridian, Wyoming, is strictly conformable to the field notes of survey thereof on file in this office, which have been examined and approved.

U.S. Surveyor General's Office,
Cheyenne, Wyoming,
March 9th 1893.

Wm. A. Richards
U.S. Surveyor General.