

T. 31 N., R. 109 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
Township Subdivision Plats		
8702	2015	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t31nr109w_gp939fn.pdf
-	2012	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t31nr109w_gp850.pdf
7167	1969	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t31nr109w_gp317fn_s12.pdf
7166	1968-69	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t31nr109w_gp317fn.pdf
4549	1928	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t31nr109w_gp103fn_s21.pdf
4548	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t31nr109w_c246fn.pdf
Township Exterior Plats		
4536	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/ext2633.pdf
4321	1889	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/ext2492.pdf

TOWNSHIP 31 NORTH, RANGE 109 WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY AND SUBDIVISION OF SECTION 12

Lat. 42°40'44.425" N.
Long. 109°47'27.069" W.
NAD83(2011)(EPOCH: 2010)

ADJUSTED 1892 MEANDERS,
RIGHT BANK NEW FORK RIVER,
SECTION 12

M.C. Secs. 1 and 12

S.36°44'W.	1.00
S.23°59'W.	1.50
S.38°00'W.	4.49
S.58°47'W.	4.19
N.75°46'W.	0.50
N.59°57'W.	1.99
N.89°05'W.	1.49
N.71°45'W.	4.98
S.73°51'W.	4.48
S.14°59'E.	4.31
S.44°15'W.	5.99
S.86°54'W.	4.98
N.45°53'W.	4.98
N.89°20'W.	4.98
S.61°33'W.	6.98
S.17°13'E.	12.53
S.82°08'W.	15.93
S.44°00'W.	4.99
S.15°44'W.	20.00
S.70°20'W.	11.96
N.46°27'W.	4.30



M.C. Secs. 11 and 12

ADJUSTED 1892 MEANDERS,
LEFT BANK NEW FORK RIVER,
SECTION 12

M.C. Secs. 7 and 12, on E. Bdy. of Tp.

S. 5°52'W.	12.05
S.45°49'W.	1.70
N.73°54'W.	4.96
S.47°19'W.	7.99
S. 6°20'E.	13.67
S.75°40'W.	14.93
N.89°45'W.	7.95
N.61°48'W.	13.89
S.58°21'W.	9.97
S.27°49'W.	20.02
S.56°35'W.	8.98
N.89°53'W.	8.92

M.C. Secs. 11 and 12



A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of a portion of the Thirteenth Auxiliary Guide Meridian West, through T. 31 N., between Rs. 108 and 109 W., the subdivisional lines, and the 1892 meanders of the banks of New Fork River in section 12, designed to restore the corners in their true original locations according to the best available evidence, and the survey of the subdivision of section 12, T. 31 N., R. 109 W., Sixth Principal Meridian, Wyoming.

Except as indicated hereon, the lotting and areas are as shown on the plat approved March 3, 1893 and plat accepted April 3, 1972.

Survey executed by Lee T. Wilson, Cadastral Surveyor, beginning June 16, 2016, and completed September 1, 2015, pursuant to special instructions and assignment instructions dated June 15, 2015, for Group No. 939, Wyoming.

Note: NM indicates corner not monumented

Dashed lines showing the current location of the New Fork River were determined by the method of photo mapping from aerial photography and are shown for informational purposes only.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming

August 11, 2016

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee
John P. Lee

Chief Cadastral Surveyor for Wyoming

SUPPLEMENTAL PLAT

Sec. 29



Sec. 28

Sec. 27

Sec. 33


John P. Lee
Chief Cadastral Surveyor for Wyoming

OFFICIALLY FILED: May 1, 1995



TOWNSHIP 31 NORTH, RANGE 109 WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY



History of previous surveys is contained in the field notes.

This plat, in 2 sheets, represents a dependent resurvey of the north, south and west boundaries and a portion of the subdivisional lines of T. 31 N., R. 109 W., designed to restore the corners in their original locations according to the best available evidence, and the survey of an island designated as Lot No. 11 in section 12, T. 31 N., R. 109 W., of the Sixth Principal Meridian, Wyoming.

Except as indicated hereon, the lottings and areas are as shown on the plat approved March 3, 1893 and the plat accepted May 31, 1929.

A portion of the east boundary (Thirteenth Auxiliary Guide Meridian West) was resurveyed concurrently under this same Group and is described in the field notes of the resurvey of T. 31 N., R. 108 W.

The resurvey and survey were executed by Wayne M. Gardner, Supervisory Cadastral Surveyor, beginning June 25, 1968 and completed June 3, 1969, pursuant to Special Instructions dated April 2, 1968 and Supplemental Instructions May 1, 1969 for Group 317, Wyoming.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Washington, D.C. April 3, 1972

This plat is strictly conformable to the approved field notes, and the survey having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director


Clark L. Lumm

Chief, Division of Cadastral Survey

Lat. 42° 36' 20" N.
Long. 109° 46' 16" W.

0 5 10 20 40 80
SCALE IN CHAINS
Area Resurveyed 22,780.31 Acres
Area Surveyed 54.05 Acres

TOWNSHIP 31 NORTH, RANGE 109 WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.
SURVEY OF ISLAND



See Sheet No. 1 for survey information.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Washington, D.C. April 3, 1972

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

Clark L. Lumm


Chief, Division of Cadastral Survey

7549

Plat of Mack Island in New Fork River
TOWNSHIP N^o 31 NORTH, RANGE N^o 109 WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING

Scale, 10 Chains to 1 Inch

LINES DESIGNATED	BY WHOM SURVEYED	GROUP No.	DATE	MILEAGE		WHEN SURVEYED	
				MLS.	CHS.	BEGUN	COMPLETED
Subdivisional	Clyde W. Atherly	103	March 15, 1928	2	6.01	August 1, 1928	August 2, 1928
Meanders	"	"	"	32.75		"	"
Connecting	"	"	"	8.85		"	"



Survey authorized by the Commissioner's letter "E" dated March 1, 1928

Office of U.S. Supervisor of Surveys
 Denver, Colorado, March 12, 1929.

The above plat of Mack Island in New Fork River, Section 21, Township No. 31 North, Range No. 109 West of the Sixth Principal Meridian, Wyoming, is strictly conformable to the field notes of the survey thereof which have been examined and approved

Wm. H. Shannon
 U.S. Supervisor of Surveys

DEPARTMENT OF THE INTERIOR
 GENERAL LAND OFFICE
 Washington, D. C., May 31, 1929

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this office, is hereby accepted.


Thos. C. Howell
 Assistant Commissioner

2643-A

Trans. to Evanson L. O.
 July 29, 1929. **31-109**

1548

Township No 31 North, Range No 109 West of the 6th Principal Meridian



Total number of Acres 22,759.59


Survey Designated	By Whom Surveyed	Date of Contract	Amount of Survey	Date of Survey	Magnetic Declination
Subdivisions	J. L. Shannon	Feb. 19, 1892	60 Chs 58	June 8-13-1892	17° 00' East
Meanders	"	"	18 74 79	" 13-15- "	17° 05' "

The above Map of Township No 31 North Range 109 West of the 6th Principal Meridian Wyoming, is strictly conformable to the field notes of the survey, thereof on file in this office, which have been examined and approved.
 Surveyor General's Office
 Cheyenne Wyoming (March 3, 1893)
J. A. Richards
 Surveyor General

Subdivision lines at intermediate rates 2^m 7⁴ 54¹/₂
 " " minimum " 58 " 19 " 04 "
 Meander " " intermediate " 10 " 74 " 51 "
 " " " minimum " 8 " 00 " 28 "

EXTERIOR LINES.

Scale, 2 miles to 1 inch. Magnetic Variation East.



	M	Pos	Lat
Standard lines at intermediate rates	2	06	00
" " " miramam/ "	27	74	00
Meander " " intermediate "	2	17	22
" " " miramam "	20	44	22
Exterior " " intermediate "	19	00	8
" " " miramam "	122	13	5

<i>Surveys Designated..</i>	<i>By Whom Surveyed..</i>	<i>Date of Contract..</i>	<i>Amount of Surveys.</i> <i>Mls. Cts. Ls.</i>			<i>When Surveyed..</i>	<i>Magnetic Declination.</i>
<i>Exterior Lines</i>	<i>J. E. Shannon</i>	<i>Feb. 19th 1892</i>	<i>14</i>	<i>44</i>	<i>33</i>		
<i>8th Stand. Par. N.</i>	<i>" " "</i>	<i>" " "</i>	<i>24</i>	<i>00</i>	<i>00</i>	<i>May 13-14, 1892</i>	<i>17° 40' East.</i>
<i>14th Guide M. W.</i>	<i>" " "</i>	<i>" " "</i>	<i>22</i>	<i>61</i>	<i>48</i>	<i>May 15-17, 1892</i>	<i>17° 30' East.</i>

I hereby certify that the above diagram of the Exterior lines of Townships
 29, 30, 31 and 32 North, Ranges 109, 110, 111 and 112 West of the 6th Principal
 Meridian, Wyoming, is strictly conformable to the field notes of survey
 thereof on file in this office, which have been examined and approved.
 U.S. Surveyor General's Office,
 Cheyenne, Wyoming,
 March 8th 1893.

Wm. A. Richards
 U.S. Surveyor General


Wm. A. Richards
U.S. Surveyor General.

72.

Tridues

EXTERIOR LINES

Scale 1 inch = 2 miles.
Var. East



All Standard lines at minimum rates 73 mls 47 chs 44th
" Exterior " " " 87 mls 79 chs 58th
" Connecting " " " 12th 35th

Survey Designated	By whom Surveyed	Date of Contract	Amount of Survey	When Surveyed	Magnetic Decl ⁿ
7th Stand Par	Franklin A. Sawin	May 13, 1889	24 0 0	Sept 11 15 1889	16° 47' East
13th Aux Mer	" " "	" " "	34 47 44	Sept 24-Oct 6 1889	17° 11' "
8th Stand Par	" " "	" " "	15 0 0	Oct 7-9 1889	17° 37' "
Exterior Lines	" " "	" " "	87 79 58	Sept 12-13 1889	16° 45' to 18° 36' B
Connections	" " "	" " "	12 85	Sept 13-31 1889	"

The above diagram of the 7th Standard Parallel North in Ranges 105, 106, 107 and 108 West, the 8th Standard Parallel North in Ranges 108, 107 and 106 West, the 13th Auxiliary Meridian West in Townships 29, 30, 31, 32, 33 and 34 North, the Exterior lines of Townships 31 North, Ranges 105, 106, 107 and 108 West; Townships 32 North, Ranges 107 and 108 West; Townships 33 North, Ranges 107 and 108 West, and Township 34 North, Range 108 West of the 6th Principal Meridian in Wyoming, is strictly conformable to the field notes of the survey thereof on file in this office, which have been examined and approved.
Cheyenne Wyoming June 30, 1891
Surveyor General


30

4321

2492

TOWNSHIP 31 NORTH, RANGE 109 WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

INDEX TO CORNER REMONUMENTATION WITHOUT SURVEY
NOT TO SCALE



NOT TO SCALE

LEGEND

Remonumented Corner as indicated

