

T. 36 N., R. 111 W., Sixth Principal Meridian, Wyoming, Field Note Links

Plat Accession Number(s)	Year(s) of Survey	
Township Subdivision Plats		
8560	2009-10	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t36nr111w_gp813fn.pdf
8487	2007	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t36nr111w_gp768fn.pdf
-	1969	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t36nr111w_gp262fn.pdf
4445	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/t36nr111w_c248fn.pdf
Township Exterior Plats		
4455	1892	https://www.wy.blm.gov/cadastral/countyplats/sublette/fieldnotes/ext2588.pdf

TOWNSHIP 36 NORTH, RANGE III WEST, OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

DEPENDENT RESURVEY AND SUBDIVISION OF SECTIONS


Resurveyed by
Olian T. Shockley in 2007

A history of surveys is contained in the field notes.

This plat represents the dependent resurvey of a portion of the south boundary, and portions of the subdivisional lines, designed to restore the corners in their true original locations according to the best available evidence, and the survey of certain sections, T. 36 N., R. III W., Sixth Principal Meridian, Wyoming.

Except as indicated hereon, the lotting and areas are as shown on the plat approved April 19, 1893 and September 16, 2008.

Survey executed by Olian T. Shockley, Cadastral Surveyor, beginning October 20, 2009, and completed July 29, 2010, pursuant to Special Instructions and Assignment Instructions dated October 15, 2009, for Group No. 813, Wyoming.



Sec. 21



Sec. 22

Sec. 28

Sec. 27

Sec. 33

Sec. 34

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming

June 1, 2011

This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director

John P. Lee

Chief Cadastral Surveyor for Wyoming


JTE

DEPENDENT RESURVEY AND SUBDIVISION OF SECTION 1

NINTH STANDARD PARALLEL NORTH

Sec. 33

Sec. 34



Survey executed by Olian T. Shockley, Cadastral Surveyor, beginning May 8, 2007, and completed May 24, 2007, pursuant to Special Instructions and Assignment Instructions dated May 1, 2007, for Group No. 768, Wyoming.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Cheyenne, Wyoming September 16, 2008


This plat is strictly conformable to the approved field notes, and the survey, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director


John P. Lee
Chief Cadastral Surveyor for Wyoming

O.T.S./K.L.A.C.

TOWNSHIP N° 36 NORTH, RANGE N° 111 WEST of the 6th Principal MERIDIAN.



Subdivision lines at intermediate rates 13^{mi} 27^{mi} 90^{mi}
 Connection " " minimum " 46 " 63 " 83 "
 Total number of Acres 22,812.22

Survey Designated	By Whom Surveyed	Date of Contract	Amount of Survey M ² Ch ² Lk ²	When Surveyed	Magnetic Declination
Township lines	Shannon & Shannon	Sept. 2, 1892	59 56 73	Oct. 23-28, 1892	17° 59' East
Subdivisions	"	"	63 32	"	"
Connections	"	"	"	"	"



The above Map of Township N° 36 North, Range N° 111 West of the Sixth Principal Meridian Wyoming Territory is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved
 Surveyor General's Office,
 Cheyenne, Wyoming
 April 19, 1893
Wm. A. Richards
Sur. Gen.

2578

TOWNSHIP 36 NORTH, RANGE III WEST OF THE SIXTH PRINCIPAL MERIDIAN, WYOMING.

INDEX TO CORNER REMONUMENTATION WITHOUT SURVEY

NINTH STANDARD PARALLEL NORTH



NOT TO SCALE


LEGEND

Remonumented Corner as Indicated

31
Indexed
4455

EXTERIOR LINES.

Scale 2 miles to 1 inch. Magnetic Variation East.



8th Stand. P. N. at intermediate rates 4^m 60^{ch} 00ⁱⁿ
minimum " 7 " 20 " 00 "
9th " " intermediate " 8 " 14 " 00 "
minimum " 9 " 66 " 00 "
14th Guide M. W. intermediate " 16 " 13 " 13 "
minimum " 19 " 31 " 00 "
Township lines intermediate " 62 " 13 " 68 "
minimum " 103 " 29 " 94 "
Connecting lines at minimum rates 0^m 14^{ch} 96ⁱⁿ

Surveys Designated.	By Whom Surveyed.	Date of Contract.	Amount of Surveys.	When Surveyed.	Magnetic Declination.
8 th Stand. Par. N.	Shannon & Shannon	Sept. 2 ^d 1892	12 00 00	Oct. 3 ^d 1892	17° 55' - 18° 02' East
9 th Stand. Par. N.	" "	" "	18 00 00	Sept. 30 - Oct. 2, 1892	18° 06' - 18° 10' East
14 th Guide. Mer. W.	" "	" "	35 44 13	Sept. 25 - 30, 1892	17° 54' - 18° 20' East
Township lines	" "	" "	165 43 62	Oct. 4 - Nov. 17, 1892	17° 39' East
Connections.	" "	" "	14 96	" "	" "

I hereby certify that the above diagram of the Exterior lines of Townships 33, 34, 35 and 36 North, Ranges 111 and 112 West, Townships 29, 30, 31 and 32 North, Ranges 113, and 114 West, the 8th and 9th Standard Parallels North and the 14th Guide Meridian, west of the 6th Principal Meridian, Wyoming, is strictly conformable to the field notes of survey thereof on file in this office, which have been examined and approved.
Surveyor General's Office,
Cheyenne, Wyo. April 19, 1893.

N. A. Richards
U.S. Surveyor General