

VOLUME WR66

ORIGINAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE
DEPENDENT RESURVEY OF
A PORTION OF THE WIND RIVER BASE LINE, THROUGH RANGE 4 EAST,
A PORTION OF THE SUBDIVISIONAL LINES, A PORTION OF THE SUBDIVISION OF
SECTIONS 2 AND 3, THE ADJUSTED ORIGINAL AND 1914 MEANDERS OF THE LEFT
AND RIGHT BANKS OF THE WIND RIVER THROUGH SECTIONS 2 AND 3,
THE COMBINED ADJUSTED ORIGINAL (1905) AND 1914 MEANDERS OF THE LEFT
BANK OF THE WIND RIVER THROUGH SECTIONS 2 AND 3,
THE COMBINED ADJUSTED ORIGINAL (1908) AND 1914 MEANDERS OF THE RIGHT
BANK OF THE WIND RIVER THROUGH SECTIONS 2 AND 3,
AND THE SURVEY OF
THE MEANDERS OF THE 2016 LEFT AND RIGHT BANKS OF THE WIND RIVER AND
INFORMATIVE TRAVERSES THROUGH SECTIONS 2 AND 3,
THE LEFT AND RIGHT BANKS AND MEDIAL LINES OF THE
ABANDONED CHANNELS OF THE WIND RIVER IN SECTIONS 2 AND 3,
(AND IN SECTION 34, T. 1 N., R. 4 E.),
AND CERTAIN DIVISION OF ACCRETION AND PARTITION LINES,
TOWNSHIP 1 SOUTH, RANGE 4 EAST,
OF THE WIND RIVER MERIDIAN,
IN THE STATE OF WYOMING.

EXECUTED BY

DAVID C. LEE

CADASTRAL SURVEYOR

JAMES R. GAMPETRO

CADASTRAL SURVEYOR

Under special instructions dated AUGUST 25, 2016, approved AUGUST 25, 2016, and supplemental special instructions dated MAY 16, 2017, approved MAY 16, 2017, which provided for the surveys included under Group Number 962, Wyoming, and assignment instructions dated AUGUST 25, 2016 and reassignment instructions dated SEPTEMBER 14, 2021.

Survey commenced SEPTEMBER 13, 2016

Survey completed SEPTEMBER 23, 2021

INDEX DIAGRAM

Township 1 South, Range 4 East

WIND	RIVER			BASE		LINE	
		10	6	5			EAST
6	5	4	17 3	15 2	12 1		
7	8	9	10	11	12		MERIDIAN
18	17	16	15	14	13		
19	20	21	22	23	24		GUIDE
30	29	28	27	26	25		
31	32	33	34	35	36		FIRST

Dependent Resurvey, Subdivision of Section 2..... Page 19
 Dependent Resurvey, Subdivision of Section 3..... Page 30
 Dependent Res., Original (1905) Meanders of the Left Bank of the Wind River
 Through Sections 2 and 3..... Page 42

Dependent Res., Original (1908) Meanders of the Right Bank of the Wind River through Sections 2 and 3	Page 45
Dependent Res., 1914 Meanders of the Left Bank of the Wind River through Sections 2 and 3.....	Page 48
Dependent Res., 1914 Meanders of the Right Bank of the Wind River through Sections 2 and 3.....	Page 51
Dependent Res., Combined Original (1905) and 1914 Meanders of the Left Bank of the Wind River through Sections 2 and 3.....	Page 55
Dependent Res., Combined Original (1908) and 1914 Meanders of the Right Bank of the Wind River through Sections 2 and 3.....	Page 61
Survey of the Meanders of the 2016 Right Bank of the Wind River through Sections 2 and 3	Page 67
Survey of the Meanders and Informative Traverse of the 2016 Left Bank of Of the Wind River through Sections 2 and 3.....	Page 70
Survey of the Left and Right Banks and Medial Lines of the Abandoned Channels of the Wind River, in Sections 2 and 3, T.1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,.....	Page 73
Survey of Certain Division of Accretion Lines.....	Page 101
Survey of Certain Partition Lines.....	Page 102

T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>The following field notes are those of the dependent resurvey of a portion of Wind River Base Line, through Range 4 East, a portion of the subdivisional lines, a portion of the subdivision of sections 2 and 3, the adjusted original and 1914 meanders of the left and right banks of the Wind River through sections 2 and 3, the combined adjusted original (1905) and 1914 meanders of the left bank of the Wind River through sections 2 and 3, the combined adjusted original (1908) and 1914 meanders of the right bank of the Wind River through sections 2 and 3, and the survey of the meanders of the 2016 left and right banks of the Wind River and informative traverses through sections 2 and 3, the left and right banks and medial lines of the abandoned channels of the Wind River in sections 2 and 3, (and section 34, T. 1 N., R. 4 E.), and certain division of accretion and partition lines, Township 1 South, Range 4 East, Wind River Meridian, Wyoming.</p> <p>The history of surveys pertaining to this resurvey is as follows:</p> <p>1875 – James W. Miller surveyed the Wind River Base Line (north boundary) and a portion of the subdivisional lines and subdivided certain sections (utilizing the three-mile method of subdivision) T. 1 S., R. 4 E., as shown on the plats approved December 28, 1875. (Note: The Wind River was not meandered during this survey.)</p> <p>1905 – Newell J. Burnham and William S. Adams, U.S. Deputy Surveyors, under Contract No. 301, dated May 1, 1905, executed the completion survey of the subdivisional lines, as shown on the plat approved April 14, 1906.</p> <p>1905 – William S. Adams, U.S. Deputy Surveyor, under Contract No. 301, dated May 1, 1905, retraced a portion of the north boundary and a portion of the subdivisional lines, and surveyed the meanders of the left bank of the Big Wind River (Wind River) and the meanders of the right bank of the Big Popo-Agie River (Little Wind River), as shown on the plat approved May 24, 1906. (Note: This was the original survey of the meanders of the left bank of the Wind River.)</p> <p>1906 – Supplemental Plat No. 2 exhibiting the segregation of approved Indian Allotments in certain sections, dated July 11, 1906.</p> <p>1908 – William S. Adams, U. S. Deputy Surveyor, under contract No. 332, dated January 3, 1908 retraced a portion of the north boundary and a portion of the subdivisional lines, and surveyed the meanders of the right bank of the Big Wind River (Wind River) and the meanders of the left bank of the Popo Agie River (Little Wind River), as shown on the plats approved April 17, 1909.</p>
----------------------	--

T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains

(Note: This was the original survey of the meanders of the right bank of the Wind River.)

1914 – Robert A. Farmer, U.S. Deputy Surveyor, and Frederick C. Miller, U.S. Transitman, under instructions dated May 28, 1913 and June 6, 1914, resurveyed portions of the north boundary and subdivisional lines, and re-meandered portions of the left and right banks of the Wind River and the left and right banks of the Popo Agie River (Little Wind River), and subdivided certain sections, as shown on the plat approved March 8, 1917.

1925 – Supplemental Plat No. 7 prepared in compliance with instructions from the Commissioner of the General Land Office, in order to give proper designation and area to Indian Allotment No. 1631 and for the purpose of reinstating the subdivisions in section 3, approved April 18, 1925.

1975-83 – Santiago T. Chavez, Cadastral Surveyor, under Group No. 376, dated September 2, 1975 and June 14, 1979, resurveyed a portion of the subdivisional lines and a portion of the meander lines, and surveyed the subdivision of certain sections, T. 1 S., R. 4 E., as shown on the plats accepted September 20, 1985.

1993 – Thomas E. Casinger, Cadastral Surveyor, under Group No. 579, dated July 8, 1993, resurveyed a portion of the subdivision of section 2, and a portion of the 1914 meanders of the right bank of the Wind River, and executed the metes and bounds survey of Lot 18, section 2, T. 1 S., R. 4 E., as shown on the plat accepted April 4, 1997.

2008 – Joel T. Ebner, Cadastral Surveyor, under Group No. 787, dated May 28, 2008, resurveyed a portion of the subdivisional lines during the dependent resurvey, subdivision of section, and metes and bounds survey of sections 10 and 11, as shown on the plat accepted July 27, 2009.

Numerous local surveys have been conducted in and around Townships 1 North and 1 South, Range 4 East. Acceptance or rejection of monuments set during those surveys is detailed herein.

Prior to the survey, pertinent survey records were obtained from the Fremont County Office of the Clerk and Recorder in Lander, Wyoming.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 2009, and the special instructions for Group No. 962, Wyoming, dated August 25, 2016, and the supplemental special instructions dated May 16, 2017.

T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains

NOTE: A detailed explanation of the methodology used to re-establish corners along the Wind River Base Line is located in Group File.

NOTE: The 1905, 1908, and 1914 meanders have been adjusted as part of the dependent resurvey process and are reported herein. To aide in clarity of the accompanying survey plats, many segments of these meanders will not be shown on the plats. This effort reduces linework on the plats to mitigate confusion, and plats only those meander segments that are needed to apportion accretion, calculate acreage remaining from the limits of erosion, or otherwise forms a boundary to a subject land description. The relevant meander segments will be combined, shown as a continuous meander line on the plat, and reported herein.

NOTE: Flood events occurred between the start date and completion dates of this survey. Those flood events significantly affected some meander lines as located in 2016. As instructed in a letter from the Regional Director of the Bureau of Indian Affairs (BIA), received at the BLM-WY State Office on September 25, 2017, this survey reflects the conditions that existed in the fall of 2016. Several corner positions relative to the 2016 survey have become inaccessible due to river movement. Those now inaccessible 2016 positions are called out in the following notes as “not monumented” and reference is made to this note.

Preliminary to the resurvey, the lines of the previous surveys were retraced and diligent search was made for all corners and other calls of the field note record. Identified corners were remonumented in their original positions. Lost corners were reestablished and monumented at proportionate positions based on the latest official record, but only after exhausting every possibility of finding direct evidence of such corners. The retracement data were thoroughly verified and only true line field notes are given herein, which refer to the completed survey.

Certain topography calls were determined by the method of photo mapping from 2015 aerial photography reconciled to measured ground points.

The direction and length of all lines were determined by TRIMBLE Model R8M3 Global Positioning System/Global Navigation Satellite Systems (GPS/GNSS) receivers. Cadastral project control and corner measurements determined during the GPS/GNSS survey achieve the accuracy standards stated in *Standards for the Positional Accuracy of Cadastral Surveys When Using Global Navigation Satellite Systems (GNSS)*, dated February 23, 2009. The directions of all lines refer to the true meridian and are reported as mean bearings as determined by GPS/GNSS observations. All reported positions are referenced to the NAD 83(2011) (EPOCH: 2010) datum. The distances are

T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>reported as horizontal measurements at a mean ground elevation of 4930.00 ft. above the ellipsoid.</p> <p>The National Geodetic Survey Online Positioning User Service (OPUS) – Static was used to determine the coordinates of the following BLM GPS Control Point:</p> <table data-bbox="495 580 1365 655"> <thead> <tr> <th>Name</th> <th>Latitude</th> <th>Longitude</th> <th>HAE</th> </tr> </thead> <tbody> <tr> <td>CP 1072</td> <td>43° 00' 23.817" N.</td> <td>108° 22' 39.148" W.</td> <td>4873.00 sft.</td> </tr> </tbody> </table> <p>Documentation of the determined position is contained in the group file.</p> <p>The geographic position of the standard cor. of secs. 1, 2, 35 and 36, determined by Global Positioning Methods, is:</p> <p>Latitude 43° 00' 44.339" N., Longitude 108° 21' 39.028" W.</p> <p>The geographic position of the standard 1/4 sec. cor. of secs. 5 and 32, determined by Global Positioning Methods, is:</p> <p>Latitude 43° 00' 44.060" N., Longitude 108° 25' 47.561" W.</p> <p>The mean magnetic declination, as computed by the National Centers for Environmental Information (NCEI) declination calculator, is 10¾° E.</p>	Name	Latitude	Longitude	HAE	CP 1072	43° 00' 23.817" N.	108° 22' 39.148" W.	4873.00 sft.
Name	Latitude	Longitude	HAE						
CP 1072	43° 00' 23.817" N.	108° 22' 39.148" W.	4873.00 sft.						

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains									
	<p style="text-align: center;">(Restoring the survey executed by James W. Miller in 1875, the retracements executed by William S. Adams in 1905 and 1908, and the resurvey executed by R. A. Farmer and F. C. Miller in 1914)</p> <hr style="width: 20%; margin: auto;"/> <p>Beginning at the standard cor. of secs. 1, 2, 35 and 36, monumented by Paul E. Radasch, Wyoming Professional Land Surveyor, Registration No. 579, with a steel reinforcement rod, 5/8 in. diam., firmly set projecting 6 ins. above the ground, steel fence post nearby, with aluminum cap mkd. WRE 1, 2, 35, 36, 579. A Corner Record filed in the Fremont County Clerk's Office states the position is "on top of the existing brass cap which was 18 ins. deep" and therefore is accepted as a careful and faithful perpetuation of the original cor. position. Not remonumented.</p> <p>S. 89° 37' W., bet. secs. 2 and 35, on the Wind River Base Line.</p> <p>Over nearly level terrain.</p>								
20.08	<p>The standard E. 1/16 sec. cor. of secs. 2 and 35, monumented with an Indian Allotment iron post, 2 ins. diam., firmly set, projecting 10 ins. above the ground, with brass cap inscribed INDIAN ALLOTMENT and mkd.</p> <table style="margin: 10px auto; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">SC</td> </tr> <tr> <td style="text-align: center; border-right: 1px solid black;">E1/16</td> <td style="text-align: center;">S 35</td> </tr> <tr> <td style="text-align: center; border-right: 1px solid black; border-top: 1px solid black;">A240</td> <td style="text-align: center; border-top: 1px solid black;">S 2</td> </tr> <tr> <td style="text-align: center;">GLO 1914</td> <td></td> </tr> </table> <p>Cor. is located 1 lk. N. from the intersection of 5 strand barbed wire fences extending N., S. and W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89° 38' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>	SC		E1/16	S 35	A240	S 2	GLO 1914	
SC									
E1/16	S 35								
A240	S 2								
GLO 1914									
20.04	<p>The standard 1/4 sec. cor. of secs. 2 and 35, monumented with an iron post, 1 in. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd.</p>								

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<div style="text-align: center;"> <p>SC S 35 1/4 ——— S 2 1914 (other mks. illegible)</p> <p>Cor. is located 1 lk. S. from the intersection of 5 strand barbed wire fences extending S. and E. with mesh wire fence extending W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89° 45' W., beginning new measurement.</p> <p>Over nearly level terrain.</p> </div>
20.10	<p>The standard W. 1/16 sec. cor. of secs. 2 and 35, monumented with an Indian Allotment iron post, 2 ins. diam., firmly set, projecting 2 ins. above the ground, with brass cap inscribed INDIAN ALLOTMENT and mkd.</p> <div style="text-align: center;"> <p>SC W1/16 S 35 ——— S 2 1914 (other mks. illegible)</p> </div> <p>Cor. is located approximately 5 lks. W. of a chain link fence extending N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89° 57' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
20.05	<p>The standard cor. of secs. 2, 3, 34 and 35, monumented by Richard D. Inberg, Wyoming Professional Land Surveyor, Registration No. 488, with a steel reinforcement rod, 5/8 in. diam., 18 ins. long, firmly set 12 ins. below the surface of the ground, with corroded aluminum cap, illegibly marked. This position is filed in the Fremont County Clerk's Office, is harmoniously related to existing original corners and is accepted as the best available evidence of the original cor. position.</p> <p>At the corner point</p>

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains																						
	<p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 8 ins. below the surface of the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td></td><td>SC</td><td></td></tr> <tr><td></td><td>T1N</td><td>R4E</td></tr> <tr><td>S 34</td><td> </td><td>S 35</td></tr> <tr><td colspan="3"><hr/></td></tr> <tr><td>S 3</td><td> </td><td>S 2</td></tr> <tr><td></td><td>T1S</td><td></td></tr> <tr><td></td><td>2017</td><td></td></tr> </table> </div> <p>Cor. is located in the westerly edge of a gravel surfaced road, bears N. an S.</p> <hr/> <p>S. 89° 57' W., bet. secs. 3 and 34, on the Wind River Base Line.</p> <p>Over nearly level terrain.</p>		SC			T1N	R4E	S 34		S 35	<hr/>			S 3		S 2		T1S			2017	
	SC																					
	T1N	R4E																				
S 34		S 35																				
<hr/>																						
S 3		S 2																				
	T1S																					
	2017																					
0.61	<p>A steel reinforcement rod, 5/8 in. diam., firmly set, flush with the surface of the ground, with aluminum cap mkd. IME WC 40 PLS 5134. The witness cor. to the standard cor. of secs. 2, 3, 34 and 35, established by Randall S. Stelzner, Wyoming Professional Land Surveyor, Registration No. 5134.</p>																					
12.15	<p>2016 left bank of the Wind River, bears SE. and NW.</p>																					
14.46	<p>2016 right bank of the Wind River, bears SE. and NW.</p>																					
19.97	<p>The standard E. 1/16 sec. cor. of secs. 3 and 34, monumented with an Indian Allotment iron post, 2 ins. diam., firmly set, projecting 6 ins. above the ground, with brass cap inscribed INDIAN ALLOTMENT and mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td></td><td>SC</td><td></td></tr> <tr><td>A236</td><td> </td><td>S 34</td></tr> <tr><td>E1/16</td><td> </td><td>S 3</td></tr> <tr><td colspan="3"><hr/></td></tr> <tr><td></td><td>1914</td><td></td></tr> </table> </div> <p>Cor. is located in willow brush in the Wind River flood plain.</p> <hr/> <p>S. 89° 41' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>		SC		A236		S 34	E1/16		S 3	<hr/>				1914							
	SC																					
A236		S 34																				
E1/16		S 3																				
<hr/>																						
	1914																					

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
11.01	Point for Angle Point No. 104, at the intersection with a former left bank of the Wind River, abandoned prior to 1949. Point not monumented.
14.74	<p>Point for Angle Point No. 127, at the intersection with the medial line of a former channel of the Wind River, abandoned prior to 1949.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 23 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <pre> T1N R4E S 34 ----- AP 127 \ S 3 T1S 2017 2021 </pre> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located on nearly level terrain, in cottonwood and willow brush.</p>
16.51	Point for Angle Point No. 63, at the intersection with the right bank of the 2011 abandoned channel of the Wind River. Point not monumented.
17.50	Point for Angle Point No. 88, at the intersection with the medial line of the 2011 abandoned channel of the Wind River. Point not monumented.
18.50	Point for Angle Point No. 75, at the intersection with the left bank of the 2011 abandoned channel of the Wind River, identical with the right bank of a channel of the Wind River abandoned prior to 1949. Point not monumented.
19.38	Point for the 1914 witness cor. to the standard 1/4 sec. cor. of secs. 3 and 34, identical with the 1914 meander cor. of secs. 3 and 34, on the former left bank of the Wind River, at proportionate distance; there is no remaining evidence of the 1914 cor. Point not monumented.
19.98	Point for the standard 1/4 sec. cor. of secs. 3 and 34, at proportionate distance between the standard E. 1/16 sec. cor. of secs. 3 and 34 and the point for the standard W. 1/16 sec. cor. of secs. 3 and 34 identical with the 1914 meander cor. of secs. 3 and 34, on the former left bank of the Wind River, utilizing the 1917 record; there is no remaining evidence of the original cor.

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 27 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <p style="text-align: center;">SC T1N R4E S 34 1/4 ——— S 3 T1S 2017 2021</p>
	Set a steel fence post nearby.
27.86	Point for Angle Point No. 64, at the intersection with the left bank of the 2011 abandoned channel of the Wind River. Point not monumented.
30.84	Point for Angle Point No. 76, at the intersection with the medial line of the 2011 abandoned channel of the Wind River. Point not monumented.
33.84	Point for Angle Point No. 49, at the intersection with the right bank of the 2011 abandoned channel of the Wind River. Point not monumented.
39.96	Point for the standard W. 1/16 sec. cor. of secs. 3 and 34, identical with the 1914 meander cor. of secs. 3 and 34, on the former left bank of the Wind River, reestablished by the method of irregular boundary adjustment between the standard E. 1/16 sec. cor. of secs. 3 and 34 and the standard 1/4 sec. cor. of secs. 5 and 32 based on the official records of the 1905, 1908, and 1914 surveys; there is no remaining evidence of the original cor. This method of restoration was determined to be most applicable to reestablish the original cor. position. Point falls in a 2017 flood channel of the Wind River and is not monumented. (See NOTE on page 3)
	—————
	N. 89° 55' W., beginning new measurement.
0.81	Point for the original (1905) meander cor. of secs. 3 and 34, on the 1905 left bank of the Wind River, at proportionate distance between the standard W. 1/16 sec. cor. of secs. 3 and 34 identical with the 1914 meander cor. of secs. 3 and 34 on the former left bank of the Wind River and the 1914 meander cor. of secs. 5 and 32 on the former right bank of the Wind River, utilizing the 1914 record; there is no remaining evidence of the original cor. Point not monumented.

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
1.77	Point for the meander cor., of secs. 3 and 34, on the 2016 right bank of the Wind River. Point falls in a 2017 flood channel of the Wind River and is not monumented. (See NOTE on page 3)
6.64	Point for the E. meander cor. of secs. 3 and 34, on the 2016 left bank of the Wind River, falls on a cut bank where it is impracticable to establish a permanent monument. Point not monumented.
18.26	Point for the W. meander cor. of secs. 3 and 34, on the 2016 left bank of the Wind River, falls on a cut bank where it is impracticable to establish a permanent monument. Point not monumented.
19.67	Point for the standard cor. of secs. 3, 4, 33 and 34, at proportionate distance between the standard W. 1/16 sec. cor. of secs. 3 and 34 identical with the 1914 meander cor. of secs. 3 and 34 on the former left bank of the Wind River and the 1914 meander cor. of secs. 5 and 32 on the former right bank of the Wind River, utilizing the 1914 record, falls in the Wind River, there is no remaining evidence of the cor. Point not monumented. Note: This position was not monumented during the original survey but was monumented during the 1908 retracement by William S. Adams. <hr style="width: 30%; margin-left: 0;"/>
	N. 89° 55' W., bet. secs. 4 and 33, on the Wind River Base Line. Over nearly level terrain.
3.21	Point for the E. meander cor. of secs. 4 and 33, on the 2016 right bank of the Wind River, falls in an overflow channel of the Wind River where it is impracticable to establish a permanent monument. Point not monumented.
15.41	Point for the original (1908) E. meander cor. of secs. 4 and 33, on the former right bank of the Wind River, identical with the 1914 meander cor. of secs. 4 and 33, on the former right bank of the Wind River, at proportionate distance between the standard W. 1/16 sec. cor. of secs. 3 and 34 identical with the 1914 meander cor. of secs. 3 and 34, on the former left bank of the Wind River and the 1914 meander cor. of secs. 5 and 32, on the former right bank of the Wind River, utilizing the 1914 record; there is no remaining evidence of the original cor. Point not monumented. <hr style="width: 30%; margin-left: 0;"/>
	N. 89° 55' W., beginning new measurement.

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
4.74	Point for the standard E. 1/16 sec. cor. of secs. 4 and 33, determined longitudinally at the 1917 record dist. from the 1908 E. meander cor. of secs. 4 and 33, identical with the 1914 meander of secs. 4 and 33 on the former right bank of the Wind River and latitudinally on line between controlling corners, falls in the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be most applicable to reestablish the original cor. position. Point not monumented.
18.68	Point for the original (1908) W. meander cor. of secs. 4 and 33, on the former right bank of the Wind River, at proportionate distance between the standard W. 1/16 sec. cor. of secs. 3 and 34 identical with the 1914 meander cor. of secs. 3 and 34, on the former left bank of the Wind River and the 1914 meander cor. of secs. 5 and 32 on the former right bank of the Wind River, utilizing the 1917 record, falls in the 2016 channel of the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be most applicable to reestablish the original cor. position. Point not monumented.
18.91	Point for the 1914 meander cor. of secs. 4 and 33, of the former right bank of the Wind River, determined longitudinally at the 1917 record dist. from the 1908 E. meander cor. of secs. 4 and 33, identical with the 1914 meander of secs. 4 and 33 on the former right bank of the Wind River and latitudinally on line between controlling corners; there is no remaining evidence of the original cor. This method of restoration was determined to be most applicable to reestablish the original cor. position. Point not monumented.


	N. 89° 55' W., beginning new measurement.
45.79	Point for the standard cor. of secs. 4, 5, 32 and 33, at proportionate distance between the standard W. 1/16 sec. cor. of secs. 3 and 34 and the standard 1/4 sec. cor. of secs. 5 and 32; falls in the Wind River; there is no remaining evidence of the 1908 cor. Point not monumented.

	N. 89° 55' W., bet. secs. 5 and 32, on the Wind River Base Line.
33.85	Point for the 1914 meander cor. of secs. 5 and 32, on the right bank of the Wind River, reestablished by the method of irregular boundary adjustment between the standard E. 1/16 sec. cor. of secs. 3 and 34 and the standard 1/4 sec. cor. of secs. 5 and 32 based on the official records of the 1905, 1908, and 1914 surveys; there is no remaining evidence of the original cor. This

Dependent Resurvey of a Portion of the Wind River Base Line,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p> <p>6.00</p>	<p>method of restoration was determined to be most applicable to reestablish the original cor. position. Point not monumented.</p> <hr/> <p>S. 89° 59' W., beginning new measurement.</p> <p>The standard 1/4 sec. cor. of secs. 5 and 32, monumented with a concrete filled iron post, 1 in. diam., 32 ins. long, firmly set 29 ins. in the ground, with brass cap broken off and missing.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 27 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <p style="text-align: center;"> SC T1N R4E S 32 1/4 ——— S 5 T1S 2017 </p> <p>Bury the iron post alongside the stainless steel post and set a steel fence post nearby.</p> <p>Cor. is located approximately 71 lks. N. of a 4 strand barbed wire fence extending SE. and NW.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of a Portion of the Subdivisional Lines, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr/> <p style="text-align: center;">(Restoring the survey executed by James W. Miller in 1875, the retracements executed by William S. Adams in 1905 and 1908, and the resurvey executed by R. A. Farmer and F. C. Miller in 1914)</p> <hr/> <p>From the 1/4 sec. cor. of secs. 1 and 2, monumented with an iron post, 1 in. diam., firmly set, 18 ins. below the surface of the ground, steel fence post nearby, with brass cap mkd.</p>
----------------------------------	--

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p style="text-align: center;">1/4 S 2 S 1 1914</p>
	<p>Cor. is located on nearly level terrain, in thick willow brush.</p> <p>N. 0° 42' W., bet. secs. 1 and 2.</p> <p>Over nearly level terrain.</p>
13.81	<p>Point selected for the witness cor. to the N. 1/16 sec. cor. of secs. 1 and 2, identical with the 1914 meander cor. of secs. 1 and 2, on the 1914 former right bank of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p>
	<p style="text-align: center;">WC T1S R4E MC  2017</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level, brushy terrain.</p>
13.96	<p>2017 right bank of the Wind River (See NOTE on page 3).</p>
20.03	<p>The N. 1/16 sec. cor. of secs. 1 and 2, identical with the 1914 meander cor. of secs. 1 and 2, on the former right bank of the Wind River, monumented with an iron post, 1 in. diam., firmly set, 2 ins. below the surface of the ground, with brass cap mkd.</p> <p style="text-align: center;">1/16 MC ----- S 2 S 1 1914</p> <p>Set a steel fence post nearby.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>Cor. is located on nearly level terrain.</p> <p>Note: This position was located during the 2016 field survey, it has since been obliterated by river movement and is now located in the Wind River. As described above, at 13.81 chs. on this line, a witness corner was established for this corner in 2017.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0° 43' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
0.14	<p>Point for the original (1908) meander cor. of secs. 1 and 2, on the former right bank of the Wind River, determined latitudinally at the 1905 and 1908 record proportionate distance between the 1/4 sec. cor. of secs. 1 and 2 and the standard cor. of secs. 1, 2, 35 and 36, and longitudinally on line between the (1914) N1/16 sec. cor., identical with the (1914) meander cor. on the former right bank of the Wind River and the meander cor. of secs. 1 and 2, on the former left bank of the Wind River, falls in the 2016 channel of the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be most applicable to reestablish the original cor. position. Point not monumented.</p>
1.88	<p>Point for the meander cor. of secs. 1 and 2, on the 2016 right bank of the Wind River.</p> <p>Point falls in a 2017 flood channel of the Wind River and is not monumented. (See NOTE on page 3)</p>
3.57	<p>Point for the original (1905)/1914 meander cor. of secs. 1 and 2, on the former left bank of the Wind River, determined at the 1914 record bearing and distance from the standard cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., falls in the 2016 channel of the Wind River. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0° 16' E., beginning new measurement.</p>
5.44	<p>Point for the meander cor. of secs. 1 and 2, on the 2016 left bank of the Wind River. Point not monumented.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
16.43	<p>The standard cor. of secs. 1, 2, 35 and 36.</p> <hr/> <p>From the true point for the cor. of secs. 2, 3, 10 and 11, in the 2016 channel of the Little Wind River, determined at record bearing and distance from the witness cor.</p> <p style="text-align: center;">A stainless steel post, 2½ ins. diam., as described in the official record of the 2008 dependent resurvey, executed under Group No. 787, bears S. 89° 47' W., 0.94 chs. dist.</p> <p>N. 0° 04' W., bet. secs. 2 and 3.</p>
19.95	Point for the S. 1/16 sec. cor. of secs. 2 and 3, at proportionate distance; there is no remaining evidence of the original cor. or of private monuments for this corner recorded in the Fremont County Clerk's Office. Point not monumented.
37.72	Intersection with the right bank of a former channel of the Wind River, abandoned prior to 1949.
39.29	Intersection with the medial line of a former channel of the Wind River, abandoned prior to 1949.
39.65	Point for the 1914 meander cor. of secs. 2 and 3, on the former right bank of the Wind River, at proportionate distance, falls in a former channel of the Wind River, abandoned prior to 1949; there is no remaining evidence of the 1914 cor. Point not monumented.
39.90	<p>The 1/4 sec. cor. of secs. 2 and 3, monumented with an iron post, 2½ ins. diam., firmly set, 12 ins. below the surface of the ground, steel fence post nearby, with brass cap mkd.</p> <p style="text-align: center;">T1S R4E 1/4 S 3 S 2 1993</p> <p>This monument is not described in any prior official record. It is attributed to the survey executed by Thomas E. Casinger, Cadastral Surveyor, in 1993, under Group No. 579, Wyoming. Although unable to determine whether</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>Mr. Casinger perpetuated existing evidence or re-established this position, it fits well with adjoining corners in the vicinity and has been utilized and recorded by several licensed land surveyors and is therefore accepted as the best available evidence of the original cor. position.</p> <p>From this point, a position for the 1/4 sec. cor. of secs. 2 and 3, established by person(s) unknown, bears S. 3° 25' E., 13 lks. dist., monumented with a steel reinforcement rod, 5/8 in. diam., firmly set, 18 ins. below the surface of the ground. This position was established using unknown procedures and is not utilized in the course of this resurvey.</p> <p>Note: According to a corner record filed in the Fremont County Clerk's Office Howard M. Johnson, Wyoming Professional Engineer and Land Surveyor, Registration No. 2454, re-established this position in 1980 utilizing a projected bearing and record distances across the E. and W. center line of sec. 2. It is possible Mr. Casinger found and perpetuated Mr. Johnson's position or Mr. Johnson's position was located at the steel reinforcement rod described above. Measurements to evidence along the E. and W. center line of sec. 2 support the supposition that Mr. Casinger's monument is in the same position as the Johnson monument but measurements along the sec. line bet. secs. 2 and 3 were inconclusive to determine at which (if either) of the above positions was Mr. Johnsons.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0° 04' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
1.10	Intersection with the left bank of a former channel of the Wind River, abandoned prior to 1949.
1.27	Point for the original (1908) meander cor. of secs. 2 and 3, on the 1908 right bank of the Wind River, at record distance; there is no remaining evidence of the original cor. Point not monumented.
14.34	Point for Angle Point No. 124, at intersection with a former left bank of the Wind River, abandoned prior to 1949. Point not monumented.
19.15	Intersection with a former left bank of the Wind River, abandoned prior to 1949.
19.81	Point for the N. 1/16 sec. cor. of secs. 2 and 3, determined latitudinally at proportionate distance between the 1/4 sec. cor. of secs. 2 and 3 and the


Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>standard cor. of secs 2, 3, 34 and 35, on the N. bdy. of the Tp., and longitudinally on line between the 1/4 sec. cor. of secs. 2 and 3 and the point for the 1914 meander cor. of secs. 2 and 3, on the former left bank of the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be the most applicable to reestablish the cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 23 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <p style="text-align: center;">T1S R4E N 1/16 S 3 S 2 2021 2017</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located on a gravel bar on a former left bank of the Wind River, abandoned before 1949.</p>
21.53	2016 right bank of the Wind River, bears E. and W.
23.57	<p>Point for the original (1905)/1914 meander cor. of secs. 2 and 3, on the former left bank of the Wind River, determined by the method of irregular boundary adjustment utilizing the 1914 record between the 1/4 sec. cor. of secs. 2 and 3 and the standard cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp.; falls in the 2016 channel of the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 1° 45' W., beginning new measurement.</p>
1.37	Point for the meander cor. of secs. 2 and 3, on the 2016 left bank of the Wind River. Point not monumented.
16.22	<p>The standard cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the 1/4 sec. cor. of secs. 3 and 4, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>1/4 S 4 S 3 1914</p>
	<p>Cor. is located 6 lks. S. of the corner of 5 strand barbed wire fences extending N. and W.</p> <p>N. 0° 07' W., bet. secs. 3 and 4.</p> <p>Over nearly level terrain.</p>
19.95	<p>The N. 1/16 sec. cor. of secs. 3 and 4, monumented with a concrete filled iron post, 1 in. diam., 24 ins. long, firmly set flush with the surface of the ground, with brass cap missing.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <p style="text-align: center;"> T1S R4E N 1/16 S 4 S 3 2017 </p> <p>Deposit the iron post inside the stainless steel post.</p> <p>Cor. is located in a 5 strand barbed wire fence extending N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0° 04' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
12.32	<p>The original (1908) meander cor. of secs. 3 and 4, on the former right bank of the Wind River, identical with the 1914 meander cor. of secs. 3 and 4, on the former right bank of the Wind River, monumented with a concrete filled iron post, 1 in. diam., 24 ins. long, firmly set flush with the surface of the ground, with brass cap missing.</p> <p>At the corner point</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;">  <p>T1S R4E MC S 4 S 3 2017</p> </div> <p>Deposit the iron post inside the stainless steel post and set a steel fence post nearby.</p> <p>Cor. is located approximately 31 lks. E. of a 5 strand barbed wire fence extending N. and S.</p> <hr/> <p>N. 3° 12' W., beginning new measurement.</p> <p>5.58 2016 right bank of the Wind River, bears NW and SE.</p> <p>7.44 The standard cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of a Portion of the Subdivision of Section 2, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr/> <p style="text-align: center;">(Restoring the three-mile method of survey executed by James W. Miller in 1875, the resurvey executed by R. A. Farmer and F. C. Miller in 1914, the resurvey and subdivision of section executed by S. T. Chavez in 1975-83, and the resurvey and metes and bounds survey of Lot 18, sec. 2, executed by Thomas E. Casinger in 1993)</p> <hr/> <p>From the center 1/4 sec. cor. of sec. 2, monumented with an iron post, 1 in. diam., firmly set, flush with the surface of the ground, steel fence post nearby, with brass cap mkd.</p> <div style="text-align: center;"> <p>C 1/4 S 2 1914</p> </div> <p>Cor. is located approximately 34 lks. W. of a 5 strand barbed wire fence extending N. and S.</p>
----------------------	---

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>N. 0° 22' W., on the 1914 record bearing, on the N. and S. center line of sec. 2.</p> <p>Over nearly level terrain.</p>
1.78	<p>Point selected for the witness cor. to the special meander cor. on the N. and S. center line of sec. 2, at intersection with the meanders of the 2016 right bank of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level, brushy terrain, approximately 11 lks. S. of a 3 strand barbed wire fence extending SE. and NW.</p>
2.19	2017 right bank of the Wind River, bears SE. and NW.
3.48	<p>True point for the special meander cor. on the N. and S. center line of sec. 2, at intersection with the meanders of the 2016 right bank of the Wind River.</p> <p>Point falls in a 2017 flood channel of the Wind River and as described above, at 1.78 chs. on this line, a witness corner was established for this corner in 2017. (See NOTE on Page 3)</p>
4.00	Point for the 1993 witness cor. to the 1914 special meander cor. on the right bank of the Wind River. Point falls in the Wind River, not monumented.
6.22	Intersect the meanders of the 2016 left bank of the Wind River.
10.34	Point for the 1914 special meander cor. on the N. and S. center line of sec. 2, on the former right bank of the Wind River, determined at record bearing and distance from the center 1/4 sec. cor. of sec. 2; there is no remaining evidence

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>of the 1914 cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position. Point not monumented.</p>
11.98	<p>Point for the 1908 special meander cor. on the N. and S. center line of sec. 2, on the former right bank of the Wind River, on the projection of the 1914 record bearing to the intersection with the adjusted original (1908) meanders of the right bank. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the standard 1/4 sec. cor. of secs 2 and 35, on the N. bdy. of the Tp. S. 0° 15' E., on the N. and S. center line of sec. 2.</p> <p>Over nearly level terrain.</p>
20.00	<p>Point for the center N. 1/16 sec. cor. of sec. 2, determined latitudinally at (1875) record dist., and longitudinally on line between the standard 1/4 sec. cor. of secs. 2 and 35 and the 1914 special meander cor. on the N. and S. center line of sec. 2, on the former left bank of the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be the most applicable to reestablish the original cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 27 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> T1S R4E C N 1/16 S 2 C 2018 2021 </div> <p>Set an orange carsonite post nearby.</p> <p>Cor. is located 19 lks. S. from the corner of a buck and rail fence extending N. and a beef panel fence extending E.</p>
21.53	<p>The 1914 special meander cor. on the N. and S. center line of sec. 2, on the former left bank of the Wind River, at cor. of fences extending S. and E. This position is accepted as the best available evidence of the 1914 cor. position.</p> <p>At the corner point</p>

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 27 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E C S 2 C SMC 2018</p> </div>
<p>24.81</p>	<p>Set an orange carsonite post nearby.</p> <p>Point for the 1905 special meander cor. on the N. and S. center line of sec. 2, on the former left bank of the Wind River, on a projected bearing through the 1914 special meander cor. on the N. and S. center line of sec. 2, on the former left bank of the Wind River, to the intersection with the adjusted 1905 meanders of the former left bank. Point not monumented.</p> <hr/>
	<p>From the 1/4 sec. cor. of secs. 1 and 2.</p> <p>S. 89° 50' W., on the E. and W. center line of sec. 2.</p> <p>Over nearly level terrain.</p>
<p>19.98</p>	<p>The center E. 1/16 sec. cor. of sec. 2, monumented with an iron post, 1 in. diam., 26 ins. long, firmly set 2 ins. below the surface of the ground, with brass cap missing.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E E 1/16 C ——— C S 2 2017</p> </div> <p>Deposit the iron post inside the stainless steel post and set a steel fence post nearby.</p>


Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>Cor. is located 27 lks. NE. from the intersection of 5 strand barbed wire fences extending NE., S. and W.</p> <hr/> <p>S. 89° 47' W., beginning new measurement.</p> <p>Over nearly level terrain.</p> <p>19.99 The center 1/4 sec. cor. of sec. 2.</p> <hr/> <p>From the center W. 1/16 sec. cor. of sec. 2, monumented with an iron post, 2½ ins. diam., as described in the official record of the 1993 dependent resurvey, executed under Group No. 579, Wyoming.</p> <p>S. 89° 59' W., beginning new measurement.</p> <p>Over nearly level terrain.</p> <p>4.36 Westerly right-of-way fence of Wyoming State Highway No. 135/136, bears S. 40° E. and N. 40° W.</p> <p>4.38 Cor. 1, Lot 18, monumented with an iron post, 2½ in. diam., as described in the official record of the 1993 metes-and-bounds survey, executed under Group No. 579, Wyoming.</p> <p>Cor. is located along the S. side of a 2 strand barbed wire and mesh fence extending E. and W.</p> <hr/> <p>N. 89° 59' W., beginning new measurement.</p> <p>Over nearly level terrain.</p> <p>6.45 Cor. 3, Lot 18, monumented with an iron post, 2½ in. diam., as described in the official record of the 1993 metes-and-bounds survey, executed under Group No. 579, Wyoming.</p> <p>Cor. is located in a 2 strand barbed wire and mesh fence extending E. and W.</p> <hr/> <p>N. 89° 59' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
----------------------	---

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
0.85	Easterly right-of-way fence of Wyoming State Highway No. 789, bears S. 24½ °W. and N. 24½° E.
6.44	Point for Angle Point No. 97 at the intersection with a former right bank of the Wind River, abandoned prior to 1949. Point not monumented.
8.36	Intersection with the medial line of a former channel of the Wind River, abandoned prior to 1949.
8.77	Point for the 1914 special meander cor. on the E. and W. center line of sec. 2, on the former right bank of the Wind River, determined longitudinally at record distance from Cor. 3, lot 18, and longitudinally on line between Cor. 3, lot 18 and the 1/4 sec. cor. of secs. 2 and 3; there is no remaining evidence of the 1914 cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position. Point not monumented.
9.16	<p>The 1/4 sec. cor. of secs. 2 and 3.</p> <hr/> <p>From the center E. 1/16 sec. cor. of sec. 2.</p> <p>N. 0° 37' W., on the N. and S. center line of the NE1/4 of sec. 2.</p> <p>Over nearly level terrain.</p>
9.77	<p>Point for the special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, at intersection with the meanders of the 2016 right bank of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E SMC E / \ S 2 E 2017</p> </div> <p>Set a steel fence post nearby.</p>


Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
10.10	Point for the 1908 special meander cor. of sec. 2, on the N. and S. center line of the NE1/4 of sec. 2, at intersection with the adjusted original (1908) meanders of the right bank of the Wind River. Point not monumented.
10.40	Point for the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, on the former right bank of the Wind River, determined at the 1914 record bearing and distance from the center E. 1/16 sec. cor. of sec. 2, falls in the 2016 channel of the Wind River; there is no remaining evidence of the 1914 cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position. Point not monumented.
	<hr style="width: 20%; margin: 0 auto;"/> <p>From the standard E. 1/16 sec. cor. of secs. 2 and 35, on the N. bdy. of the Tp. S. 0° 02' W., on the N. and S. center line of the NE1/4 of sec. 2.</p> <p>Over nearly level terrain.</p>
20.00	Point for the NE. 1/16 sec. cor. of sec. 2, determined latitudinally at intersection with the E. and W. center line of the N1/2 of sec. 2, and longitudinally on line bet. the standard E. 1/16 sec. cor. of secs. 2 and 35 and the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, on the 1914 left bank of the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be the most applicable to reestablish the original cor. position. Point not monumented.
24.88	The 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, on the former left bank of the Wind River, monumented with an iron post, 2 ins. diam., firmly set, projecting 22 ins. above ground, with brass cap mkd.
	
	Cor. is located in a 5 strand barbed wire fence, extending N. and S.

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	S. 0° 02' W., on a projected bearing, on the N. and S. center line of the NE1/4 of sec. 2, beginning new measurement. Over nearly level terrain.
0.46	Intersection with the adjusted original (1905) meanders of the former left bank of the Wind River. Point not monumented.
	<hr/>
	From the N. 1/16 sec. cor. of secs. 1 and 2, identical with the 1914 meander cor. of sec. 1 and 2, on the 1914 right bank of the Wind River.
	S. 89° 37' W., on the E. and W. center line of the NE1/4 of sec. 2.
	Over nearly level terrain.
2.59	Intersect the meanders of the 2016 right bank of the Wind River.
4.20	Intersect the adjusted original (1905) meanders of the former left bank of the Wind River.
5.11	Intersect the meanders of the 2016 left bank of the Wind River.
14.06	Point for the (1875) meander cor., determined a record distance from the point for the NE. 1/16 sec. cor. of sec. 2. The 1875 survey did not monument this point, no evidence was recovered. Point not monumented.
20.06	The point for the NE. 1/16 sec. cor. of sec. 2.
40.00	The center N. 1/16 sec. cor. of sec. 2.
	<hr/>
	From the center W. 1/16 sec. cor. of sec. 2.
	N. 0° 15' W., on the N. and S. center line of the NW1/4 of sec. 2.
	Over nearly level terrain.
19.91	The NW. 1/16 sec. cor. of sec. 2, monumented with an iron post, 1 in. diam., firmly set, 2 ins. below the surface of the ground, in a collar of stone, steel fence post nearby, with brass cap mkd.


Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<div style="text-align: center; margin-bottom: 10px;"> <p>1/16 S 2 1914</p> </div> <p>Cor. is located in willow brush, on nearly level terrain.</p> <p>From this point, the position for the NW. 1/16 sec. cor. of sec. 2, reestablished by Howard M. Johnson, Wyoming Professional Land Surveyor, Registration No. 2454, monumented with a steel reinforcement rod, 5/8 in. diam., firmly set, flush with the surface of the ground, bears N. 30° 09' W., 4 lks. dist. This position was reestablished without knowledge of the existing 1914 monument and is not utilized during the course of this resurvey.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>N. 0° 15' W., beginning new measurement.</p> <p>Over nearly level terrain.</p> <p>1.31 Point for the 1908 special meander cor. of sec. 2, on the N. and S. center line of the NW1/4 of sec. 2, at intersection with the adjusted original (1908) meanders of the right bank of the Wind River. Point not monumented.</p> <p>4.33 Fence, 3 strand barbed wire, bears SE. and NW.</p> <p>4.60 The 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 2, on the former right bank of the Wind River, monumented with an iron post, 2½ ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px auto;">  <p>SMC W S 2 W 1993</p> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located on nearly level terrain.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>N. 5° 01' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
---------------	---

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
1.80	2016 right bank of the Wind River, bears SE. and NW.
4.11	<p>Point for the 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 2, on the former left bank of the Wind River, identical with the allotment cor. for allotments 235 and 238, determined at the 1914 record bearing and distance from the standard W. 1/16 sec. cor. of secs. 2 and 35, on the N. bdy. of the Tp., falls in the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be the most applicable to reestablish the original cor. position. Point not monumented.</p> <hr/> <p>North, beginning new measurement.</p>
0.32	2016 left bank of the Wind River, bears SE. and NW.
11.20	<p>The standard W. 1/16 sec. cor. of secs. 2 and 35, on the N. bdy. of the Tp.</p> <hr/> <p>From the center N. 1/16 sec. cor. of sec. 2.</p> <p>N. 89° 58' W., on the on the E. and W. center line of the NW1/4 of sec. 2.</p> <p>Over nearly level terrain.</p>
2.51	<p>Point for the special meander cor. on the E. and W. center line of sec. 2, at intersection with the adjusted 1914 left bank meanders of a former channel of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 27 ins. in the ground, atop a plastic encased magnetic marker, in a collar of stone, with brass cap mkd.</p> <div data-bbox="862 1555 1105 1747" style="text-align: center;"> <p>T1S R4E Lot 3 SMC S 2 Lot 17 2018 2021</p> </div> <p>Set an orange carsonite post nearby.</p> <p>Cor. is located in nearly level, grassy terrain.</p>

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
9.78	Point for the 1905 special meander cor. on the E. and W. center line of the NW1/4 of sec. 2, on the former left bank of the Wind River. Point not monumented.
11.36	<p>Point for the special meander cor. of sec. 2, at intersection with the 2016 meanders of the left bank of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 23 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p>
	<p style="text-align: center;">T1S R4E</p> 
	Set an orange carsonite post nearby.
14.00	Point for the (1875) special meander cor., determined a record distance from the center N. 1/16 sec. cor. of sec. 2. The 1875 survey did not monument this point, no evidence was recovered. Point not monumented.
14.17	Point for the special meander cor. of sec. 2, at intersection with the 2016 meanders of the right bank of the Wind River. Point falls in a 2017 flood channel of the Wind River. Point not monumented. (See NOTE on Page 3)
14.93	Point for the 1908 special meander cor. on the E. and W. center line of sec. 2, at intersection with the adjusted original (1908) meanders of the right bank of the Wind River. Point not monumented.
19.81	<p>The NW. 1/16 sec. cor. of sec. 2.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89° 43' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
5.86	Wyoming State Highway No. 789, bears N. 9° E. and S. 9° W.
7.44	From this point, intersection of fences extending N. 17° E., S. 12° W. and N. 84° W., bears SOUTH, 80 lks. dist.

Dependent Resurvey of a Portion of the Subdivision of Section 2,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
9.83	Intersect the northerly side of a building, approximately 20 x 47 ft., the NE. corner bears S. 85° E., 0.26 lks. dist., long side bears N. 85° W.
11.40	Intersect the E. side of a building, approximately 14 x 67 ft., the NE. corner bears N. 4° E., 8 lks dist., long side bears N. 87° W.
13.13	From this point, end of fence extending S. 84° E., bears SOUTH, 17 lks. dist.
14.97	Intersect the adjusted 1914 meanders of a former right bank of the Wind River.
16.89	Point for Angle Point No. 102, at the intersection with a former right bank of the Wind River, abandoned prior to 1949. Point not monumented.
18.32	Point for angle Point No. 152, at the intersection of the medial line of a former channel of the Wind River, abandoned prior to 1949. Point not monumented.
19.75	Point for Angle Point No. 126, at the intersection with a former left bank of the Wind River, abandoned prior to 1949. Point not monumented.
19.94	The N. 1/16 sec. cor. of secs. 2 and 3.
<hr/> <p>Dependent Resurvey of a Portion of the Subdivision of Section 3, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr/>	
<p>(Restoring the three-mile method survey executed by James W. Miller in 1875, and the resurvey executed by R.A. Farmer and F.C. Miller in 1914)</p> <hr/>	
<p>From the center 1/4 sec. cor. of sec. 3, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above the ground, with brass cap mkd.</p>	
<p>C 1/4 S 3 1918</p>	
<p>Cor. is located 2 lks. S. of a 5 strand barbed wire fence extending E. and W., and 68 lks. WSW. from the intersection of 5 strand barbed wire fences extending E., S. and W.</p>	



Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>N. 0° 13' W., on the N. and S. center line of sec. 3.</p> <p>Over nearly level terrain.</p>
2.45	Trail road along the top of a flood control dike, bears E. and W.
2.90	Irrigation canal, course E.
19.92	<p>Point for the center N. 1/16 sec. cor. of sec. 3, determined longitudinally on the 1914 record bearing from the center 1/4 sec. cor. of sec. 3 and latitudinally on a line between the NW. 1/16 sec. cor. of sec. 3 and the N. 1/16 sec. cor. of secs. 2 and 3; there is no remaining evidence of the original cor. This method of restoration was determined to be the most applicable to reestablish the cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E C N1/16 S 3 C 2017 2021</p> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located on the westerly bank of an overflow channel of the Wind River, drains S.</p> <p>From this point, a position for the center N. 1/16 sec. cor. of sec. 3, attributed to Harold O'Malley, Wyoming Professional Engineer and Land Surveyor, Registration No. 468, bears N. 72° 51' W., 26 lks. dist., monumented with a steel reinforcement rod, 5/8 in. diam., firmly set, 8 ins. below the surface of the ground. This position was reestablished using unknown procedures and is not utilized in the course of this resurvey.</p>
20.54	Point for the 1914 special meander cor. of sec. 3, on the former the right bank of the Wind River, determined at the 1914 record bearing and distance from the center 1/4 sec. cor. of sec. 3; there is no remaining evidence of the 1914 cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position.

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E SMC C S 3 C 2017</p> </div> <p>Set steel fence post nearby.</p> <p>Cor. is located in dense brush on the westerly bank of an overflow channel of the Wind River, drains S.</p> <p>22.66 Point for the 1908 special meander cor. on the N. and S. center line of sec. 3, on the former right bank of the Wind River, on the projection of the 1914 record bearing to the intersection with the adjusted original (1908) meanders of the right bank. Point not monumented.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 2 and 3.</p> <p>S. 89° 58' W., on the E. and W. center line of sec. 3.</p> <p>Over nearly level terrain.</p> <p>1.22 Point for Angle Point No. 119, at intersection with a former left bank of the Wind River, abandoned prior to 1949.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E S AP 119 C / C 3 2017</p> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level, brushy terrain.</p>
----------------------	--

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
7.26	<p>Point for Angle Point No. 116, at intersection with a former left bank of the Wind River, abandoned prior to 1949.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in thick willow brush.</p>
9.80	<p>Point for Angle Point No. 140, at intersection with the medial line of a former channel of the Wind River, abandoned prior to 1949.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 27 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in thick willow brush.</p>
11.19	<p>Point for Angle Point No. 91 at intersection with a former right bank of the Wind River, abandoned prior to 1949.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<div style="text-align: center;"> <p>T1S R4E S AP 91 C ————— C 3 2017</p> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in thick willow brush.</p>
18.52	<p>Point for the 1914 special meander cor. on the E. and W. center line of sec. 3, on the former right bank of the Wind River, determined longitudinally at the 1914 record distance from the reestablished center E. 1/16 sec. cor. of sec. 3, and latitudinally on line between the 1/4 sec. cor. of secs. 2 and 3 and the center 1/4 sec. cor. of sec. 3; there is no remaining evidence of the 1914 cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E S SMC C ————— C 3 2017</p> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level brush covered terrain.</p>
19.89	<p>Point for the center E. 1/16 sec. cor. of sec. 3, at proportionate distance; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E E 1/16 C ————— C S 3 2017</p> </div> <p>Set a steel fence post nearby</p>



Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>Cor. is located in nearly level terrain.</p> <p>From this point, the position for the center E. 1/16 sec. cor. of sec. 3, reestablished by Harold O'Malley, Wyoming Professional Engineer and Land Surveyor, Registration No. 468, bears S. 5° 32' E., 7 lks. dist., monumented with a steel reinforcement rod, 5/8 in. diam., firmly set 6 ins. below the surface of the ground. This position was reestablished using incorrect control to the E. and is not utilized during the course of this resurvey.</p>
20.15	Fence, 2 strand barbed wire, bears NE. and SW.
22.30	Irrigation canal, course SE.
23.05	Trail road along the top of a flood control dike, bears SE. and NW.
39.09	Fence, 5 strand barbed wire, bears N. and S.
39.78	<p>The center 1/4 sec. cor. of sec. 3.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89° 54' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
4.60	Trail road along the top of a flood control dike, bears NE. and SW.
5.40	Irrigation canal, course NE.
9.96	<p>The center E-W 1/64 sec. cor. of sec. 3, monumented by Henry F. Sostrom, Wyoming Professional Land Surveyor, Registration No. 358, with a steel reinforcement rod, 5/8 in. diam., firmly set 2 ins. below the surface of the ground, with aluminum cap missing. This position is filed in the Fremont County Clerk's Office and is accepted as a careful and faithful determination of the cor. position. Corner not remonumented.</p> <p>Cor. is located in a 4 strand barbed wire fence extending E. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89° 53' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
9.96	<p>The center W. 1/16 sec. cor. of sec. 3, monumented with a decaying concrete filled iron post, 1 in. diam., firmly set flush with the surface of the ground, brass cap missing, with a sandstone, 7 x 7 x 5 ins., lying loose alongside, plainly mkd. 35 on a face.</p> <p>At the corner point.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E W 1/16 C ————— C S 3 2017</p> </div> <p>Cor. is located 2 lks. WSW. from the intersection of 4 strand barbed wire fences extending N., S. and E.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89° 49' W., beginning new measurement.</p> <p>Over nearly level terrain.</p>
19.97	<p>The 1/4 sec. cor. of secs. 3 and 4.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the center E. 1/16 sec. cor. of sec 3.</p> <p>N. 0° 13' W, on the N. and S. center line of the NE1/4 of sec. 3.</p> <p>Over nearly level terrain.</p>
1.90	<p>Point for the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the former right bank of the Wind River, determined at record bearing and distance from the reestablished center E. 1/16 sec. cor. of sec. 3; there is no remaining evidence of the 1914 cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., flush with the surface of the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<div style="text-align: center;">  <p>T1SN R4E E SMC S 3 E 2017</p> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located on a sandbar on the N. side of an overflow channel of the Wind River.</p>
12.98	<p>Point for the 1908 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the former right bank of the of the Wind River, on the projection of the 1914 record bearing to the intersection with the adjusted original (1908) meanders of the right bank. Point not monumented.</p> <hr/> <p>From the standard E. 1/16 sec. cor. of secs. 3 and 34, on the N. bdy. of the Tp. S. 0° 22' W., on the N. and S. center line of the NE1/4 of sec. 3.</p> <p>Over nearly level terrain.</p>
16.27	<p>The 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the former left bank of the Wind River, monumented by Harold O'Malley, Wyoming Professional Engineer and Land Surveyor, Registration No. 468, with a steel reinforcement rod, 5/8 in. diam., 24 ins. long, firmly set, 6 ins. below the surface of the ground, with illegible corroded aluminum cap, steel fence post nearby. This position is filed in the Fremont County Clerk's Office and is accepted as a careful and faithful reestablishment of the 1914 cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;">  <p>T1SN R4E E S 3 E SMC 2017</p> </div>

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming


<p>Chains</p>	<p>Deposit the steel reinforcement rod inside the stainless steel post</p> <p>Cor. is located in an abandoned overflow channel on the southerly edge of a trail road extending SE. and NW.</p> <hr/> <p>S. 10° 19' E., beginning new measurement.</p> <p>Over nearly level terrain.</p> <p>0.94 Point for the 1905 special meander cor. of sec. 3, on the 1905 left bank of the Wind River, at proportionate distance. Point not monumented.</p> <p>3.71 The NE. 1/16 sec. cor. of sec. 3, hereinafter described.</p> <hr/> <p>From the N. 1/16 sec. cor. of secs. 2 and 3.</p> <p>N. 89° 53' W., on the E. and W. center line of the NE1/4 of sec. 3.</p> <p>Over nearly level terrain.</p> <p>0.95 Intersection with the adjusted original (1905) meanders of the former left bank of the Wind River.</p> <p>13.74 Intersection with the adjusted original (1905) meanders of the former left bank of the Wind River.</p> <p>19.91 Point for the NE. 1/16 sec. cor. of sec. 3, at proportionate distance based on the original 1875 three-mile method survey; there is no remaining evidence of the original cor.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <p style="text-align: center;">T1S R4E NE 1/16 S 3 2021 2017</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, cottonwood and willow brush.</p>
----------------------	--

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
24.94	Intersect the former left bank of the Wind River, abandoned prior to 1949.
27.60	Intersect the medial line of the former channel of the Wind River, abandoned prior to 1949.
29.68	Intersect the former right bank of the Wind River, abandoned prior to 1949.
39.16	Intersect the adjusted 1914 meanders of the right bank of the Wind River.
39.82	The center N. 1/16 sec. cor. of sec. 3.

	From the center W. 1/16 sec. cor. of sec. 3.
	N. 0° 13 'W., on the N. and S. center line of the NW1/4 of sec. 3.
	Over nearly level terrain.
19.05	Point for Angle Point No. 7, at intersection with the limits of erosion on the right bank of the 2011 abandoned channel of the Wind River.
	Set a stainless steel post, 28 ins. long, 2½ ins. diam., 28 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.
	<pre> T1S R4E W AP 7 / S 3 W 2017 </pre>
	Set a steel fence post nearby.
20.00	Point for the NW. 1/16 sec. cor. of sec. 3, determined at the 1914 record bearing and distance from the center W. 1/16 sec. cor. of sec. 3, falls in an abandoned channel of the Wind River; there is no remaining evidence of the original cor. This method of restoration was determined to be the most applicable to reestablish the original cor. position. Point not monumented.
28.06	Point for Angle Point No. 13, at intersection with the limits of erosion on the right bank of the 2011 abandoned channel of the Wind River. Point not monumented.

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
28.80	<p>Point for the 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 3, on the former right bank of the Wind River, determined at the 1914 record bearing and distance from the center W. 1/16 sec. cor. of sec. 3; there is no remaining evidence of the 1914 cor. This method of restoration was determined to be the most applicable to reestablish the 1914 cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E SMC</p>  <p>2017</p> </div> <p>Set a steel fence post nearby.</p> <p>Cor. is located on nearly level terrain and willow brush.</p>
28.88	<p>Point for the 1908 special meander cor. on the N. and S. center line of the NW1/4 of sec. 3, on the former right bank of the of the Wind River, on the projection of the 1914 record bearing to the intersection with the adjusted original (1908) meanders of the right bank. Point not monumented.</p> <hr/> <p>From the center N. 1/16 sec. cor. of sec. 3.</p> <p>N. 89° 53' W., on the E. and W. center line of the NW1/4 of sec. 3.</p> <p>Over nearly level terrain.</p>
9.96	<p>Point for the center E-NW 1/64 sec. cor. of sec. 3. Point not monumented.</p>
19.18	<p>Point for Angle Point No. 9, at intersection with the limits of erosion on the right bank of the 2011 abandoned channel of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 28 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p>

Dependent Resurvey of a Portion of the Subdivision of Section 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<div style="text-align: center;"> <p>T1S R4E AP 9 N ——— N 3 2017 2021</p> </div> <p>Set a steel fence post nearby.</p>
19.92	<p>Point for the NW. 1/16 sec. cor. of sec. 3.</p> <hr/> <p>S. 89° 40' W., beginning new measurement.</p> <p>Over gently rolling terrain.</p>
7.27	<p>Point for Angle Point No. 5, at intersection with the limits of erosion on the right bank of the 2011 abandoned channel of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 28 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T1S R4E S ——— AP 5 N ——— N 3 2017</p> </div> <p>Set a steel fence post nearby.</p>
19.93	<p>The N. 1/16 sec. cor. of secs. 3 and 4.</p> <hr/> <p>From the center E-W 1/64 sec. cor. of sec. 3.</p> <p>N. 0° 13' W., on the N. and S. center line of the SE/1/4NW1/4 of sec. 3.</p>
19.96	<p>Point for the center E-NW 1/64 sec. cor. of sec. 3.</p> <hr/>

Dependent Resurvey of the Original (1905) Meanders of the Left Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p style="text-align: center;">(Reestablishment of the survey executed by William S. Adams in 1905)</p> <hr style="width: 20%; margin: auto;"/> <p>From the point for the 1905 meander cor. of secs. 3 and 34, on the Wind River Base Line, on the former left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1905 meanders of the former left bank of the Wind River, through sec. 3.</p> <p>S. 29° 18' W., 1.70 chs.</p> <p>S. 37° 26' E., 1.71 chs.</p> <p>S. 71° 19' E., 4.21 chs.</p> <p>S. 76° 33' E., 1.80 chs.</p> <p>S. 89° 46' E., 3.31 chs.</p> <p>N. 77° 00' E., 2.20 chs.</p> <p style="padding-left: 40px;">At 0.31 chs., intersect the 1914 meanders of the left bank of the Wind River.</p> <p>N. 61° 15' E., 8.00 chs.</p> <p>S. 74° 33' E., 7.12 chs.</p> <p style="padding-left: 40px;">At 1.46 chs., intersect the 1914 meanders of the left bank of the Wind River.</p> <p>N. 74° 45' E., 3.90 chs.</p> <p style="padding-left: 40px;">At 1.12 chs., intersect the 1914 meanders of the left bank of the Wind River.</p> <p>S. 68° 04' E., 4.32 chs.</p> <p style="padding-left: 40px;">At 0.47 chs., intersect the 1914 meanders of the left bank of the Wind River.</p>
---------------	---

Dependent Resurvey of the Original (1905) Meanders of the Left Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	S. 16° 21' W., 8.03 chs.
	S. 13° 32' E., 3.62 chs.
	S. 48° 53' E., 2.71 chs.
	S. 76° 18' E., 4.11 chs.
	S. 85° 47' E., 6.11 chs.
	At 3.18 chs., the point for the 1905 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the former left bank of the Wind River, hereinbefore described.
	S. 59° 21' E., 4.42 chs.
	S. 13° 21' W., 4.82 chs.
	At 0.27 chs., intersect the E. and W. center line of the NE1/4 of sec. 3.
	At 2.82 chs., the point for AP No. 111, on the left bank of the 2011 abandoned channel of the Wind River.
	S. 22° 30' E., 5.72 chs.
	S. 46° 24' E., 2.81 chs.
	S. 69° 19' E., 5.72 chs.
	N. 37° 58' E., 5.89 chs.
	N. 4° 07' E., 9.36 chs.
	At 9.02 chs., intersect the E. and W. center line of sec. 3.
	S. 15° 09' E., 3.54 chs.
	At 1.63 chs., intersect the 2016 right bank of the Wind River.
	At end of course, the point for the original (1905)/1914 meander cor. of secs. 2 and 3, on the former left bank of the Wind River.

Dependent Resurvey of the Original (1905) Meanders of the Left Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>From the point for the original (1905)/1914 meander cor. of secs. 2 and 3, on the former left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1905 meanders of the former left bank of the Wind River, through sec. 2.</p> <p>N. 36° 52' E., 2.19 chs.</p> <p style="padding-left: 40px;">At 1.65 chs., intersect the 2016 left bank of the Wind River.</p> <p>N. 38° 53' E., 6.07 chs.</p> <p>N. 88° 21' E., 5.38 chs.</p> <p>S. 89° 53' E., 5.58 chs.</p> <p>S. 57° 47' E., 6.59 chs.</p> <p style="padding-left: 40px;">At 0.80 chs., intersect the 2016 left bank of the Wind River.</p> <p style="padding-left: 40px;">At 2.97 chs., intersect the adjusted 1914 meanders of the left bank of the Wind River.</p> <p>S. 47° 30' E., 8.58 chs.</p> <p>S. 63° 48' E., 13.46 chs.</p> <p style="padding-left: 40px;">At 2.32 chs., the point for the 1905 special meander cor. on the E. and W. center line of the NW1/4 of sec. 2, hereinbefore described.</p> <p style="padding-left: 40px;">At 13.15 chs., the point for the 1905 special mender cor. on the N. and S. center line of sec. 2, hereinbefore described.</p> <p>S. 79° 21' E., 3.09 chs.</p> <p>N. 89° 52' E., 10.26 chs.</p> <p>S. 87° 08' E., 2.69 chs.</p> <p>N. 83° 20' E., 6.97 chs.</p>
---------------	--

Dependent Resurvey of the Original (1905) Meanders of the Left Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p style="text-align: center;">At 3.69 chs., the point for the 1905 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, hereinbefore described.</p> <p>N. 75° 03' E., 6.37 chs.</p> <p>N. 61° 59' E., 7.37 chs.</p> <p style="text-align: center;">At 5.93 chs., intersect the 2016 left bank of the Wind River.</p> <p style="text-align: center;">At 7.28 chs., intersect the E. and W. center line of the NE1/4 of sec. 2.</p> <p>N. 52° 26' E., 4.58 chs.</p> <p>N. 31° 36' E., 0.90 chs.</p> <p>At end of course, point for the original (1905)/1914 meander cor. of secs. 1 and 2, on the former left bank of the Wind River, hereinbefore described.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of the Original (1908) Meanders of the Right Bank of the Wind River, through Sections 2 and 3, T.1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr/> <p style="text-align: center;">(Reestablishment of the survey executed by William S. Adams in 1908)</p> <hr/> <p>From the original (1908) meander cor. of secs. 3 and 4, on the former right bank of the Wind River, identical with the 1914 meander cor. of secs. 3 and 4, on the former right bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1908 meanders of the former right bank of the Wind River, through sec. 3.</p> <p>S. 60° 21' E., 7.28 chs.</p> <p>N. 69° 01' E., 10.01 chs.</p> <p>S. 49° 40' E., 4.99 chs.</p>
---------------	---

Dependent Resurvey of the Original (1908) Meanders of the Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	At 0.60 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.
	S. 81° 44' E., 5.00 chs. At 0.33 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.
	At end of course, the point for the 1908 special meander cor. on the N. and S. center line of the NW1/4 of sec. 3, on the 1908 right bank of the Wind River, hereinbefore described.
	N. 60° 01' E., 7.21 chs.
	S. 51° 25' E., 8.97 chs.
	S. 30° 36' E., 15.94 chs.
	At 3.31 chs., intersect the N. and S. center line of sec. 3.
	At 4.10 chs., point for the 1908 special meander cor. on the N. and S. center line of sec. 3, on the 1908 right bank of the Wind River, hereinbefore described.
	At 9.57 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.
	S. 72° 43' E., 4.49 chs.
	At 4.13 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.
	N. 69° 31' E., 8.61 chs.
	S. 53° 11' E., 7.48 chs.
	At 1.93 chs., point for the 1908 special meander cor. of sec. 3, on the N. and S. center line of the NE1/4 of sec. 3, hereinbefore described.
	S. 32° 21' E., 9.96 chs.
	N. 89° 45' E., 10.16 chs.

Dependent Resurvey of the Original (1908) Meanders of the Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>At end of course, point for the 1908 meander cor. of secs. 2 and 3, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 50%; margin: 10px auto;"/> <p>From the point for the 1908 meander cor. of secs. 2 and 3, on the former right bank of the Wind River.</p> <p>Continue downstream, on the adjusted 1908 meanders of the former right bank of the Wind River, through sec. 2.</p> <p>N. 56° 16' E., 3.49 chs.</p> <p style="padding-left: 40px;">At 3.12 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.</p> <p>N. 8° 27' E., 5.54 chs.</p> <p>N. 12° 29' E., 6.43 chs.</p> <p>N. 4° 42' W., 6.41 chs.</p> <p>N. 77° 30' E., 5.62 chs.</p> <p style="padding-left: 40px;">At 0.58 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.</p> <p>S. 82° 07' E., 13.80 chs.</p> <p style="padding-left: 40px;">At 9.93 chs., point for the 1908 special meander cor. of sec. 2, on the N. and S. center line of the NW1/4 of sec. 2, on the 1908 right bank of the Wind River, hereinbefore described.</p> <p>S. 53° 39' E., 11.13 chs.</p> <p style="padding-left: 40px;">At 1.32 chs., point for the 1908 special meander cor. of sec. 2, on the E. and W. center line of the NW1/4 of sec. 2, on the 1908 right bank of the Wind River, hereinbefore described.</p> <p>S. 73° 41' E., 8.08 chs.</p> <p style="padding-left: 40px;">At 4.97 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.</p>
---------------	---

Dependent Resurvey of the Original (1908) Meanders of the Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>At 7.52 chs., point for the 1908 special meander cor. of sec. 2, on the N. and S. center line of sec. 2, hereinbefore described.</p> <p>S. 30° 12' E., 5.07 chs.</p> <p>N. 75° 30' E., 4.21 chs.</p> <p>S. 78° 54' E., 6.15 chs.</p> <p>At 4.28 chs., intersect the adjusted 1914 meander of the right bank of the Wind River.</p> <p>N. 67° 01' E., 16.02 chs.</p> <p>At 7.33 chs., point for the 1908 special meander cor. on the N. and S. center line of sec. 2, on the 1908 right bank of the Wind River, hereinbefore described.</p> <p>N. 59° 16' E., 11.99 chs.</p> <p>N. 68° 31' E., 1.67 chs.</p> <p>At end of course, the point for the 1908 meander cor. of secs. 1 and 2, on the former right bank of the Wind River, hereinbefore described.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of the 1914 Meanders of the Left Bank of the Wind River, through Sections 2 and 3, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr/> <p style="text-align: center;">(Reestablishment of the resurvey executed by R. A. Farmer and F. C. Miller in 1914)</p> <hr/> <p>From the point for the 1914 meander cor. of secs. 3 and 34, on the Wind River Base Line, on the former left bank of the Wind River, identical with the standard W. 1/16 sec. cor. of secs. 3 and 34.</p> <p>Thence downstream, on the adjusted 1914 meanders of the former left bank of the Wind River, through sec. 3.</p> <p>S. 0° 04' W., 1.41 chs.</p>

Dependent Resurvey of the 1914 Meanders of the Left Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	S. 37° 16' E., 1.71 chs.
	S. 71° 12' E., 4.20 chs.
	S. 76° 26' E., 1.80 chs.
	S. 89° 42' E., 3.30 chs.
	N. 77° 02' E., 2.19 chs.
	N. 63° 30' E., 9.37 chs.
	At end of course, the point for the 1914 meander cor. of secs. 3 and 34, on the former left bank of the Wind River, on the Wind River Base Line, identical with the 1914 witness cor. to the standard 1/4 sec. cor. of secs. 3 and 34.

	Continue downstream, on the adjusted 1914 meanders of the former left bank of the Wind River, through sec. 3.
	S. 68° 07' E., 5.86 chs.
	N. 74° 11' E., 3.89 chs.
	S. 68° 22' E., 4.27 chs.
	S. 16° 18' E., 7.96 chs.
	S. 13° 17' E., 3.58 chs.
	S. 49° 00' E., 2.68 chs.
	S. 61° 04' E., 1.19 chs.
	At end of course, the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the former left bank of the Wind River, hereinbefore described.

	From the point for the original (1905)/1914 meander cor. of secs. 2 and 3, on the former left bank of the Wind River.

Dependent Resurvey of the 1914 Meanders of the Left Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>Thence downstream, on the adjusted 1914 meanders of the former left bank of the Wind River, through sec. 2.</p> <p>N. 44° 46' E., 7.36 chs.</p> <p>S. 89° 14' E., 14.38 chs.</p> <p style="padding-left: 40px;">At 13.40 chs., intersect the adjusted 1905 meanders of the left bank of the Wind River.</p> <p>At end of course, the point for the 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 2, on the former left bank of the Wind River, hereinbefore described.</p> <hr style="width: 25%; margin: 10px auto;"/> <p>Continue downstream, on the adjusted 1914 meanders of the former left bank of the Wind River, through sec. 2.</p> <p>S. 67° 03' E., 12.16 chs.</p> <p>S. 58° 35' E., 7.61 chs.</p> <p>At end of course, the 1914 special meander cor. on the E. and W. center line of the NW1/4 of sec. 2, on the former left bank of the Wind River, hereinbefore described.</p> <hr style="width: 25%; margin: 10px auto;"/> <p>S. 58° 35' E., 2.94 chs.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of sec. 2, on the former left bank of the Wind River, hereinbefore described.</p> <hr style="width: 25%; margin: 10px auto;"/> <p>Continue downstream, on the adjusted 1914 meanders of the former left bank of the Wind River, through sec. 2.</p> <p>S. 55° 52' E., 8.62 chs.</p> <p style="padding-left: 40px;">At 7.10 chs., intersect the adjusted 1905 meanders of the left bank of the Wind River.</p> <p>N. 82° 46' E., 12.90 chs.</p>

Dependent Resurvey of the 1914 Meanders of the Left Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p style="text-align: center;">At 6.56 chs., intersect the adjusted 1905 meanders of the left bank of the Wind River.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, on the former left bank of the Wind River, hereinbefore described.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of the 1914 Meanders of the Right Bank of the Wind River, through Sections 2 and 3, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr/> <p style="text-align: center;">(Reestablishment of the resurvey executed by R. A. Farmer and F. C. Miller in 1914)</p> <hr/> <p>From the original (1908) meander cor. of secs. 3 and 4, on the former right bank of the Wind River, identical with the 1914 meander cor. of secs. 3 and 4, on the former right bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 3.</p> <p>S. 59° 51' E., 7.27 chs.</p> <p style="text-align: center;">At 5.21 chs., point for Angle Point No. 2, on the abandoned 2011 right bank of the Wind River, and on a partition line dividing the abandoned bed of the Wind River between lots 15 and 23, sec. 3, hereinafter described.</p> <p>N. 69° 10' E., 10.05 chs.</p> <p>S. 51° 49' E., 5.38 chs.</p> <p style="text-align: center;">At 0.55 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p style="text-align: center;">At 5.22 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of</p>
---------------	--

Dependent Resurvey of the 1914 Meanders of the Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>the NW1/4 of sec. 3, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 3.</p> <p>S. 81° 01' E., 4.99 chs.</p> <p>N. 60° 25' E., 7.09 chs.</p> <p>S. 38° 41' E., 8.98 chs.</p> <p>S. 39° 26' E., 5.09 chs.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of sec. 3, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 3.</p> <p>S. 46° 58' E., 27.30 chs.</p> <p style="padding-left: 40px;">At 3.80 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p style="padding-left: 40px;">At 13.63 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream, on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 3.</p> <p>S. 35° 57' E., 2.35 chs.</p> <p>At end of course, the 1914 special meander cor. on the E. and W. center line of sec. 3, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/>
---------------	---

Dependent Resurvey of the 1914 Meanders of the Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>Continue downstream, on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 3.</p> <p>S. 50° 19' E., 4.04 chs.</p> <p>S. 61° 07' E., 6.07 chs.</p> <p>N. 85° 13' E., 6.88 chs.</p> <p>N. 34° 40' E., 5.71 chs.</p> <p>At end of course, the point for the 1914 meander cor. of secs. 2 and 3, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the point for the 1914 meander cor. of secs. 2 and 3, on the former right bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 2.</p> <p>N. 58° 03' E., 0.47 chs.</p> <p>At end of course, the point for the 1914 special meander cor. on the E. and W. center line of sec. 2, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream, on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 2.</p> <p>N. 36° 11' E., 4.28 chs.</p> <p style="padding-left: 40px;">At 3.72 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p>N. 7° 02' E., 20.88 chs.</p> <p style="padding-left: 40px;">At 15.34 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p style="padding-left: 40px;">At 18.17 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p>

**Dependent Resurvey of the 1914 Meanders of the Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming**

Chains	<p>N. 69° 48' E., 4.79 chs.</p> <p>S. 82° 25' E., 10.01 chs.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 2, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 2.</p> <p>S. 83° 00' E., 3.50 chs.</p> <p>S. 54° 15' E., 10.99 chs.</p> <p>S. 46° 14' E., 10.58 chs.</p> <p style="text-align: center;">At 7.18 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p>At end of course, the point for the 1914 special meander cor. on the N. and S. center line of sec. 2, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 2.</p> <p>S. 45° 51' E., 1.00 chs.</p> <p>S. 29° 48' E., 4.99 chs.</p> <p>N. 74° 39' E., 4.98 chs.</p> <p>N. 72° 53' E., 5.58 chs.</p> <p style="text-align: center;">At 3.51 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p>N. 71° 38' E., 6.97 chs.</p>
---------------	---

Dependent Resurvey of the 1914 Meanders of the Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>At end of course, the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, on the former right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 2.</p> <p>N. 71° 28' E., 8.56 chs.</p> <p style="padding-left: 40px;">At 3.58 chs., intersect the adjusted 1908 meanders of the right bank of the Wind River.</p> <p>N. 58° 10' E., 11.96 chs.</p> <p>N. 67° 27' E., 1.69 chs.</p> <p>At end of course, the 1914 meander cor. of secs. 1 and 2, on the former right bank of the Wind River, identical with the N. 1/16 sec. cor. of secs. 1 and 2, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p style="text-align: center;">Dependent Resurvey of the Combined Adjusted Original (1905) and 1914 Meanders of the Left Bank of the Wind River through Sections 2 and 3, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr style="width: 20%; margin: 10px auto;"/> <p style="text-align: center;">(Reestablishment of the survey executed by William S. Adams in 1905, and the resurvey executed by R. A. Farmer and F. C. Miller in 1914)</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the point for the 1914 meander cor. of secs. 3 and 34, on the Wind River Base Line, on the former left bank of the Wind River, identical with the standard W 1/16 sec. cor. of secs. 3 and 34.</p> <p>Thence downstream, on the adjusted 1914 meanders of the left bank of the Wind River, through sec. 3.</p> <p>S. 0° 04' W., 1.41 chs.</p> <p>S. 37° 16' E., 1.71 chs.</p> <p>S. 71° 12' E., 4.20 chs.</p>
---------------	---

Dependent Resurvey of the Combined Adjusted Original (1905) and
1914 Meanders of the Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	S. 76° 26' E., 1.80 chs.
	S. 89° 42' E., 1.99 chs. At end of course, intersect the adjusted original 1905 meanders of the left bank of the Wind River.
	Thence downstream, on the adjusted original (1905) meanders of the left bank of the Wind River, through sec. 3.
	N. 77° 00' E., 1.89 chs.
	N. 61° 15' E., 8.00 chs.
	S. 74° 33' E., 1.46 chs. At end of course, intersect the adjusted 1914 meanders of the left bank of the Wind River.
	Thence downstream, on the adjusted 1914 meanders of the left bank of the Wind River, through sec. 3.
	N. 63° 30' E., 1.76 chs. At end of course, the point for the 1914 meander cor. of secs. 3 and 34, on the former left bank of the Wind River, on the Wind River Base Line, identical with the 1914 witness cor. to the standard 1/4 sec. cor. of secs. 3 and 34, hereinbefore described.

	Continue downstream, on the adjusted 1914 meanders of the left bank of the Wind River, through sec. 3.
	S. 68° 07' E., 5.35 chs. At end of course, intersect the adjusted original (1905) meanders of the left bank of the Wind River.
	Thence downstream, on the adjusted original (1905) meanders of the left bank of the Wind River, through sec. 3.
	N. 74° 45' E., 2.78 chs.
	S. 68° 04' E., 0.47 chs.

Dependent Resurvey of the Combined Adjusted Original (1905) and
1914 Meanders of the Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>At end of course, intersect the adjusted 1914 meanders of the left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the left bank of the Wind River, through sec. 3.</p> <p>N. 74° 11' E., 1.14 chs.</p> <p>At end of course, the point for Angle Point No. 105 on a left bank of the Wind River, abandoned prior to 1949, hereinafter described.</p> <p>S. 68° 22' E., 4.27 chs.</p> <p>S. 16° 18' E., 7.96 chs.</p> <p>S. 13° 17' E., 3.58 chs.</p> <p>S. 49° 00' E., 2.68 chs.</p> <p>S. 61° 04' E., 1.19 chs.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the former left bank of the Wind River, hereinbefore described.</p> <hr/> <p>From the point for the 1905 special meander cor. on the N. and S center line of the NE1/4 of sec. 3, on the left bank of the Wind River.</p> <p>Thence downstream, on the adjusted original (1905) meanders of the left bank of the Wind River, through sec. 3.</p> <p>S. 85° 47' E., 2.93 chs.</p> <p>S. 59° 21' E., 4.42 chs.</p> <p>S. 13° 21' W., 4.81 chs.</p> <p>At 0.27 chs., intersect the E. and W. center line of the NE1/4 of sec. 3.</p> <p>At 2.82 chs., point for Angle Point No. 111 on a left bank of the Wind River, abandoned prior to 1949, hereinafter described.</p>
---------------	--

Dependent Resurvey of the Combined Adjusted Original (1905) and
1914 Meanders of the Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>S. 22° 30' E., 5.72 chs.</p> <p>S. 46° 24' E., 2.81 chs.</p> <p>S. 69° 19' E., 5.72 chs.</p> <p>N. 37° 58' E., 5.89 chs.</p> <p>N. 4° 07' E., 9.36 chs.</p> <p style="padding-left: 40px;">At 9.02 chs., intersect the E. and W. center line of sec. 3.</p> <p>N. 15° 09' E., 3.54 chs.</p> <p style="padding-left: 40px;">At 1.63 chs., intersect the informative traverse (2016 meanders of the right bank of the Wind River).</p> <p>At end of course, the point for the original (1905)/1914 meander cor. of secs. 2 and 3, on the left bank of the Wind River, hereinbefore described.</p> <hr style="width: 30%; margin-left: 0;"/> <p>From the point for the original (1905)/1914 meander cor. of secs. 2 and 3, on the left bank of the Wind River.</p> <p>Thence downstream, on the adjusted original (1905) meanders, of the left bank of the Wind River, through sec. 2.</p> <p>N. 36° 52' E., 2.19 chs.</p> <p style="padding-left: 40px;">At 1.65 chs., intersect an informative traverse (2016 meanders of the left bank of the Wind River).</p> <p>N. 38° 53' E., 6.07 chs.</p> <p>N. 88° 21' E., 5.38 chs.</p> <p>S. 89° 53' E., 5.58 chs.</p> <p>S. 57° 47' E., 2.97 chs.</p> <p style="padding-left: 40px;">At 0.80 chs. intersect the informative traverse (2016 meanders of the left bank of the Wind River).</p>
---------------	--

Dependent Resurvey of the Combined Adjusted Original (1905) and
1914 Meanders of the Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>At end of course, intersect the adjusted 1914 meanders of the former left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders on the former left bank of the Wind River, through sec. 2.</p> <p>S. 89° 14' E., 0.98 chs.</p> <p>At end of course, the point for the 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 2, on the left bank of the Wind River, hereinbefore described.</p> <hr/> <p>From the point for the 1914 special meander corner on the N. and S. center line of the NW1/4 of sec. 2, on the left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the left bank of the Wind River, through sec. 2.</p> <p>S. 67° 03' E., 12.16 chs.</p> <p>At 0.59 chs., intersect an informative traverse (2016 meanders of the left bank of the Wind River), the point of zero accretion, in front of lot 3, sec. 2.</p> <p>S. 58° 35' E., 10.55 chs.</p> <p>At 7.60 chs., the special meander cor. of sec. 2, on the E. and W. center line of the NW1/4 of sec. 2, on the left bank of the Wind River, hereinbefore described.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of sec. 2, on the left bank of the Wind River, hereinafter described.</p> <hr/> <p>From the 1914 special meander cor. of sec. 2, on the N. and S. center line of sec. 2, on the left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the left bank of the Wind River, through sec. 2.</p> <p>S. 55° 52' E., 7.10 chs.</p>
----------------------	--

Dependent Resurvey of the Combined Adjusted Original (1905) and
1914 Meanders of the Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p style="text-align: center;">At end of course, intersect adjusted 1905 meanders of the left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1905 meanders of the left bank of the Wind River, through sec. 2.</p> <p>N. 89° 52' E., 7.71 chs.</p> <p>S. 87° 08' E., 0.31 chs.</p> <p style="text-align: center;">At end of course, intersect the adjusted 1914 meanders of the left bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the left bank of the Wind River, through sec. 2.</p> <p>N. 82° 46' E., 6.09 chs.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, on the left bank of the Wind River, hereinbefore described.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the original (1905) special meander cor. of sec. 2, on the 1905 left bank of the Wind River and on the N. and S. center line of the NE1/4 of sec. 2.</p> <p>Thence downstream, on the adjusted original (1905) meanders of the left bank of the Wind River, through sec. 2.</p> <p>N. 83° 20' E., 3.29 chs.</p> <p>N. 75° 02' E., 6.37 chs.</p> <p>N. 61° 59' E., 7.37 chs.</p> <p style="text-align: center;">At 5.94 chs., intersect an informative traverse (2016 meanders of the left bank of the Wind River), the point of zero accretion, in front of lot 9, sec. 2.</p> <p style="text-align: center;">At 7.28 chs., intersect the E-W center line of the NE1/4 of sec. 2.</p> <p>N. 52° 26' E., 4.58 chs.</p>
---------------	--

Dependent Resurvey of the Combined Adjusted Original (1905) and
1914 Meanders of the Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains

At 1.87 chs., intersect the meanders of the 2016 right bank of the Wind River.

At 3.32 chs., intersect the meanders of the 2016 right bank of the Wind River.

N. 31° 36' E., 0.90 chs.

At end of course, point for the original (1905)/1914 meander cor. of
secs. 1 and 2, on the left bank of the Wind River, hereinbefore described.

Dependent Resurvey of the Combined Adjusted Original (1908) and
1914 Meanders of the Right Bank of the Wind River,
through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

(Reestablishment of the survey executed by William S. Adams
in 1908, and the resurvey executed by
R. A. Farmer and F. C. Miller in 1914)

From the original (1908) meander cor. of secs. 3 and 4, on the right bank of
the Wind River, identical with the 1914 meander cor. of secs. 3 and 4, on the
right bank of the Wind River, hereinbefore described.

Thence downstream, on the adjusted 1914 meanders of the right bank of the
Wind River, through sec. 3.

S. 59° 51' E., 7.27 chs.

At 5.21 chs., point for Angle Point No. 2, on the abandoned 2011 right
bank of the Wind River, hereinafter described.

N. 69° 10' E., 10.05 chs.

At 4.77 chs., intersect the meanders of the 2016 right bank of the Wind
River, identical with the point for Angle Point No. 19, on the abandoned
2011 left bank of the Wind River, hereinafter described.

At 8.35 chs., intersect the meanders of the abandoned 2011 left bank of the
Wind River.

Dependent Resurvey of the Combined Adjusted Original (1908) and
1914 Meanders of the Right Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>S. 51° 49' E., 0.55 chs.</p> <p style="padding-left: 40px;">At end of course, intersect the adjusted original (1908) meanders of the right bank of the Wind River.</p> <p>Thence downstream, on the adjusted original (1908) meanders of the right bank of the Wind River, through sec. 3.</p> <p>S. 49° 40' E., 4.39 chs.</p> <p style="padding-left: 40px;">At 2.56 chs., intersect the meanders of the 2016 right bank of the Wind River.</p> <p style="padding-left: 40px;">At 3.20 chs., point for Angle Point No. 15, on the abandoned 2011 right bank of the Wind River, hereinafter described.</p> <p>S. 81° 44' E., 0.33 chs.</p> <p style="padding-left: 40px;">At end of course, intersect the adjusted 1914 meanders of the former right bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 3.</p> <p>S. 51° 49' E., 0.16 chs.</p> <p style="padding-left: 40px;">At end of course, the 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 3, on the right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 3.</p> <p>S. 81° 01' E., 4.99 chs.</p> <p>N. 60° 25' E., 7.09 chs.</p> <p>S. 38° 41' E., 8.98 chs.</p> <p>S. 39° 26' E., 5.09 chs.</p>
---------------	--

Dependent Resurvey of the Combined Adjusted Original (1908) and
1914 Meanders of the Right Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>At end of course, the 1914 special meander cor. on the N. and S. center line of sec. 3, on the right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of the former right bank of the Wind River, through sec. 3.</p> <p>S. 46° 58' E., 3.80 chs.</p> <p style="padding-left: 40px;">At 0.91 chs., intersect the E-W center line of the NE1/4 of sec. 3.</p> <p style="padding-left: 40px;">At end of course, intersect the adjusted original (1908) meanders of the right bank of the Wind River.</p> <p>Thence downstream, on the adjusted original (1908) meanders of the right bank of the Wind River, through sec. 3.</p> <p>S. 30° 36' E., 6.37 chs.</p> <p>S. 72° 43' E., 4.13 chs.</p> <p style="padding-left: 40px;">At end of course, intersect the adjusted 1914 meanders of the right bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 3.</p> <p>S. 46° 58' E., 13.67 chs.</p> <p>At end of course, the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 3.</p> <p>S. 35° 57' E., 2.35 chs.</p> <p>At end of course, the 1914 special meander cor. on the E. and W. center line of sec. 3, on the right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/>
---------------	---

Dependent Resurvey of the Combined Adjusted Original (1908) and
1914 Meanders of the Right Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>Continue downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 3.</p> <p>S. 50° 19' E., 4.04 chs.</p> <p>S. 61° 07' E., 6.07 chs.</p> <p>N. 85° 13' E., 6.88 chs.</p> <p>N. 34° 40' E., 5.71 chs.</p> <p style="padding-left: 40px;">At 2.62 chs., intersection with a right bank of the Wind River, abandoned prior to 1949.</p> <p style="padding-left: 40px;">At 4.78 chs., intersection with the medial line of the Wind River, abandoned prior to 1949.</p> <p>At end of course, the point for the 1914 meander cor. of secs. 2 and 3, on the right bank of the Wind River, hereinbefore described.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>From the point for the 1914 meander cor. of secs. 2 and 3, on the right bank of the Wind River.</p> <p>Thence downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 2.</p> <p>N. 58° 03' E., 0.47 chs.</p> <p>At end of course, the point for the 1914 special meander cor. on the E. and W. center line of sec. 2, on the right bank of the Wind River, hereinbefore described.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>Continue downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 2.</p> <p>N. 36° 11' E., 3.72 chs.</p> <p style="padding-left: 40px;">At end of course, intersect the adjusted original (1908) meanders of the right of the Wind River.</p>
---------------	---

Dependent Resurvey of the Combined Adjusted Original (1908) and
1914 Meanders of the Right Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	Thence downstream on the adjusted original (1908) meanders of the right bank of the Wind River, through sec. 2.
	N. 56° 16' E., 0.37 chs.
	N. 8° 27' E., 5.54 chs.
	N. 12° 29' E., 6.43 chs.
	At 1.34 chs., intersection with the medial line of the Wind River, abandoned prior to 1949.
	At 5.21 chs., intersection with a right bank of the Wind River, abandoned prior to 1949.
	N. 4° 42' W., 3.72 chs.
	At end of course, intersect the adjusted 1914 meanders of the right bank of the Wind River.
	Thence, downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 2.
	N. 7° 02' E., 2.83 chs.
	At 1.16 chs., intersect the E. and W. center line of the NW1/4 of sec. 2.
	At end of course, intersect the adjusted original (1908) meanders of the former right bank of the Wind River.
	Thence downstream, on the adjusted original (1908) meanders of the right bank of the Wind River, through sec. 2.
	N. 77° 30' E., 5.04 chs.
	S. 82° 07' E., 13.80 chs.
	At 9.93 chs., point for the 1908 special meander cor. on the N. and S. center line of the NW1/4 of sec. 2, on the 1908 right bank of the Wind River, hereinbefore described.
	S. 53° 39' E., 11.13 chs.

Dependent Resurvey of the Combined Adjusted Original (1908) and
1914 Meanders of the Right Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>At 1.32 chs., the point for the 1908 special meander cor. on the E. and W. center line of the NW1/4 of sec. 2, on the right bank of the Wind River, hereinbefore described.</p> <p>At 3.30 chs., intersection with the meanders of the 2016 right bank of the Wind River.</p> <p>S. 73° 41' E., 4.97 chs. At end of course, intersect the adjusted 1914 meanders of the right bank of the Wind River.</p> <p>Thence, downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 2.</p> <p>S. 46° 14' E., 3.40 chs.</p> <p>At end of course, the point for the 1914 special meander cor. on the N. and S. center line of sec. 2, on the right bank of the Wind River, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue downstream on the adjusted 1914 meanders of a right bank of the Wind River, through sec. 2.</p> <p>S. 45° 51' E., 1.00 chs.</p> <p>S. 29° 48' E., 4.99 chs.</p> <p>N. 74° 39' E., 4.98 chs.</p> <p>N. 72° 53' E., 3.51 chs.</p> <p>At end of course, intersect the adjusted original (1908) right bank meanders of the Wind River.</p> <p>Thence downstream, on the adjusted original (1908) meanders of the right bank of the Wind River, through sec. 2.</p> <p>S. 78° 54' E., 1.87 chs.</p> <p>N. 67° 01' E., 11.03 chs.</p>
---------------	---

Dependent Resurvey of the Combined Adjusted Original (1908) and
1914 Meanders of the Right Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

<p>Chains</p>	<p>At 2.06 chs. intersect the meanders of the 2016 right bank of the Wind River.</p> <p>At 6.71 chs. intersect the meanders of the 2016 right bank of the Wind River.</p> <p>At 7.34 chs. the point for the 1908 special meander cor. on the N. and S. center line of the NE1/4 of sec. 2, on the right bank of the Wind River, hereinbefore described.</p> <p>At end of course, intersect the adjusted 1914 meanders of the right bank of the Wind River.</p> <p>Thence, downstream, on the adjusted 1914 meanders of the right bank of the Wind River, through sec. 2.</p> <p>N. 71° 28' E., 4.98 chs.</p> <p>N. 58° 10' E., 11.96 chs.</p> <p>At 10.85 chs., intersect the meanders of the 2016 right bank of the Wind River.</p> <p>N. 67° 27' E., 1.69 chs.</p> <p>At end of course, the 1914 meander cor. of secs. 1 and 2, on the right bank of the Wind River, identical with the N. 1/16 sec. cor. of secs. 1 and 2.</p> <hr/> <p style="text-align: center;">Survey of the Meanders of the 2016 Right Bank of the Wind River, through Sections 2 and 3, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr/> <p>From the intersection of the line bet. secs. 3 and 4 with the 2016 right bank of the Wind River.</p> <p>Thence downstream on the meanders of the 2016 right bank of the Wind River, through sec. 3.</p> <p>S. 55° 46' E., 13.37 chs.</p> <p>At 3.94 chs., point for Angle Point No. 1, at intersection with the right bank of the 2011 abandoned channel of the Wind River, hereinafter described.</p>
----------------------	--

Survey of the Meanders of the 2016 Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S. R. 4 E., Wind River Meridian, Wyoming

Chains	<p>At 7.89 chs., point for Angle Point No. 32, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p>At end of course, point for Angle Point No. 19, at intersection with the left bank of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p>S. 78° 06' E., 5.69 chs.</p> <p>At end of course, point for Angle Point No. 27, at intersection with the left bank of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p>N. 59° 00' E., 2.10 chs.</p> <p>At 1.21 chs., point for Angle Point No. 47, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p>At 2.05 chs., intersect the adjusted original (1908) meanders of the left bank of the Wind River.</p> <p>N. 22° 27' E., 2.47 chs.</p> <p>At 0.40 chs., point for Angle Point No. 16, at intersection with the right bank of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p>At 1.62 chs., point for the auxiliary meander cor. of sec. 3, on a line dividing the accretions in front of lots 4 and 8, sec. 3, hereinafter described.</p> <p>N. 0° 16' W., 2.49 chs.</p> <p>N. 18° 24' W., 4.94 chs.</p> <p>At end of course, point for the meander cor. of secs. 3 and 34 on the Wind River Base Line, on the 2016 right bank of the Wind River, hereinbefore described.</p> <hr style="width: 60%; margin-left: 0;"/>
---------------	---

Survey of the Meanders of the 2016 Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S. R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>From the point for the special meander cor. of sec. 2, on the E. and W. center line of the NW1/4 of sec. 2, on the 2016 right bank of the Wind River.</p> <p>Thence, downstream, on the meanders of the 2016 right bank of the Wind River, through sec. 2.</p> <p>S. 35° 21' E., 2.30 chs.</p> <p style="padding-left: 40px;">At 1.44 chs., intersect the adjusted original (1908) meanders of the right bank of the Wind River, zero accretion point.</p> <p>S. 31° 02' E., 14.88 chs.</p> <p>S. 71° 41' E., 5.69 chs.</p> <p>At end of course, true point for the special meander cor. on the N. and S. center line of sec. 2, hereinbefore described.</p> <hr style="width: 25%; margin: 10px auto;"/> <p>Continue downstream on the meanders of the 2016 right bank of the Wind River, through sec. 2.</p> <p>S. 83° 57' E., 6.78 chs.</p> <p>N. 75° 11' E., 4.82 chs.</p> <p>N. 46° 52' E., 4.39 chs.</p> <p>N. 21° 23' E., 2.80 chs.</p> <p style="padding-left: 40px;">At 1.20 chs., intersect the adjusted original (1908) meanders of the right bank of the Wind River.</p> <p>N. 43° 51' E., 1.05 chs.</p> <p>S. 81° 36' E., 3.59 chs.</p> <p style="padding-left: 40px;">At 3.00 chs., intersect the adjusted original (1908) meanders of the right bank of the Wind River.</p> <p>At end of course, the special meander corner on the N. and S. center line of the NE1/4 of sec. 2, hereinbefore described.</p> <hr style="width: 25%; margin: 10px auto;"/>

Survey of the Meanders of the 2016 Right Bank
of the Wind River, through Sections 2 and 3,
T. 1 S. R. 4 E., Wind River Meridian, Wyoming

Chains	<p>Continue downstream on the meanders of the 2016 right bank of the Wind River, through sec. 2, identical with a portion of the adjusted original (1908) meanders of the right bank meanders.</p> <p>N. 66° 10' E., 6.39 chs.</p> <p>N. 84° 49' E., 9.35 chs.</p> <p>N. 37° 42' E., 1.95 chs.</p> <p>N. 18° 23' E., 3.31 chs.</p> <p>N. 3° 44' W., 3.90 chs.</p> <p style="padding-left: 40px;">At 0.97 chs., intersect the adjusted 1914 meanders of the right bank of the Wind River.</p> <p style="padding-left: 40px;">At 2.19 chs., intersect the E. and W. center line of the NE1/4 of sec. 2.</p> <p style="padding-left: 40px;">At 3.35 chs., intersect the adjusted 1914 meanders of the left bank of the Wind River.</p> <p>N. 72° 21' E., 1.19 chs.</p> <p>S. 83° 51' E., 1.56 chs.</p> <p style="padding-left: 40px;">At 0.06 chs., intersect the adjusted 1914 meanders of the left bank of the Wind River.</p> <p>At end of course, the point for the meander cor. of secs. 1 and 2, on the 2016 right bank of the Wind River, hereinbefore described.</p> <hr style="width: 80%; margin: 10px auto;"/> <p style="text-align: center;">Survey of the Meanders and Informative Traverse of the 2016 Left Bank of the Wind River, through Sections 2 and 3, T. 1 S., R. 4 E., Wind River Meridian, Wyoming</p> <hr style="width: 80%; margin: 10px auto;"/> <p>From the true point for the W. meander cor. of secs. 3 and 34, on the Wind River Base Line, on the 2016 left bank of the Wind River.</p> <p>Thence, downstream, on the meanders of the 2016 left bank of the Wind River, through sec. 3.</p>
---------------	--

Survey of the Meanders and Informative Traverse
of the 2016 Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>S. 60° 39' E., 13.43 chs.</p> <p style="padding-left: 40px;">At 6.21 chs., point for Angle Point No. 17, at intersection with the left bank of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p style="padding-left: 40px;">At end of course, point for Angle Point No. 28, at intersection with the left bank of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p>S. 85° 56' E., 1.93 chs.</p> <p>N. 29° 25' E., 1.63 chs.</p> <p>N. 22° 49' W., 3.44 chs.</p> <p style="padding-left: 40px;">At end of course, point for Angle Point No. 30, at intersection with the left bank of the 2011 abandoned channel of the Wind River, hereinafter described.</p> <p>N. 35° 04' W., 2.58 chs.</p> <p style="padding-left: 40px;">At end of course, the true point for the E. meander cor. of secs. 3 and 34, on the Wind River Base Line, on the 2016 left bank of the Wind River.</p> <hr style="width: 60%; margin-left: auto; margin-right: auto;"/> <p>From the point for the special meander cor. on the N. and S. center line of the NW1/4 of sec. 2, on the 2016 left bank of the Wind River, hereinbefore described.</p> <p>Thence, downstream, on an informative traverse, (2016 left bank of the Wind River) through sec. 2.</p> <p>S. 44° 27' E., 12.58 chs.</p> <p style="padding-left: 40px;">At. 0.78 chs., at the intersection with the adjusted 1914 left bank meanders of the Wind River, point of zero accretion.</p> <p>S. 32° 31' E., 0.05 chs.</p> <p style="padding-left: 40px;">At end of course, the special meander cor. of sec. 2, on the E. and W. center line of the NW1/4 of sec. 2, on the 2016 left bank of the Wind River, hereinbefore described.</p> <hr style="width: 60%; margin-left: auto; margin-right: auto;"/>
---------------	--

Survey of the Meanders and Informative Traverse
of the 2016 Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>From the special meander cor. of sec. 2, on the E. and W. center line of the NW1/4 of sec. 2, on the 2016 left bank of the Wind River.</p> <p>Thence, downstream, on the meanders of the 2016 left bank of the Wind River, through sec. 2.</p> <p>S. 32° 31' E., 13.07 chs.</p> <p>S. 50° 24' E., 1.19 chs.</p> <p>At end of course, the auxiliary meander cor. of sec. 2, at intersection with the line dividing the accretions in front of Lots 2 and 17, sec. 2, with the 2016 left bank of the Wind River, hereinafter described.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>From the auxiliary meander cor. of sec. 2, at intersection with a line dividing the accretions in front of Lots 2 and 17, sec. 2, with the 2016 left bank of the Wind River.</p> <p>Thence, downstream, on an informative traverse, through sec. 2.</p> <p>S. 50° 24' E., 2.74 chs.</p> <p>S. 84° 14' E., 4.37 chs.</p> <p>N. 61° 40' E., 7.36 chs.</p> <p>N. 18° 49' E., 2.59 chs.</p> <p>N. 68° 14' E., 4.71 chs.</p> <p>N. 81° 31' E., 7.86 chs.</p> <p>S. 88° 19' E., 7.52 chs.</p> <p>N. 53° 04' E., 4.44 chs.</p> <p>N. 24° 31' E., 5.50 chs.</p> <p style="padding-left: 40px;">At. 2.49 chs., intersect the original (1905) meanders of the left bank of the Wind River, zero accretion point.</p> <p style="padding-left: 40px;">At. 3.18 chs., intersect the E. and W. center line of the NE1/4 of sec. 2.</p>
---------------	---

Survey of the Meanders and Informative Traverse
of the 2016 Left Bank of the Wind River, through Sections 2 and 3,
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>N. 10° 07' E., 7.81 chs.</p> <p>S. 74° 45' E., 2.86 chs.</p> <p>At end of course, the point for the 2016 meander cor. of secs. 1 and 2, on the left bank of the Wind River, hereinbefore described.</p> <hr/> <p style="text-align: center;">Survey of the Left and Right Banks and Medial Lines of the Abandoned Channels of the Wind River, in Sections 2 and 3, T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E., Wind River Meridian, Wyoming</p> <hr/> <p style="text-align: center;">2011 Abandoned Channel Left Bank</p> <hr/> <p>From the point for Angle Point No. 17, at intersection of the left bank of the 2011 abandoned channel of the Wind River, with the meanders of the 2016 left bank of the Wind River, identical with the upstream left bank limit of avulsion, in sec. 3. Point not monumented.</p> <p>S. 41° 48' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p> <p>3.48 Point for Angle Point No. 18, falls in the 2016 channel of the Wind River. Point not monumented.</p> <hr/> <p>S. 28° 19' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p> <p>4.25 Point for Angle Point No. 19, at intersection with the meanders of the 2016 right bank of the Wind River and the 1914 adjusted meanders of the right bank of the Wind River. Point not monumented.</p> <hr/> <p>S. 5° 35' W., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p> <p>1.73 Point for Angle Point No. 20. Point not monumented.</p> <hr/> <p>S. 18° 35' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
---------------	--

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
2.18	<p>Point for Angle Point No. 21. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 37° 49' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.69	<p>Point for Angle Point No. 22. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 81° 45' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.32	<p>Point for Angle Point No. 23. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 80° 45' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.43	<p>Point for Angle Point No. 24. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 50° 53' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.92	<p>Point for Angle Point No. 25. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 11° 33' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.53	<p>Point for Angle Point No. 26. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 23° 02' W., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.31	<p>Point for Angle Point No. 27, at intersection with the meanders of the 2016 right bank of the Wind River, in the NW1/4NW1/4 of sec. 3. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 42° 18' W., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
5.38	<p>Point for Angle Point No. 28, at intersection with the meanders of the 2016 left bank of the Wind River, and identical with the downstream left bank limit of avulsion, in the NW1/4NW1/4 of sec. 3. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 1° 06' W., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.28	<p>Point for Angle Point No. 29. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 24° 08' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
3.48	<p>Point for Angle Point No. 30, at intersection with the meanders of the 2016 left bank of the Wind River. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the point for Angle Point No. 64, on the Wind River Base Line, at intersection of the left bank of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <p>S. 66° 57' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
3.79	<p>Point for Angle Point No. 65, at intersection with the adjusted original (1905) meanders of the left bank of the Wind River. Point not monumented.</p>
4.07	<p>Point for Angle Point No. 66. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 42° 27' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
8.97	<p>Point for Angle Point No. 67. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 47° 30' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
4.33	<p>Point for Angle Point No. 68. Point not monumented.</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	

	S. 83° 15' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.
1.08	Point for Angle Point No. 69. Point not monumented.

	N. 66° 13' E., on the left bank of the 2011 abandoned channel of the Wind River, in sec. 3.
1.72	Point for Angle Point No. 70. Point not monumented.

	N. 21° 00' E., on the left bank of the 2011 abandoned channel of the Wind River, identical with the right bank of a former channel of the Wind River abandoned prior to 1949, in sec. 3.
2.14	Point for Angle Point No. 71. Point not monumented.

	N. 38° 45' W., on the left bank of the 2011 abandoned channel of the Wind River, identical with the right bank of a former channel of the Wind River abandoned prior to 1949, in sec. 3.
3.19	Point for Angle Point No. 72. Point not monumented.

	N. 55° 58' W., on the left bank of the 2011 abandoned channel of the Wind River, identical with the right bank of a former channel of the Wind River abandoned prior to 1949, in sec. 3.
4.08	Point for Angle Point No. 73. Point not monumented.

	N. 32° 32' W., on the left bank of the 2011 abandoned channel of the Wind River, identical with the right bank of a former channel of the Wind River abandoned prior to 1949, in sec. 3.
2.73	Point for Angle Point No. 74. Point not monumented.

	N. 7° 19' W., on the left bank of the 2011 abandoned channel of the Wind River, identical with the right bank of a former channel of the Wind River abandoned prior to 1949, in sec. 3.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
1.56	<p>Point for Angle Point 75, at the intersection of the left bank of the 2011 abandoned channel of the Wind River and the right bank of a former channel of the Wind River abandoned prior to 1949, with the line bet. secs. 3 and 34, on the Wind River Base Line, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p style="text-align: center;">2011 Abandoned Channel Right Bank</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the point for Angle Point No. 1, at intersection of the right bank of the 2011 abandoned channel of the Wind River with the meanders of the 2016 right bank of the Wind River, and identical with the upstream right bank limit of avulsion, in sec. 3. Point not monumented.</p> <p>S. 14° 40' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
6.17	<p>Point for Angle Point No. 2, at intersection with the adjusted 1914 meanders of the former right bank of the Wind River and on a line dividing the 2011 abandoned bed of the Wind River, between lots 15 and 23, sec. 3. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 44° 53' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
6.15	<p>Point for Angle Point No 3. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 35° 36' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
2.09	<p>Point for Angle Point No. 4. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 36° 11' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
4.43	<p>Angle Point No. 5, on the E. and W. center line of the NW1/4 of sec. 3, and on a line dividing the 2011 abandoned channel of the Wind River between</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	lots 23 and 24, sec. 3, hereinbefore described.

	S. 65° 35' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
4.63	Point for Angle Point No. 6. Point not monumented.

	N. 71° 52' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
3.22	Angle Point No. 7, at intersection with the N. and S. center line of the NW1/4 of sec. 3 and on a line dividing the 2011 abandoned bed of the Wind River, between lots 24 and 25, sec. 3, hereinbefore described.
3.54	Point for Angle Point No. 8. Point not monumented.

	N. 26° 44' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
0.95	Angle Point No. 9, on the E. and W. center line of the NW1/4 of sec. 3, and on a line dividing the 2011 abandoned bed of the Wind River, between lots 22 and 25, sec. 3, hereinbefore described.
1.93	Point for Angle Point No. 10. Point not monumented.

	N. 4° 02' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
4.92	Point for Angle Point No. 11. Point not monumented.

	N. 18° 29' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
2.20	Point for Angle Point No. 12. Point not monumented.

	N. 41° 06' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
0.25	Point for Angle Point No. 13, on the N. and S. center line of the NW1/4 of sec. 3, and on a line dividing the 2011 abandoned bed of the Wind River, between lots 17 and 22, sec. 3, hereinbefore described.
2.22	Point for Angle Point No. 14. Point not monumented. _____
	N. 20° 04' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
0.17	Point for Angle Point No. 15, at intersection with the adjusted original (1908) meanders of the right bank of the Wind River. Point not monumented.
1.03	Point for Angle Point No. 16, at intersection with the meanders of the 2016 right bank of the Wind River, and identical with the downstream right bank limit of avulsion, in sec. 3. Point not monumented. _____
	From the point for Angle Point No. 47, at the intersection of the right bank of the 2011 abandoned channel of the Wind River, with the meanders of the 2016 right bank of the Wind River, in sec. 34, T. 1 N., R. 4 E., Point not monumented.
	N. 65° 35' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 34, T. 1 N., R. 4 E.
4.06	Point for Angel Point No. 48. Point not monumented. S. 67° 48' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 34, T. 1 N., R. 4 E.
4.56	Point for Angle Point No. 49, on the Wind River Base Line bet. secs 3 and 34, hereinbefore described. _____
	From the point for Angle Point No. 49, at the intersection of the right bank of the 2011 abandoned channel of the Wind River, with the line bet. secs. 3 and 34, on the Wind River Base Line, hereinbefore described.
	S. 67° 48' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
1.84	<p>Point for Angle Point No. 50. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 69° 28' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
5.79	<p>Point for Angle Point No. 51, at intersection with the adjusted original (1905) meanders of the left bank of the Wind River. Point not monumented.</p>
7.59	<p>Point for Angle Point No. 52. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 41° 17' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
6.11	<p>Point for Angle Point No. 53, identical with the auxiliary meander cor. of sec. 3, on a line dividing the accretions in front of lots 6 and 8, sec. 3. Point not monumented.</p>
8.33	<p>Point for Angle Point No. 54. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 45° 53' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
5.44	<p>Point for Angle Point No. 55. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 70° 52' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
2.74	<p>Point for Angle Point No. 56. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 52° 31' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.71	<p>Point for Angle Point No. 57, at intersection with the right bank of a former channel of the Wind River, abandoned prior to 1949. Point not monumented.</p>
3.03	<p>Angle Point No. 58, at intersection with the medial line of a former channel of the Wind River, abandoned prior to 1949, hereinafter described.</p> <hr style="width: 20%; margin: 0 auto;"/>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
	N. 9° 49' E., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3, identical with the medial line of a former channel of the Wind River, abandoned prior to 1949.
2.46	Point for Angle Point No. 59, Point not monumented. <hr/>
	N. 29° 36' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3, leaving the medial line of a former channel of the Wind River, abandoned prior to 1949.
3.93	Point for Angle Point No. 60. Point not monumented. <hr/>
	N. 54° 12' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
4.41	Point for Angle Point No. 61. Point not monumented. <hr/>
	N. 27° 25' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
1.62	Point for Angle Point No. 62. Point not monumented. <hr/>
	N. 2° 10' W., on the right bank of the 2011 abandoned channel of the Wind River, in sec. 3.
0.89	Point for Angle Point No. 63, on the Wind River Base Line, bet. secs. 3 and 34, hereinbefore described. <hr/>
	2011 Abandoned Channel Medial Line <hr/>
	From the point for Angle Point No. 31, on the medial line of the 2011 abandoned channel of the Wind River, at the intersection with the 2016 medial line of the Wind River, subsequent to avulsion, identical with

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
	<p>the upstream medial line limit of the 2011 avulsion, in sec. 3. Point not monumented.</p> <p>From this point, Angle Point No. 1, the upstream right bank limit of avulsion, bears S. 76° 40' W., 1.83 chs. dist.</p> <p>From this same point, Angle Point No. 17, the upstream left bank limit of avulsion, bears N. 70° 07' E., 1.79 chs. dist.</p> <p>S. 29° 19' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
3.04	<p>Point for Angle Point No. 32, at the intersection with the 2016 right bank of the Wind River. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 22° 30' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
2.81	<p>Point for Angle Point No. 33, on the partition line dividing the 2011 abandoned channel between lots 15 and 23, sec. 3. Point not monumented.</p>
3.70	<p>Point for Angle Point No. 34. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 30° 49' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
0.81	<p>Intersect the adjusted 1914 meanders of the right bank of the Wind River.</p>
4.74	<p>Point for Angle Point No. 35. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 36° 35' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.89	<p>Point for Angle Point No. 36. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 46° 10' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
2.72	<p>Point for Angle Point No. 37. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 73° 24' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
0.25	<p>Point for Angle Point No. 38, on the partition line dividing the 2011 abandoned channel in front of lot 4 and the SW1/4NW1/4 of sec. 3.</p>
2.93	<p>Point for Angle Point No. 39. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 64° 31' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
2.50	<p>Point for Angle Point No. 40, on the partition line dividing the 2011 abandoned channel in front of the SW1/4NW1/4 and SE1/4NW1/4, sec. 3. Point not monumented.</p>
2.69	<p>Point for Angle Point No. 41. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 26° 44' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
0.32	<p>Point for Angle Point No. 42, on the partition line dividing the 2011 abandoned channel in front of the SE1/4NW1/4 and Lot 8, sec. 3. Point not monumented.</p>
0.97	<p>Point for Angle Point No. 43. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 4° 02' W., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
2.46	<p>Point for Angle Point No. 44. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 6° 15' W., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
1.51	<p>Point for Angle Point No. 45, on the partition line dividing the</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
	2011 abandoned channel in front of lots 4 and 8, sec. 3. Point not monumented.
1.80	Point for Angle Point No. 46. Point not monumented. N. 31° 05' W., <hr style="width: 25%; margin: 0 auto;"/> on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
2.13	Point for Angle Point No. 46A, at the intersection with the meanders of the 2016 right bank of the Wind River. Point not monumented.
4.18	The point for Angle Point No. 46B, on the medial line of the 2011 abandoned channel of the Wind River, subsequent to avulsion, identical with the downstream medial line limit of the 2011 avulsion, in sec. 3. Point not monumented. From this point, Angle Point No. 16, the downstream right bank limit of avulsion, bears S. 64° 42' E., 2.18 chs. dist. From this same point, Angle Point No. 28, the downstream left bank limit of avulsion, bears N. 66° 02' W., 3.94 chs. dist. <hr style="width: 25%; margin: 0 auto;"/> From the point for Angle Point No. 76, on the medial line of the 2011 abandoned channel of the Wind River and on the Wind River Base Line, bet. Secs. 3 and 34, hereinbefore described. S. 68° 27' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
5.71	Intersection with the adjusted original (1905) meanders of the right bank of the Wind River. Point not monumented.
6.74	Point for Angle Point No. 77. Point not monumented. <hr style="width: 25%; margin: 0 auto;"/> S. 41° 53' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
6.47	Point for Angle Point No. 78, on the partition line dividing the pre-1949 abandoned channel between lots 10 and 19, sec. 3. Point not monumented.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
8.65	Point for Angle Point No. 79. Point not monumented. <hr style="width: 25%; margin: 5px auto;"/> S. 46° 36' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
4.89	Point for Angle Point No. 80. Point not monumented. <hr style="width: 25%; margin: 5px auto;"/> N. 78° 08' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
1.87	Point for Angle Point No. 81. Point not monumented. <hr style="width: 25%; margin: 5px auto;"/> N. 57° 28' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
2.36	Point for Angle Point No. 82. Point not monumented. <hr style="width: 25%; margin: 5px auto;"/> N. 15° 01' E., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
0.14	Point for Angle Point No. 83, on the partition line dividing the pre-1949 and 2011 abandoned channels in front of lot 19, sec. 3. Point not monumented.
2.29	Point for Angle Point No. 84. Point not monumented. <hr style="width: 25%; margin: 5px auto;"/> N. 33° 42' W., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
3.55	Point for Angle Point No. 85. Point not monumented. <hr style="width: 25%; margin: 5px auto;"/> N. 55° 03' W., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.
4.25	Point for Angle Point No. 86. Point not monumented. <hr style="width: 25%; margin: 5px auto;"/> N. 30° 38' W., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
2.18	<p>Point for Angle Point No. 87. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 5° 07' W., on the medial line of the 2011 abandoned channel of the Wind River, in sec. 3.</p>
0.43	<p>Intersection with the adjusted 1914 meanders of the right bank of the Wind River.</p>
1.25	<p>Point for Angle Point No. 88, on the Wind River Base Line, bet. secs. 3 and 34, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p style="text-align: center;">Pre-1949 Abandoned Channel Right Bank</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the point for Angle Point No. 75, on the Pre 1949 right bank of an abandoned channel, identical with the 2011 left bank of the abandoned channel, and on the Wind River Base Line, hereinbefore described.</p> <p>S. 7° 19' E., on the right bank of a channel of the Wind River, abandoned prior to 1949 and the left bank of the 2011 abandon channel of the Wind River, in sec. 3.</p>
1.56	<p>Point for Angle Point No. 74, hereinbefore described.</p> <p>S. 32° 32' E., on the right bank of a channel of the Wind River, abandoned prior to 1949 and the left bank of the 2011 abandon channel of the Wind River, in sec. 3.</p>
2.73	<p>Point for Angle Point No. 73, hereinbefore described.</p> <p>S. 55° 58' E., on the right bank of a channel of the Wind River, abandoned prior to 1949 and the left bank of the 2011 abandon channel of the Wind River, in sec. 3.</p>
4.08	<p>Point for Angle Point No. 72, hereinbefore described.</p> <p>S. 38° 45' E., on the right bank of a channel of the Wind River, abandoned prior to 1949 and the left bank of the 2011 abandon channel of the Wind River, in sec. 3.</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
3.19	<p>Point for Angle Point No. 71, hereinbefore described.</p> <p>S. 21° 00' W., on the right bank of a channel of the Wind River, abandoned prior to 1949 and the left bank of the 2011 abandon channel of the Wind River, in sec. 3.</p>
2.14	<p>Point for Angle Point No. 70, hereinbefore described.</p> <p>S. 30° 11' E., on the right bank of a channel of the Wind River, abandoned prior to 1949. Leave the left bank of the 2011 abandon channel of the Wind River.</p>
1.08	<p>Point for Angle Point No. 57, at the intersection of the right bank of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <p>S. 30° 11' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
3.03	<p>Point for Angle Point No. 83. Point not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 1° 13' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
4.20	<p>Point for Angle Point No. 84. Point not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 31° 09' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
1.66	<p>Intersection with the E. and W. center line of the NE1/4 of sec. 3.</p>
3.32	<p>Point for Angle Point No. 85. Point not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 63° 38' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
4.66	<p>Point for Angle Point No. 86. Point not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 72° 56' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
7.46	Point for Angle Point No. 87, at intersection with a line dividing the accretions in front of lots 6 and 9, sec. 3. Point not monumented.
9.47	Point for Angle Point No. 88. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 13° 30' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
5.71	Point for Angle Point No. 89. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 17° 23' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
6.18	Point for Angle Point No. 90. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 29° 57' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
2.50	Angle Point No. 91, at intersection with the E. and W. center line of sec. 3, hereinbefore described.
3.44	Point for Angle Point No. 92. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 42° 33' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
2.77	Point for Angle Point No. 93. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 81° 40' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
3.36	Point for Angle Point No. 94. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	N. 81° 33' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
3.81	Intersection with the adjusted 1914 meanders of the right bank of the Wind River.
4.82	Point for Angle Point No. 95. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	N. 58° 41' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
0.89	Intersection with the sec. line between secs. 2 and 3. <hr style="width: 20%; margin: 10px auto;"/>
	N. 58° 41' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
1.85	Point for Angle Point No. 96. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	N. 43° 18' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
1.67	Point for Angle Point No. 97, at intersection with the partition line, dividing the pre-1949 abandoned channel in front of the NW1/4SW1/4 and Lot 19, sec. 2, on the E. and W. center line of sec. 2, hereinbefore described.
3.38	Point for Angle Point No. 98. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	N. 27° 17' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
2.63	Point for Angle Point No. 99. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	N. 9° 36' E., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
4.23	Point for Angle Point No. 100. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	N. 9° 04' W., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
6.11	Intersection with the adjusted original (1908) meanders of a former right bank of the Wind River.
7.61	Point for Angle Point No. 101. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	N. 19° 08' W., on the right bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
4.83	Point for Angle Point No. 102, on the E. and W. center line of the NW1/4 of sec. 2, hereinbefore described. <hr style="width: 60%; margin: 10px auto;"/>
	Pre-1949 Abandoned Channel Left Bank <hr style="width: 60%; margin: 10px auto;"/>
	From the point for Angle Point No. 104, on the left bank of a former channel of the Wind River, abandoned prior to 1949 and on the Wind River Base Line, bet. Secs. 3 and 34, hereinbefore described.
	S. 34° 40' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
1.43	Point for Angle Point No. 105, at intersection with the adjusted 1914 meanders of the former left bank of the Wind River. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 10° 10' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
7.00	Point for Angle Point No. 106. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 1° 28' W., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
2.86	Point for Angle Point No. 107. Point not monumented. <hr style="width: 20%; margin: 10px auto;"/>
	S. 16° 58' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
7.13	<p>Point for Angle Point No. 108. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 49° 52' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
3.25	<p>Intersect the E. and W. center line of the NE1/4 of sec. 3.</p>
4.33	<p>Point for Angle Point No. 109. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 79° 31' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
4.01	<p>Point for Angle Point No. 110, identical with the auxiliary meander cor. of sec. 3, on a line dividing the accretions in front of lots 2 and 4, sec. 3. Point not monumented.</p>
9.95	<p>Point for Angle Point No. 111, on the partition line dividing a former channel of the Wind River, abandoned prior to 1949, between lots 27 and 29, sec. 3, and at intersection with the original (1905) adjusted meanders of the left bank of the Wind River. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 39° 37' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
4.19	<p>Point for Angle Point No. 112. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 0° 17' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
5.01	<p>Intersection with the original (1905) adjusted meanders of the left bank of the Wind River.</p>
5.66	<p>Point for Angle Point No. 113. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 10° 07' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
5.51	<p>Point for Angle Point No. 114. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 39° 19' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
2.68	<p>Point for Angle Point No. 115. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 60° 22' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
2.00	<p>Angle Point No. 116, at intersection with the E. and W. center line of sec. 3, hereinbefore described.</p>
3.72	<p>Point for Angle Point No. 117. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 84° 55' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
4.01	<p>Point for Angle Point No. 118. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 47° 50' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949, in sec 3.</p>
0.74	<p>Angle Point No. 119, at intersection with the E. and W center line of sec. 3, hereinbefore described.</p>
3.21	<p>Point for Angle Point No. 120. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 28° 51' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949.</p>
3.52	<p>Point for Angle Point No. 121. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 9° 26' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949.</p>
3.46	<p>Point for Angle Point No. 122. Point not monumented.</p> <hr style="width: 20%; margin: 0 auto;"/>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
	N. 9° 33' W., on the left bank of a former channel of the Wind River, abandoned prior to 1949.
4.61	Point for Angle Point No. 123. Point not monumented. <hr/>
	N. 52° 14' W., on the left bank of a former channel of the Wind River, abandoned prior to 1949.
2.69	Point for Angle Point No. 124, at intersection with the sec. line between secs. 2 and 3, hereinbefore described. <hr/>
	N. 9° 33' W., on the left bank of a former channel of the Wind River, abandoned prior to 1949.
3.11	Point for Angle Point No. 125. Point not monumented. <hr/>
	N. 16° 18' E., on the left bank of a former channel of the Wind River, abandoned prior to 1949.
1.82	Intersect the line bet. Secs. 2 and 3.
2.51	Point for Angle Point No. 126, at intersection with the E. and W. center line of the NW1/4 of sec. 2, hereinbefore described. <hr/>
	Pre 1949 Abandoned Channel Medial Line <hr/>
	From Angle Point No. 127, at intersection of the medial line of a former channel of the Wind River, abandoned prior to 1949, with the line bet. secs. 3 and 34, on the Wind River Base Line, hereinbefore described.
	S. 19° 57' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
1.45	Point for Angle Point No. 127A. Point not monumented. <hr/>



Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
	S. 32° 32' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
1.37	Point for Angle Point No. 127B. Point not monumented. <hr/>
	S. 56° 07' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
2.03	Point for Angle Point No. 128. Point not monumented. <hr/>
	S. 19° 03' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.
4.97	Point for Angle Point No. 59, at intersection with the former right bank of the Wind River, abandoned in 2011, hereinbefore described. <hr/>
	S. 9° 49' W., on the medial line of a former channel of the Wind River, abandoned prior to 1949, identical with a former right bank of the Wind River abandoned in 2011, in sec. 3.
2.46	Point for Angle Point No. 58, hereinbefore described. Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd. <div style="text-align: center;"> T1S R4E AP 58 $\left\{ \begin{array}{l} \text{S } 3 \\ \text{2017} \end{array} \right.$ </div>
	Set steel fence post nearby. <hr/>
	S. 24° 48' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, leaving the former right bank of a channel of the Wind River abandoned in 2011, in sec. 3.
3.44	Point for Angle Point No. 129.



Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

<p>Chains</p>	<p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R4E S 3 \ AP 129 2017 2021</p> <p>Set steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in Russian Olive and willow brush.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 9° 12' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p> <p>4.21 Point for Angle Point No. 130.</p> <p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R4E AP 130 \ S 3 2017 2021</p> <p>Set steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in cottonwood and willow brush.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 31° 09' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p> <p>1.66 Point for Angle Point No. 131.</p> <p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p>
----------------------	---

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
	<div style="text-align: center;"> <p>T1S R4E</p>  <p>AP 131 S 3</p> <p>2017 2021</p> </div> <p>Set steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in cottonwood and willow brush.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 57° 00' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
0.62	Intersect the E. and W. center line of the NE1/4 of sec. 3.
4.46	<p>Point for Angle Point No. 132.</p> <p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>T1S R4E</p>  <p>AP 132 S 3</p> <p>2017 2021</p> </div> <p>Set steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in cottonwood and willow brush.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 76° 18' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
3.93	Point for Angle Point No. 133, on the partition line dividing the pre-1949 abandoned channel in front of lot 27, sec. 3. Point not monumented.
7.52	Point for Angle Point No. 134, at intersection with the partition line dividing the pre-1949 abandoned channel between lots 20 and 28, sec. 3. Point not monumented.

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
9.21	Point for Angle Point No. 135, at intersection with the partition line dividing the pre-1949 abandoned channel between lots 27 and 29, sec. 3. Point not monumented.
9.70	<p>Point for Angle Point No. 136.</p> <p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E</p>  <p>AP 136 S 3</p> <p>2017 2021</p> </div> <p>Set steel fence post nearby.</p> <p>Cor. is located in a dry overflow channel, 2 ft. deep, 10 ft. wide, drains SE., in cottonwood and willow brush.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 39° 37' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
0.44	Intersect the adjusted 1914 meanders of the right bank of the Wind River.
2.09	<p>Point for Angle Point No. 137.</p> <p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E</p>  <p>AP 137 S 3</p> <p>2017 2021</p> </div> <p>Set steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in cottonwood and willow brush.</p> <hr style="width: 20%; margin: 10px auto;"/>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

<p>Chains</p> <p>1.81</p> <p>5.65</p> <p>5.83</p>	<p>S. 6° 55' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p> <p>Intersect the adjusted 1914 meanders of the right bank of the Wind River.</p> <p>Point for Angle Point No. 138.</p> <p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E</p> <p>S 3 \ AP 138</p> <p>2017</p> <p>2021</p> </div> <p>Set steel fence post nearby.</p> <p>Cor. is located in a wash 2 ft. deep, 3 ft. wide, drains S., in cottonwood and willow brush.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 13° 58' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p> <p>Point for Angle Point No. 139.</p> <p>Set an iron FENO® rod, 24 ins. long, 5/8 in. diam., flush with the surface of the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R4E</p> <p>AP 139 \ S 3</p> <p>2017</p> <p>2021</p> </div> <p>Set steel fence post nearby.</p> <p>Cor. is located in nearly level terrain, in cottonwood and willow brush.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 34° 03' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
--	---

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
3.16	<p>Angle Point No. 140, at intersection with the E. and W. center line of sec. 3, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 43° 15' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
1.28	<p>Point for Angle Point No. 141. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 60° 22' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
1.86	<p>Point for Angle Point No. 142. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 81° 40' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
1.68	<p>Point for Angle Point No. 143. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 83° 05' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
4.41	<p>Point for Angle Point No. 144. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 52° 49' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p>
0.92	<p>Intersect the adjusted 1914 meanders of the right bank of the Wind River.</p>
1.59	<p>Intersection with the sec. line between secs. 2 and 3.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 52° 49' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.</p>
1.01	<p>Intersection with the E. and W. center line of sec. 2.</p>
1.38	<p>Point for Angle Point No. 145. Point not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/>


Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	
	N. 43° 18' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
0.96	Point for Angle Point No. 146, at intersection with the partition line, dividing the pre-1949 abandoned channel between lots 21 and 22, sec. 2. Point not monumented.
1.69	Point for Angle Point No. 147. Point not monumented. <hr/>
	N. 28° 11' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
3.07	Point for Angle Point No. 148. Point not monumented. <hr/>
	N. 9° 31' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
3.84	Point for Angle Point No. 149. Point not monumented. <hr/>
	N. 9° 14' W., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
2.07	Intersection with the adjusted original (1908) meanders of the right bank of the Wind River.
6.11	Point for Angle Point No. 150. Point not monumented. <hr/>
	N. 52° 16' W., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
1.34	Point for Angle Point No. 151. Point not monumented. <hr/>
	N. 14° 46' W., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.
3.40	Point for Angle Point No. 151A. Point not monumented. <hr/>

Survey of the Left and Right Banks and Medial Lines of the
Abandoned Channels of the Wind River, in Sections 2 and 3,
T. 1 S., R. 4 E., and Section 34, T. 1 N., R. 4 E.,
Wind River Meridian, Wyoming

Chains	<p>N. 5° 33' E., on the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 2.</p>
1.74	<p>Point for Angle Point No. 152, on the E. and W. center line of the NW. 1/4 of sec. 2, hereinbefore described.</p> <hr/> <p style="text-align: center;">Survey of Certain Division of Accretion Lines Township 1 South, Range 4 East, Wind River Meridian, Wyoming</p> <hr/> <p>From the 1914 special meander cor. on the N. and S. center line of the NW1/4 of sec. 3, on the 1914 right bank of the Wind River.</p> <p>N. 22° 34' W., on a line determined by proportionate shoreline method, dividing the accretions in front of lots 4 and 8, sec. 3.</p>
3.08	<p>Point for the auxiliary meander cor. of sec. 3, at intersection with the meanders of the 2016 right bank of the Wind River. Point not monumented.</p> <hr/> <p>From the 1914 special meander cor. on the N. and S. center line of sec. 3, on the 1914 right bank of the Wind River.</p> <p>N. 8° 23' W., on a line determined by proportionate shoreline method, dividing the accretions in front of lots 6 and 8, sec. 3.</p>
11.24	<p>Point for the auxiliary meander cor. of sec. 3, identical with Angle Point No. 53, at intersection with the right bank of a former channel of the Wind River, abandoned in 2011, hereinbefore described.</p> <hr/> <p>From the 1914 special meander cor. on the N. and S. center line of the NE1/4 of sec. 3, on the 1914 right bank of the Wind River.</p> <p>N. 10° 49' E., on a line determined by proportionate shoreline method, dividing the accretions in front of lots 6 and 9, sec. 3.</p>
12.54	<p>Point for Angle Point No. 87, at intersection with the right bank of the pre-1949 abandoned channel, hereinbefore described.</p> <hr/> <p>From the NE 1/16 sec. cor. of sec. 3, hereinbefore described.</p>

Survey of Certain Division of Accretion Lines
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>S. 10° 29' W., on a line determined at a right angle to the left bank of a former channel of the Wind River, abandoned prior to 1949, dividing the accretions in front of lots 2 and 4, sec. 3.</p>
1.43	<p>Point for Angle Point No. 110, at intersection with the left bank of the pre-1949 abandoned channel, hereinbefore described.</p> <hr style="width: 50%; margin-left: 0;"/> <p>From the 1914 special meander cor. on the N. and S. center line of sec. 2, on the former left bank of the Wind River.</p> <p>S. 18° 27' W., on a line determined by proportionate shoreline method, dividing the accretions in front of lots 2 and 17, sec. 2.</p>
10.79	<p>Point for the auxiliary meander cor. of sec. 2, at intersection with the meanders of the 2016 left bank of the Wind River.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, atop a plastic encased magnetic marker, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  <p>T1S R4E AMC S2 2018</p> </div> <p>Set an orange carsonite post nearby.</p> <p>Cor. is located in nearly level terrain and Russian Olive brush.</p> <hr style="width: 50%; margin-left: 0;"/> <p style="text-align: center;">Survey of Certain Partition Lines Township 1 South, Range 4 East, Wind River Meridian, Wyoming</p> <hr style="width: 50%; margin-left: 0;"/> <p>From the point for Angle Point No. 2, on the right bank of the 2011 abandoned channel of the Wind River, at the intersection with the adjusted 1914 meanders of the right bank of the Wind River in sec. 3, hereinbefore described.</p> <p>N. 67° 30' E., on a line determined at a right angle to the medial line of the 2011 abandoned channel of the Wind River, dividing the abandoned channel between lots 15 and 23, sec. 3.</p>

Survey of Certain Partition Lines
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
3.01	<p>The point for Angle Point No. 33, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From Angle Point No. 5, on the right bank of the 2011 abandoned channel of the Wind River, at the intersection with the E. and W. center line of the NW1/4 of sec. 3.</p> <p>N. 16° 36' E., on a line determined at a right angle to the medial line of the 2011 abandoned channel of the Wind River, dividing the abandoned channel in front of Lot 4 and the SW1/4NW1/4, sec. 3.</p>
2.51	<p>The point for Angle Point No. 38, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From Angle Point No. 7, on the right bank of the 2011 abandoned channel of the Wind River, at the intersection with the N. and S. center line of the NW1/4 of sec. 3.</p> <p>N. 25° 29' W., on a line determined at a right angle to the medial line of the 2011 abandoned channel of the Wind River, dividing the abandoned channel in front of the SE1/4NW1/4 and the SW1/4NW1/4, sec. 3.</p>
4.03	<p>The point for Angle Point No. 40, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From Angle Point No. 9, on the right bank of the 2011 abandoned channel of the Wind River, at the intersection with the E. and W. center line of the NW1/4 of sec. 3.</p> <p>N. 35° 13' W., on a line determined perpendicular to the medial line using angle points Nos. 39 and 43 of the 2011 abandoned channel of the Wind River, dividing the abandoned channel in front of the SE1/4NW1/4 and lot 8, sec. 3.</p>
3.73	<p>The point for Angle Point No. 42, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <p>Note: It is not possible to generate a line from Angle Point No. 9, perpendicular to the medial line, the secondary method of proportioning the</p>

Survey of Certain Partition Lines
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	<p>medial line against the right bank of the avulsion was determined to be the most equitable solution.</p> <hr/> <p>From the point for Angle Point No. 13, on the right bank of the 2011 abandoned channel of the Wind River, at the intersection with the N. and S. center line of the NW. 1/16 of sec. 3.</p> <p>S. 71° 20' W., on a line determined at a right angle to a bisector of the medial line of the 2011 abandoned channel of the Wind River, dividing the abandoned channel in front of lots 4 and 8, sec. 3.</p>
1.51	<p>The point for Angle Point No. 45, on the medial line of a 2011 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From the point for the auxiliary meander cor. of sec. 3, identical with Angle Point No. 53, on the right bank of the 2011 abandoned channel of the Wind River, at the intersection with a line dividing the accretions in front of lots 6 and 8, sec. 3.</p> <p>N. 48° 07' E., on a line determined at a right angle to the medial line of the 2011 abandoned channel of the Wind River, dividing the abandoned channel between lots 10 and 19, sec. 3.</p>
1.00	<p>The point for Angle Point No. 78, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From Angle Point No. 58, on the right bank of the 2011 abandoned channel of the Wind River, at the intersection with the medial line of a former channel of the Wind River, abandoned prior to 1949, in sec. 3.</p> <p>N. 74° 59' W., on a line determined at a right angle to the medial line of the 2011 abandoned channel of the Wind River, dividing the abandoned channel in front of lot 19, sec. 3.</p>
0.79	<p>The point for Angle Point No. 83, at intersection with the medial line of the 2011 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From the point for Angle Point No. 110, on the left bank of the pre-1949 abandoned channel of the Wind River, at the intersection with a line dividing the accretions in front of lots 2 and 4, sec. 3.</p>

Survey of Certain Partition Lines
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	
	<p>S. 13° 42' W., on a line determined at a right angle to the medial line of the pre-1949 abandoned channel of the Wind River, dividing the abandoned channel in front of lot 27 and the accretions in front of lot 2, sec. 3.</p>
1.64	<p>The point for Angle Point No. 133, at intersection with the medial line of the pre-1949 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From the point for Angle Point No. 87, on the right bank of the pre-1949 abandoned channel of the Wind River, at the intersection with a line dividing the accretions in front of lots 6 and 9, sec. 3.</p> <p>N. 13° 42' E., on a line determined at a right angle to the medial line of the pre-1949 abandoned channel of the Wind River, dividing the abandoned channel between lots 20 and 28, sec. 3.</p>
1.86	<p>The point for Angle Point No. 134, at intersection with the medial line of the pre-1949 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From the point for Angle Point No. 111, on the left bank of the pre-1949 abandoned channel of the Wind River, at the intersection with the adjusted original (1905) meanders of a former left bank of the Wind River, in sec. 3.</p> <p>S. 32° 03' W., on a line determined at a right angle to a bisector of the medial line of the Pre 1949 abandoned channel of the Wind River, dividing the abandoned channel between lots 27 and 29, sec. 3.</p>
2.08	<p>The point for Angle Point No. 135, on the medial line of the pre-1949 abandoned channel of the Wind River, hereinbefore described.</p> <hr/> <p>From the point for Angle Point No. 97, on the right bank of the pre-1949 abandoned channel of the Wind River.</p> <p>N. 46° 42' W., on a line determined at a right angle to the medial line of a pre-1949 abandoned channel of the Wind River, dividing the abandoned channel in front of the NW1/4SW1/4 and lot 19, sec. 2.</p>
1.34	<p>The point for Angle Point No. 146, on the medial line of the pre-1949 abandoned channel of the Wind River, hereinbefore described.</p> <hr/>

Survey of Certain Partition Lines
T. 1 S., R. 4 E., Wind River Meridian, Wyoming

Chains	GENERAL DESCRIPTION
	<p>The area embraced by this survey is located on and adjacent to the Wind River Indian Reservation in the central portion of Fremont County, south of Riverton, Wyoming. The terrain is nearly level and the elevation is approximately 4,930 feet above sea level. The vegetation consists of Cottonwood and Russian Olive timber, willow, sagebrush and native grasses. The soil is sandy loam and gravel.</p> <p>Drainage is provided by the Wind River, which flows in an easterly direction through the sections surveyed. No mineral activity was noted.</p> <p>Access is provided by Wyoming State Highways No. 136 and 789.</p> <hr/>

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD ASSISTANTS

NAMES	CAPACITY
Sonja S. Sparks	Chief Cadastral Surveyor for Wyoming
Thomas Laakso	Cadastral Surveyor
Don K. Simmons	Surveying Technician

CERTIFICATE OF SURVEY

We, David C. Lee and James R. Gampetro, Cadastral Surveyors, HEREBY CERTIFY upon honor that, in pursuance of special instructions bearing date of the 25th day of August, 2016 and supplemental special instructions bearing date of May 16th, 2017, we have dependently resurveyed a portion of the Wind River Base Line, through Range 4 East, a portion of the subdivisional lines, a portion of the subdivision of sections 2 and 3, the adjusted original and 1914 meanders of the left and right banks of the Wind River through sections 2 and 3, the combined adjusted original 1905 and 1914 meanders of the left bank of the Wind River through sections 2 and 3, the combined adjusted original 1908 and 1914 meanders of the right bank of the Wind River through sections 2 and 3, and surveyed the meanders of the 2016 left and right banks of the Wind River and informative traverse through sections 2 and 3, the left and right banks and medial lines of the abandoned channels of the Wind River in sections 2 and 3, (and section 34, T. 1 N., R. 4 E.), and certain division of accretion and partition lines, Township 1 South, Range 4 East, of the Wind River Meridian, in the State of Wyoming, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

January 7, 2022

Date

January 7, 2022

Date

Unavailable for Signature

David C. Lee
Cadastral Surveyor

James R. Gampetro
Cadastral Surveyor

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Cheyenne, Wyoming

The foregoing field notes of the dependent resurvey of a portion of the Wind River Base Line, through Range 4 East, a portion of the subdivisional lines, a portion of the subdivision of sections 2 and 3, the adjusted original and 1914 meanders of the left and right banks of the Wind River through sections 2 and 3, the combined adjusted original 1905 and 1914 meanders of the left bank of the Wind River through sections 2 and 3, the combined adjusted original 1908 and 1914 meanders of the right bank of the Wind River through sections 2 and 3, and the survey of the meanders of the 2016 left and right banks of the Wind River and informative traverse through sections 2 and 3, the left and right banks and medial lines of the abandoned channels of the Wind River in sections 2 and 3, (and section 34, T. 1 N., R. 4 E.), and certain division of accretion and partition lines, Township 1 South, Range 4 East, of the Wind River Meridian, in the State of Wyoming, executed by David C. Lee and James R. Gampetro, Cadastral Surveyors, having been critically examined and found correct, are hereby approved.

January 7, 2022

Date

Sonja S. Sparks
Chief Cadastral Surveyor for Wyoming