



TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING
 SUPPLEMENTAL SURVEY OF TRACT I, SECTION II
 RIVERTON UNIT, WYOMING

Surveyed by Charles Bryant, Engineer, under authority of Departmental Instructions of October 24, 1906

Survey Commenced February 10, 1972 Survey Completed February 11, 1972

Scale 1 Inch = 10 Chains



- ◊ Denotes corners of previous surveys found in place.
- Denotes corner set by Charles Bryant, Engineer, Bureau of Reclamation.

U.S. Department of the Interior
 Bureau of Reclamation
 Washington, D.C. May 3, 1972

U.S. Department of the Interior
 Bureau of Land Management
 Washington, D.C. May 9, 1972

This plat is strictly conformable to the field notes of the survey, which have been examined and approved.

The survey represented by this plat, having been correctly executed in accordance with the requirements of law and the regulations of this bureau, is hereby accepted.

W.H. Keating
 Acting Commissioner



For the Director
Clark F. Gunn
 Chief, Division of Cadastral Survey

ACCESSION NO. 1236-617-11

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING
 SUPPLEMENTAL SURVEY OF TRACT 3, SEC. 36
 RIVERTON PROJECT, WYOMING



Surveyed by Robert M. Seipt Engineer, under authority of Departmental Instructions of October 24, 1906
 Survey Commenced December 7, 1954 Survey Completed December 14, 1954



—◇— Denotes corners of previous surveys found in place.
 —○— Denotes corners set by Robert M. Seipt Engineer
 Bureau of Reclamation

U.S. Department of the Interior
 Bureau of Reclamation
 Washington, D.C. May 13, 1955
 This plat is strictly conformable to the field notes of the survey,
 which have been examined and approved

E. Nielsen
 Assistant Commissioner

ACCESSION NO. 36-617-5044

U.S. Department of the Interior
 Bureau of Land Management
 Washington, D.C. May 13, 1955
 The survey represented by this plat having been correctly
 executed in accordance with the requirements of law and the regulations
 of this bureau hereby accepted

For the Director
Earl G. Harrington
 Cadastral Engineering Staff Officer



TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING

SUPPLEMENTAL SURVEY OF TRACT 1, SE 1/4 SW1/4 AND N1/2 SW1/4 SECTION 33

RIVERTON PROJECT, WYOMING



Surveyed by Robert M. Seipt, Engineer, under authority of Departmental Instructions of October 24, 1906
Survey Commenced, September 28, 1954. Survey Completed, October 1, 1954.



- ◇— Denotes corners of previous surveys found in place.
- Denotes corners set by Robert M. Seipt, Engineer, Bureau of Reclamation.

NOTE
Tracts 9 and 10 are not used in this plat.

U.S. Department of the Interior
Bureau of Reclamation
Washington, D. C. _____ May 13, 1955

This plat is strictly conformable to the field notes of the survey which have been examined and approved.

E. Nielsen
Assistant Commissioner

U.S. Department of the Interior
Bureau of Land Management
Washington, D. C. _____ May 13, 1955

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.

For the Director
Carl G. Harrington
Cadastral Engineering Staff Officer

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING

SUPPLEMENTAL SURVEY OF TRACTS 3, 4, 5, & 6, LOTS 1 & 2, AND SE 1/4 SECTION 30

RIVERTON PROJECT, WYOMING





Surveyed by Robert M. Seipt

Engineer, under authority of Departmental Instructions of October 24, 1906

Survey Commenced, September 23, 1954

Survey Completed, September 28, 1954

Scale in Chains



- ◇— Denotes corners of previous surveys found in place.
- Denotes corners set by Robert M. Seipt, Engineer, Bureau of Reclamation.

U.S. Department of the Interior
Bureau of Reclamation
Washington, D. C. May 13, 1955

This plat is strictly conformable to the field notes of the survey, which have been examined and approved.

E. Nielsen
Assistant Commissioner

U.S. Department of the Interior
Bureau of Land Management
Washington, D. C. May 13, 1955

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.

For the Director
Carl S. Harrington
Cadastral Engineer Staff Officer

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING
SUPPLEMENTAL SURVEY OF TRACTS 5, 8, 9 & 10, SEC. 29
RIVERTON PROJECT, WYOMING



RECEIVED

MAR 10 1955

Land Office
Box 576 Cheyenne, Wyo.

Surveyed by Robert M. Seipt Engineer under authority of Departmental Instructions of October 24, 1906
Survey Commenced July 14, 1954 Survey Completed July 15, 1954

Scale in Chains



TRAVERSE BOUNDARY BETWEEN

Tracts	Point	Course	Distance
11 AND 12		N. 54° 19' E.	2.76
12 AND 21	A-3	S. 43° 50' E.	0.23
12 AND 21	3-2	S. 14° 50' E.	7.21
12 AND 21	2-1	S. 88° 37' E.	9.61
12 AND 21	1-D	S. 59° 44' E.	3.01
13 AND 14	A-1	N. 9° 42' W.	4.70
13 AND 14	1-2	N. 69° 48' W.	10.64
13 AND 14	2-B	N. 25° 08' W.	4.14
14 AND 15	F-E	N. 86° 18' E.	1.73
14 AND 16	C-D	S. 89° 23' W.	4.15
14 AND 16	D-E	S. 0° 06' E.	0.22
14 AND 17	D-E	N. 4° 21' W.	2.40
14 AND 17	E-A	N. 86° 16' W.	6.47
14 AND 18	A-1	N. 66° 16' W.	0.78
14 AND 18	1-2	N. 34° 57' W.	4.71
14 AND 18	2-C	S. 89° 23' W.	2.89
14 AND 21	B-C	N. 25° 08' W.	0.32
14 AND 21	C-D	N. 82° 20' W.	0.48
15 AND 18	E-1	S. 0° 06' E.	3.09
15 AND 18	1-2	S. 68° 59' W.	2.48
16 AND 18	C-E	S. 86° 18' W.	4.16
17 AND 18	A-B	S. 41° 35' E.	0.27
17 AND 18	B-C	S. 52° 30' E.	4.30
21 AND 22	A-1	N. 54° 19' E.	3.78

—○— Denotes corners of previous surveys found in place
—○— Denotes corners set by Robert M. Seipt, Engineer, Bureau of Reclamation

Tract numbers 19 and 20 not used.

Bureau of Reclamation
Washington, D.C. January 28, 1955

This plat is strictly conformable to the field notes of the survey, which have been examined and approved.

W.B. Bennett
Acting Assistant Commissioner

Bureau of Land Management
Washington, D.C. January 28, 1955

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.



For the Director
Carl G. Harrington
Cadastral Engineering Staff Officer

ACCESSION NO. 36-617-4989

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING
SUPPLEMENTAL SURVEY OF TRACTS 6 AND 8 SECTION II AND TRACT 2 SECTION 12,
AND N W 1/4 SECTION 12

RIVERTON PROJECT, WYOMING

Surveyed by Robert M. Seipt Engineer under authority of Departmental Instructions of October 24, 1906
Survey Commenced March 18, 1954 Survey Completed March 19, 1954



—◇— Denotes corners of previous surveys found in place
—○— Denotes corners set by Robert M. Seipt, Engineer, Bureau of Reclamation

Bureau of Reclamation
Washington, D. C. December 9, 1954

This plat is strictly conformable to the field notes of the survey which have been examined and approved

Harold J. Manning
Acting Asst. Commissioner

Bureau of Land Management
Washington, D. C. December 9, 1954

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is here by accepted.

For the Director
Donald O. Clemond
Acting Cadastral Engineering Staff Officer

ACCESSION NO. 36-617-5003

73-G



4N-2E

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING SUPPLEMENTAL SURVEY OF TRACTS 1 AND 9 SECTION 2

RIVERTON PROJECT, WYOMING



Surveyed by Robert M. Seipt Engineer, under authority of Departmental Instructions of October 24, 1906
Survey Commenced, March 18, 1954 Survey Completed March 19, 1954



—○— Denotes corners of previous surveys found in place.
—●— Denotes corners set by Robert M. Seipt, Engineer, Bureau of Reclamation.

Bureau of Reclamation
Washington, D. C. December 9, 1954

This plat is strictly conformable to the field notes of the survey, which have been examined and approved.

Walter D. Comary
Acting Asst. Commissioner

Bureau of Land Management
Washington, D. C. December 9, 1954

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.

For The Director
Donald W. Clement
Acting Cadastral Engineering Staff Officer

ACCESSION NO. 36-617-4982

73-F

73-F

4N-2E

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING



SUPPLEMENTAL SURVEY OF TRACT 2, SEC. 34 & TRACT 5 & 7, SEC. 35

RIVERTON PROJECT, WYOMING

Surveyed by Robert M. Seipt Engineer, under authority of Departmental Instructions of October 24, 1906

Survey Commenced, March 16, 1954 Survey Completed March 17, 1954

Scale 1 inch = 10 Chains.



Denotes corners of previous surveys found in place. Denotes corners set by Robert M. Seipt, Engineer, Bureau of Reclamation.

Bureau of Reclamation Washington, D. C. Oct. 15, 1954

This plat is strictly conformable to the field notes of the survey, which have been examined and approved.

E. V. Lindseth Acting Commissioner

Bureau of Land Management Washington, D. C. Oct. 18, 1954

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.

For the Director [Signature] Acting Cadastral Engineering Officer

ACCESSION NO. 36-617-4988

4N2E

73-D

69654

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING



SUPPLEMENTAL SURVEY OF SECTIONS 2, 3, 11, 12, 13, AND 14

RIVERTON PROJECT, WYOMING

Surveyed by Earl R. Asdell, Engineer, under authority of Departmental Instructions of October 24, 1906

Survey Commenced March 9, 1948 Survey Completed September 2, 1948

Scale 1 inch = 20 chains



- Denotes corners of previous surveys found in place.
- Denotes corners set by Earl R. Asdell, Engineer, Bureau of Reclamation.
- Denotes corners of previous surveys found in place and remonumented by Earl R. Asdell, Engineer.

Bureau of Reclamation
Washington, D. C. May 5, 1950

This plat is strictly conformable to the field notes of the survey, which have been examined and approved:

Wisley R. Nelson
Acting Commissioner

Bureau of Land Management
Washington, D. C. May 5, 1950

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.

For the Director
William F. Richards
Chief Branch of Surveys

ACCESSION NO. 36-617-4001

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING


SECTIONS 27, 34, 35 AND 36

Surveyed by Earl R. Asdell Engineer, under authority of Departmental Instructions of October 24, 1906.

Survey Commenced, October, 28 1947

Survey Completed, May 10, 1948

Scale: 1 inch = 20 chains



- ◊ Denotes corners of previous surveys found in place.
- Denotes corners set by Earl R. Asdell, Engineer, Bureau of Reclamation.
- Denotes witness corners set by Earl R. Asdell.

Bureau of Reclamation
Washington, D. C. July 13, 1948

This plat is strictly conformable to the field notes of the survey, which have been examined and approved.

E. E. Tomlinson
Acting Commissioner

Bureau of Land Management
Washington, D. C. April 5, 1949

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.

For the Director
William H. Richards
Chief, Branch of Surveys

ACCESSION NO. 48-12

TOWNSHIP 4 NORTH, RANGE 2 EAST, WIND RIVER MERIDIAN, WYOMING



SECTIONS 28, 29, 30, 31, 32, AND 33

Surveyed by Earl R. Asdell Engineer, under authority of Departmental Instructions of October 24, 1906.

Survey Commenced, October, 28 1947

Survey Completed, May 10, 1948

Scale: 1 inch = 20 chains



TRAVERSE
BOUNDARY BETWEEN TRACTS 9 AND 10
SECTION 29

Point	Course	Distance
1-2	N. 86° 16' W.	7.25
2-3	N. 34° 57' W.	4.71
3-4	S. 89° 23' W.	7.04
4-5	S. 0° 06' E.	3.31
5-6	S. 88° 59' W.	2.48
6-7	N. 68° 03' W.	8.69
7-8	N. 47° 58' W.	9.40
8-9	N. 74° 31' W.	2.65

- ◊ Denotes corners of previous surveys found in place.
- Denotes corners set by Earl R. Asdell, Engineer, Bureau of Reclamation.
- Denotes witness corners set by Earl R. Asdell.

Bureau of Reclamation
Washington, D. C. July 13, 1948

This plat is strictly conformable to the field notes of the survey, which have been examined and approved.

E. Tomlinson
Acting Commissioner

Bureau of Land Management
Washington, D. C. April 5, 1949

The survey represented by this plat having been correctly executed in accordance with the requirements of law and the regulations of this bureau is hereby accepted.

For the Director
William F. Richards
Chief, Branch of Surveys

ACCESSION NO. 48-13.

73-A

Received at Public Survey Office June 20, 1949


4N-2E

5113

TOWNSHIP EXTERIORS

Scale: 1 inch to 100 chains

Second Standard Parallel North



This Plat
of the first Standard Parallel North
through Ranges 1 and 2 E. and 1 W. of
the Wind River Meridian; the east
and West boundaries of Tps. 4, 5, 6 and
7 N., R. 2 E. and Tps. 6 and 8 N., R. 2 W.; the
north and south boundaries of Tp. 6 N.
Rs. 1 and 2 E.; the north boundary of Tp. 5
N., R. 1 W.; the re-survey of the west bound-
aries of Tps. 4 and 5 N., R. 1 W.; part of the south
boundary of T. 4 N., R. 1 W.; part of the south
boundary of T. 6 N., R. 2 W.; the Wind River
Meridian through T. 6 N. and the retracement
of the south boundaries of T. 4 N., R. 1
and 2 E.; parts of the north and west bound-
aries of T. 7 N., R. 1 E. of the Wind River Mer-
idian, in Wyoming, is strictly conformable
to the field notes of the survey of the same
by Johnson and Dougall, U.S. Deputy
Surveyors under their
Contract No. 300, Dated May 1, 1905
which have been examined, approved and
filed in this office
U.S. Surveyor General's Office,
Cheyenne, Wyoming, Feb. 16, 1906

Alphonso P. Hanson
U.S. Sur. Genl.

Table of Mileage

Survey Designated	Amount Mls. Chs. Lks.	When Surveyed
Standard lines	17 69 00	Jan. 5, 23, 31, 18, Aug. 23, 1905
Township "	73 75 96	May 19 - Aug. 11, 1905
Resurveyed "	27 07 82	Jun. 26, Jul. 25, 28, 29, 1905
Retraced "	10 71 04	Jun. 2 & 4, Jul. 1 & 11, 1905
Connecting "	36 24	May 19 - Aug. 11, 1905

Latitude 43° 17' N.
Longitude 108° 33' W.
Mag. Decl. 16° 55' E.

This plat accepted by the Hon. Commissioner
in letter "C," February 28, 1906.