

FIELD NOTES
MINERAL SURVEYS

VOLUME 8

1902

INDEX OF MINERAL SURVEYS.

VOLUME 8, 1902.

Page No.	Sur. No.	Date of Sur.	Claim, lode or placer.	Claimant.
1.	174	Mch. 1902.	Royal Placer	Arthur Jones.
39.	153 A-B	Feb. 1902.	Paragon No. 2, K-C, Union, Aberdeen, Flying Dutchman, Morning Star, Argonaut lodes, Kurtz-Chatterton Mill Site.	Kurtz-Chatterton Copper Mining Company.
105.	159.	Nov. 1901.	Sunday Lode.	Great Lakes Mining and Smelting Co.
125.	161.	Oct.-Nov. 1901.	Gold Coin, Gold Bank, Gold Finch, Eclipse, Frankfort, Ironside, Brown, Thompson, and McCleary Lodes.	Geo. E. Fisher, deceased, M. D. Finch, Chas. J. Finch and L. D. Bailor.
173.	163.	Oct.-Nov. 1901.	Inter Ocean No. 2, and Inter Ocean No. 3 Lodes.	Geo. E. Fisher, deceased, O. B. Folden and Chas. J. Finch.
199.	145.	Nov. 1901.	Ada May No. 3 Placer.	S. D. Burns.
229.	171.	Mch.-Apr. 1902.	Paris Lode.	Chas. F. Fury.
247.	165.	Nov. 1901.	Rose Hill, Silver Crown, Protector, Rainbow, El Capitan Lodes.	The Battle Lake Consolidated Copper Co.
287.	169.	Nov. 1901.	Camp, Bench, Bluff, Hill and Peak Lodes.	The Battle Lake Tunnel Site Mining Co.
325.	170.	Dec. 1901.	Full Moon Lode.	George W. Wilkins.
343.	180.	Apr. 1902.	Home Run No. 1, Home Run No. 2 and Home Run No. 3 Lodes.	A. L. Bohrer, A. H. Oldman, Adolph Fehringier.
371.	176.	Feb. 1902.	Centipede, Navy, Company Fraction, W. E. Ridge No. 1, Red Bird, Colorado Bell, Red Bird No. 2 and Pot Fraction Lodes.	The Beaver Copper Mining Co.
427.	164.	May, 1902.	Arlington.	The International Copper Mining and Milling Company.
445.	160.	Apr. 1902.	Kalamazoo, Fourth of July, Burk, No Dollar, Rob Roy, Paragon, Eureka, Western Slope, Union No. 1 and Union No. 2 Lodes.	The Great Lakes Mining and Smelting Co.
511.	178.	Apr. 1902.	My Queen and Kicker Lodes.	Wyone Iron and Copper Company.
537.	182.	Mch.-Apr. 1902.	Hidden Treasure, Hidden Treasure Nos. 2, 3, 4 and 5, Blue Bell, Juniper, Star Pointer and Irene Lodes.	The Hidden Treasure Mining and Tunnel-Site Company.
609.	172.	<i>July 26</i> Apr. 1902.	Newsboy, Newsboy No. 1, Newsboy No. 2, Newsboy No. 3, Newsboy No. 4, Newsboy No. 5 and Newsboy No. 6 Lodes.	Newsboy Copper Mining Company.

MAY 3 1902

(4-683.)

Mineral Survey No. 161

Lot No. _____

Crook Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Estate of Geo. E. Fisher deceased, M. D. Finch,
Chas. J. Finch, and L. D. Bailor

KNOWN AS THE

Gold Coin, Gold Bank, Gold Finch, Eclipse, Frankfurt
Ironside, Brown, Thompson and McCleery Lodes, Hurricane Mining District,

Crook County, Wyo. in NE 1/4 NW 1/4 SE 1/4 SW 1/4

Section 29 & 32 Township 51 N Range 60 W

Surveyed under instructions dated Oct. 15, 1901,

by Albert H. Wilson
U. S. Deputy Mineral Surveyor

Claim located Various dates, 1

Survey commenced Oct. 30, 1901

Survey completed Nov. 3, 1901

U. S. 6-103

Address of J. V. Parker, Adm. of Estate of
Geo. E. Fisher deceased, Lead S. D.
" " M. D. Finch Welcome Wyo.
" " Chas. J. Finch Beulah "
" " L. D. Bailor Lead. S. D.

NO. 3123 Location Certificate Gold Coin Lode.

To Daniel Miles et al;

Filed Apr. 7, 1890, at 8 o'clock, A.M. A. C. Settle, Register of Deeds.

Copy. Notice of location of ²Quartz Claim.

Notice is hereby given to all whom it may concern that we, Daniel Miles, Orsen B. Folden, and William A. Rinehart, of the County of Lawrence, and state of S. Dakota, citizens of the United States over the age of twenty-one years, having discovered a vein or lode of quartz or rock in place, bearing gold & silver, within the limits of the claim hereby located, have this day under and in accordance with the Revised Statutes of the United States, Chapter six, Title thirty-two, located fifteen hundred (1500) linear feet of this vein or lode, with surface ground three hundred (300) feet in width, situated in Hurriana Mining District, County of Crook, Territory of Wyoming, and known as the Gold Coin Lode and Quartz Mining Claim, and extending seven hundred & fifty feet Northwesterly toward Spotted Tail Gulch, and seven hundred & fifty feet Southeasterly toward the summit of Mineral Hill, from this notice at the discovery or prospect shaft, the exterior boundaries of this claim being distinctly marked by reference to some natural objects or permanent monuments, and more particularly described as follows to-wit:

Said Gold Coin Lode is situated upon the Northwesterly slope of Mineral Hill on the South side of Spotted Tail Gulch; is bounded on the Northeast by the Gold Bank Lode, also by eight (8) substantial posts, and we intend to hold and work said claim as provided by the local customs and rules of miners, and the Mining Statutes of the United States.

Daniel Miles, Orsen B. Folden, William A. Rinehart.

Dated on the ground this 6th day of January 1890.

Discovered January 6th 1890.

Daniel Miles, Locator.

Located January 6th 1890.

Recorded 188

Attest Chas. J. Finch.

STATE OF WYOMING (

COUNTY OF CROOK) 33

I, T. A. Dunn, County Clerk and Ex-officio Register of Deeds in and for the County aforesaid do hereby certify that the foregoing is a full, true, accurate and correct copy of the Original Location Certificate "Gold Coin Lode", as the same appears of record in my office on Page 41 of Book 16, Miscellaneous Record.

IN WITNESS WHEREOF I HAVE HEREBY SET MY HAND AND OFFICIAL SEAL on this twenty-sixth day of September 1901.

(SEAL)

T. A. Dunn,
Co. Clerk and Ex-officio Reg. of Deeds.

NO. 6124. Location Certificate. Gold Bank Mining Claim.

To Daniel Miles et al. Filed April 7, 1890, at 8 o'clock A.M.
A. C. Settle, Register of Deeds.

Copy. Notice of location of a Quartz claim.

Notice is hereby given to all whom it may concern that we Daniel Miles, Orsen B. Folden, and William A. Rinehart of the County of Lawrence, State of S. Dak. and citizens of the United States, over the age of twenty-one years, having discovered a vein or lode of quartz, or rock in place, bearing gold & silver, within the limits of the claim hereby located, have this day under and in accordance with the Statutes of the United States, Chapter six, Title thirty-two located fifteen hundred (1500) linear feet of this vein or lode, with surface ground, three hundred (300) feet in width, situated in Hurricane Mining District, County of Crook, Territory of Wyoming, and known as the Gold Bank Lode and Quartz Mining Claim, and extending Seven hundred & fifty feet Northwesterly toward Spotted Tail Gulch, and seven hundred & fifty feet Southeasterly toward the summit of Mineral Hill, from this notice at the discovery or prospect shaft. The exterior boundaries of this claim being distinctly marked by reference to some natural objects of permanent monuments, and more particularly described as follows, to-wit:

Said Gold Bank Lode is situated upon the Northwesterly side of Mineral Hill, on the South side of Spotted Tail Gulch, and is bounded on the East by the Goldfinch Lode. Being abandoned ground but the name of the Location not known, and we intend to hold and work said claim, as provided by the local rules and customs of miners, and the Mining Statutes of the United States.

Daniel Miles, Orsen B. Folden, William A. Rinehart.

Dated on the ground this 1st day of January 1890.

Discovered January 1st 1890.

Locator.

Located January 1st 1890.

Recorded 188

Attest Charles J. Finch.

STATE OF WYOMING { 23
COUNTY OF CROOK {

I, T. A. Dunn, County Clerk and Ex-officio Register of Deeds in and for the aforesaid County, do hereby certify that the foregoing is a full, true, accurate and correct copy of the Original Location Certificate "Gold Bank Mining Claim" as the same appears of record in my office, on page 40 of Book 15, Miscellaneous Record.

IN WITNESS WHEREOF I have hereunto set my hand and official seal on this twenty-sixth day of September, 1901.

(SEAL)

T. A. Dunn,
Co. Clerk and Ex-officio Reg. of Deeds.

No. 6519. Location Certificate. Eclipse Lode. To Charles J. Finch, et al. Filed June 21, 1890 at 8 o'clock, A. M., A. C. Seitle, Register of Deeds.

KNOW ALL MEN BY THESE PRESENTS: That we, Chas. J. Finch, Daniel Miles, Orsen B. Folden, W. B. Thompson, B. F. Brown & William A. Rinehart of the County of Lawrence and State of South Dak., claim by right of discovery and location fifteen hundred feet linear and horizontal measurement, on the Eclipse Lode, along the vein thereof, with all its dips, variations and angles, together with one hundred & fifty feet in width on each side of the middle of said vein at the surface, and all veins, lodes, ledges, and surface ground, within the lines of said claim, seven hundred & fifty feet on said lode running Northerly from the center of the discovery shaft, and seven hundred & fifty feet running Southerly from said center of discovery shaft. Said discovery shaft being situate upon said lode, within the lines of said claim, in Hurricane Mining District, County of Crook, Ter. of Wyoming, and is further described as being situated upon the north side of Mineral Hill, and is bounded on the South by the Gold Finch & Gold Bank Lodes, also by eight substantial posts.

Said Eclipse Lode was located on the 13th day of May A. D. 1890.
Date of certificate, June 14th, 1890.

Attest:

Charles J. Finch, Daniel Miles, Orsen B. Folden, W. B. Thompson, B. F. Brown, William A. Rinehart.

STATE OF WYOMING. () SS.
County of Crook.

I, T. A. Dunn, County Clerk and ex-Officio Register of Deeds in and for the county aforesaid, do hereby certify that the foregoing is a full, true, accurate and correct copy of the Original Location Certificate, Eclipse Lode, as the same appears of record in my office on page 126 of Book 15, Miscellaneous Record.

(seal)

IN WITNESS WHEREOF, I have hereunto set my hand and official seal, this twenty-sixth day of September 1901.

T. A. Dunn,
Co. Clerk and ex-Officio Reg. of Deeds.

No. 6513. Location Certificate. Frankfort Lodge. To Charles J. Finch, et al. Filed June 21, 1890, at 8 o'clock A. M. A. C. Settle, Register of Deeds.

KNOW ALL MEN BY THESE PRESENTS: THAT we, Chas. J. Finch, Daniel Miles, Orsen B. Folden, W. B. Thompson, B. F. Brown, & William A. Rinehart of the county of Lawrence and State of South Dak. claim, by right of discovery and location fifteen hundred feet linear and horizontal measurement on the Frankfort Lode along the vein thereof, with all its dips variations and angles, together with one hundred & fifty feet in width on each side of the middle of said vein at the surface, and all veins, lodes, ledges and surface ground, within the lines of said claim, seven hundred & fifty feet on said lode running Southerly from the center of the discovery shaft, and seven hundred feet running Northerly from said center of discovery shaft, said discovery shaft being situate upon said lode, within the lines of said claim, in Hurricane Mining District, County of Crook, Ter. of Wyoming, and is more fully described as being situate upon the north side of Mineral Hill, and is bounded on the South by the Gold Bank and Gold Coin lodes & on the east by the Eclipse Lode. Said Frankfort lode was located on the 13th day of May A. D. 1890.

Date of Certificate, June 14th A. D. 1890.

Attest: Charles J. Finch, Daniel Miles, Orsen B. Folden, W.B. Thompson, D. F. Brown, William Rinehart.

STATE OF WYOMING() SS.
COUNTY OF CROOK(

I. T. A. Dunn, County Clerk and ex-Officio Register of Deeds,
do hereby certify that the foregoing is a full, true and correct copy
of the original location certificate Frankfort Lodge as the same
appears of record in my office on Page 126, Book 15, Miscellaneous
Record.

(SEAL)

IN WITNESS WHEREOF I have hereunto set
my hand and official seal this twenty-
sixth day of September 1901.

T. A. Dunn,
Co. Clerk and ex-Officio Reg. of
Deeds.

No. 6520. Location Certificate. Ironside Lode To Chas. J. Finch, et al. Filed June 21, 1890, at 8 o'clock A. M. A. C. Settle, Register of Deeds.

KNOW ALL MEN BY THESE PRESENTS: THAT we, Chas. J. Finch, Daniel Miles, Orsen B. Folden, W. B. Thompson, B. F. Brown & William A. Rinehart, of the County of Lawrence and State of South Dak., claim by right of discovery and location, fifteen hundred feet linear and horizontal measurement on the Ironside Lode, along the vein thereof, with all its dips, variations and angles, together with one hundred & fifty feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim. Seven hundred & fifty feet on said lode running Northerly from the center of the discovery shaft and seven hundred & fifty feet running Southerly from said center of discovery shaft. Said discovery shaft being situate upon said lode within the lines of said claim, in Hurricane Mining District, County of Crook, Ter. of Wyoming, and is more fully described as being situated upon the North side of Mineral Hill, and is bounded on the East by the Gold Coin Lode, also by eight substantial posts.

Said Ironside Lode was located on the 13th day of May A. D. 1890.

Date of Certificate, 14th of June A. D. 1890.

Attest:

Charles J. Finch, Daniel Miles, Orsen B. Folden, W. B. Thompson, B. F. Brown & William A. Rinehart.

STATE OF WYOMING, ()
) SS.
COUNTY OF CROOK (

I, T. A. Dunn, County Clerk and ex-Officio Register of Deeds in and for the aforesaid County do hereby certify that the foregoing is a full, true, accurate and correct copy of the original Location Certificate Ironside Lode as the same appears of record in my office on Page 127, of Book 15, Miscellaneous Record.

(SEAL)

IN WITNESS WHEREOF, I have hereunto set my hand and official seal on this twenty-sixth day of September 1901.

T. A. Dunn,
County Clerk and ex-Officio Reg. of Deeds.

No. 6521. Location Certificate. Brown Lode To Chas. J. Finch,
et al. Filed June 21, 1890 at 8 o'clock, A. M. A. C. Sattle,
Register of Deeds.

KNOW ALL MEN BY THESE PRESENTS: THAT we, Chas. J. Finch, Daniel Miles,
W. B. Thompson, Orsen B. Folders, B. F. Brown, and William A. Rine-
hart, of the county of Lawrence, and State of South Dak., claim by
right of discovery and location, fifteen hundred feet linear and hori-
zontal measurement on the Brown Lode, along the vein thereof, with all
its dips, variations and angles, together with one hundred & fifty feet
in width on each side of the middle of said vein at the surface, and
all veins, lodes, ledges and surface ground within the lines of said
claim seven hundred & fifty feet on said Lode running Northerly from
the center of the discovery shaft: and seven hundred & fifty feet
running Southerly from said center of discovery shaft; said discov-
ery shaft being situate upon said Lode within the lines of said claim
in Hurricane Mining District, County of Crook, Ter. of Wyoming, and
is more fully described as being situate^d upon the north side of Min-
eral Hill, and is bounded on the north by the Gold Finch Lode, also
by eight substantial posts.

Said Brown lode was located on the 15th day of May A.D. 1890.

Date of Certificate June 14, A. D. 1890.

Attest:

Charles J. Finch, Daniel Miles, Wm. B. Thompson, Orsen B. Folder,
B. F. Brown, William A. Rinehart.

STATE OF WYOMING, () ss.
COUNTY OF CROOK (

I, T. A. Dunn, County Clerk and Ex-officio register
of Deeds, in and for the aforesaid County, do hereby certify that the
foregoing is a full, true, accurate and correct copy of the Original
Location Certificate Brown Lode as the same appears of record in my
office, on page 127 of Book 15, Miscellaneous Record.

IN WITNESS WHEREOF I have hereunto set my
hand and official seal this twenty sixth
day of September 1901.

(SEAL)

T. A. Dunn,
Co. Clerk and ex-Officio Reg. of Deeds.

No. 8517. Location Certificate. Thompson Lode.
To Charles J. Finch. Filed June 21, 1890, at 8 o'clock, A.M.
A. C. Settle, Register of Deeds.

KNOW ALL MEN BY THESE PRESENTS: That we, Chas. J. Finch, Daniel Miles, Orsen B. Folden, W. B. Thompson, B. F. Brown & William A. Rinehart, of the County of Lawrence and state of South Dak. claim by right of discovery and location, fifteen hundred feet linear and horizontal measurement on the Thompson Lode along the vein thereof, with all its dips, variations and angles, together with one hundred and fifty feet in width on each side of the middle of said vein at the surface; and all veins, lodes, ledges and surface ground within the lines of said claim, seven hundred and fifty feet on said lode running Southerly from the center of the discovery, and seven hundred and fifty feet running Northerly from said center of discovery shaft ^{said discovery shaft} being situate upon said lode, within the lines of said claim, in Hurricane Mining District, County of Crook, Ter. of Wyoming, and is more fully described as being situated upon the North side of Mineral Hill and is bounded on the North by the Gold Bank Lode, also by eight substantial posts.

Said Thompson Lode was located on the 13th day of May A.D. 1890

Date of Certificate June 15th A.D. 1890.

Attest

Charles J. Finch, Daniel Miles, Orsen B. Folden, W. B.

Thompson, B. F. Brown, William A. Rinehart.

STATE OF WYOMING)
 ((SS
COUNTY OF CROOK)

I, T. A. Dunn, County Clerk and Ex-officio Register of Deeds in and for the aforesaid County, do hereby certify that the foregoing is a full, true, accurate and correct copy of the Original Location Certificate "Thompson Lode" as the same appears of record in my office on page 125, Book 15, Miscellaneous Record.

(SEAL)

T. A. Dunn,
Co. Clerk and Ex-officio Reg. of Deeds.

No. 6516. Location Certificate. Mcleery Lode.
To Charles J. Finch et al. Filed June 21st 1890, at 6 o'clock A.M.
A. C. Settle Register of Deeds.

KNOW ALL MEN BY THESE PRESENTS; That Chas. J. Finch, Daniel Miles, Orsen B. Folden, W. B. Thompson, B. F. Brown and William A. Rinehart, of the County of Lawrence and state of South Dak. claim by right of discovery and location fifteen hundred feet linear and horizontal measurement on the McCleery Lode along the vein thereof, with all its dips, variations and angles, together with one hundred and fifty feet in width on each side of the middle of said vein at the surface, and all veins, lodes, ledges and surface ground, within the lines of said claim seven hundred and fifty feet on said lode running Southerly from the center of the discovery shaft, and seven hundred and fifty feet running Northerly from said center of discovery shaft. Said discovery shaft being situate upon said lode within the lines of said claim, in Hurricane Mining District, County of Crook, Ter. of Wyoming and is further described as being situated upon the North side of Mineral Hill and is bounded on the West by the Gold Finch Lode also by eight substantial posts.

Said McCleery Lode was located on the 13th day of May A.D. 1890

Date of Certificate June 14th A.D. 1890.

Attest

Charles J. Finch, Daniel Miles, Orsen B. Folden, W. B.

Thompson, B. F. Brown, William A. Rinehart.

STATE OF WYOMING)
) SS
COUNTY OF CROOK)

I, T. A. Dunn, County Clerk and Ex-officio Register of Deeds in and for the aforesaid County do hereby certify that the foregoing is a full, true, accurate and correct copy of the Original Location Certificate "McCleery Lode" as the same appears of record in my office on page 125 of Book 15, Miscellaneous Record.

IN WITNESS WHEREOF I have hereunto set my hand and official seal this twenty-sixth day of September 1901.

(SEAL)

T. A. Dunn,
Co. Clerk and Ex-officio Register of Deeds.

Survey No. 161

Foot

Frankfort Lode

Beginning at the S.E. Cor. of the claim for Cor. No. 1
Identical with Cor. No. 1 Eclipse lode, Cor. No. 1
Gold Bank Lode, and Cor. No. 1 Gold Rich lode
all of this survey.

A pine post 4×4 ins. 4 ft. long, 18 ins. in the
ground, in a mound of earth, scribed 1 F-
1 E-1 G B-1 G F-161, No bearings available.

The 95th Mile Post on the Wyoming-South
Dakota boundary bears $S 74^{\circ} 41' 30'' E$ 7050.9 ft.

Thence $S 70^{\circ} 15' W$ Va. $3^{\circ} 20' E$

300 To Cor. No. 2

On line 4-5 Gold Coin lode of this survey.

Identical with Cor. No. 5 Gold Bank lode of this survey.

A pine post 4×5 ins. 4 ft. long, 18 ins. in the ground, in a mound of earth,
scribed 2 F-5 G B-161, No bearings available.

Thence $N 19^{\circ} 58' W$ Va. $8^{\circ} 35' E$

233.6 Cor. No. 4 Gold Coin lode of this survey.

680 Spotted Tail Creek 2 ft wide 2 ins. deep flowing northwesterly

1290.1 To Cor. No. 3

A pine post 6×6 ins. 4 ft. long, 18 ins. in the ground
in a mound of earth, scribed 3 F-161.

No bearings available.

Thence $N 70^{\circ} 15' E$ Va. $11^{\circ} 30' E$

300 To Cor. No. 4

On line 1-2 Eclipse lode of this survey.

A pine post 6×6 ins. 4 ft. long, 18 ins. in the
ground in a mound of earth, scribed 4 F-161.

No bearings available.

Foot

Thence $S 19^{\circ} 58' E$ Va. $5^{\circ} 22' E$

- 480 Spotted Tail Creek flowing northeasterly.
 1290.1 To Cor. No. 1 the place of beginning.
 1290.1 ft. length of vein is claimed 750 ft.
 northeasterly and 540.1 ft. southeasterly
 from discovery as follows: From the center
 of line 3-4 side line bears $S 19^{\circ} 58' E$ 750 ft.
 to discovery, thence $S 19^{\circ} 58' E$ 540.1 ft. to the
 center of line 1-2.

Eclipse Lode

Beginning at the southwest corner of the
 claim for Cor. No. 1

Identical with Cor. No. 1 Frankfort lode, Cor.
 No. 1 Gold Bank lode, and Cor. No. 1 Gold Finch
 lode all of this survey, whence the 95th Mile
 Post on the Wyoming-South Dakota boundary
 bears $S 74^{\circ} 41' 30" E$ 7050.9 ft.

Thence $N 19^{\circ} 58' W$ Va. $3^{\circ} 20' E$

- 810 Spotted Tail Creek flowing northeasterly.
 1290.1 Cor. No. 4 Frankfort lode of this survey.
 1403.0 To Cor. No. 2
 A pine post 5x5 ins., 4 ft. long, 18 ins. in the
 ground, in a mound of earth, scribed 2E-161
 No bearings available.

Thence $N 70^{\circ} 15' E$ Va. $6^{\circ} 40' E$

- 300 To Cor. No. 3
 A pine post 4x5 ins., 4 ft. long, 18 ins. in the
 ground, in a mound of earth, scribed 3E-161
 No bearings available

First

Thence $S 19^{\circ} 58' E$ Ta. $12^{\circ} 53' E$

- 460 Spotted Tail creek flowing northeasterly
 1037.7 Cor. No. 3 Mc Cleary lode of this survey
 1403.0 To Cor. No. 4

On line 2-3 Mc Cleary lode of this survey.
 Identical with Cor. No. 2 Gold Spike lode of this
 survey. A pine post 4×4 ins, 4 ft. long, 18 ins.
 in the ground, in a mound of earth, scribed
 HE-2 GF-161.

No bearings available.

Thence $S 70^{\circ} 15' W$ Ta. $7^{\circ} 47' E$

- 300 To Cor. No. 1 the place of beginning.
 1403 ft. length of vein is claimed, 750 ft.
 northwesterly and 653 ft. southeasterly
 from discovery as follows: From the
 center of line 2-3 lode line bears $S 19^{\circ} 58' E$
 750 ft. to discovery, thence $S 19^{\circ} 58' E$ 653 ft.
 to the center of line 4-1.

Mc Cleary Lode

Beginning at the Southeast cor. of the
 claim for Cor. No. 1

Identical with Cor. No. 5 Inter Osurus No.
 3 lode Sur. No. 163,

A pine post 5×5 ins, 4 ft long 18 ins. in the
 ground, in a mound of earth, scribed
 1M-161, No bearings available.

The 95th Mile Post on the Wyoming-South Dakota
 boundary bears $S 80^{\circ} 19' E$ 5933.1 ft.

Foot

Thence $S 70^{\circ} 15' W$
 Va. $11^{\circ} 34' E$

300 To Cor. No. 2

Identical with Cor. No. 3 Gold Finish lode of this survey and with Cor. No. 11 Sinter Ocean No. 3 lode. See No. 163,

A pine post 4×5 ins. $4\frac{1}{2}$ ft. long, 18 ins. in the ground, in a mound of stone, scribed 2 M-3 GF-161, whence a pine 7 ins. diam. bears $N 0^{\circ} 06' E$ 27.08 ft. and a pine 6 ins. diam. bears $N 75^{\circ} 09' W$ 30.77 ft. each blazed and scribed B.T. x 2 M-3 GF-161.

Thence $N 19^{\circ} 58' W$
 Va. $11^{\circ} 40' E$

11347 Cor. No. 2 Gold Finish lode and Cor. No. 4 Eclipse lode both of this survey.

1500 To Cor. No. 3

On line 3-4 Eclipse lode of this survey. A pine post 4×4 ins. $4\frac{1}{2}$ ft. long, 18 ins. in the ground, in a mound of earth, scribed 3 M-161. No bearings available.

Thence $N 70^{\circ} 15' E$
 Va. $12^{\circ} 06' E$

300 To Cor. No. 4

A pine post 4×4 ins. $4\frac{1}{2}$ ft. long, 18 ins. in the ground in a mound of stone, scribed 4 M-161, whence a pine 8 ins. diam. bears $S 34^{\circ} 38' W$ 47.37 ft. and a pine 6 ins. diam. bears $N 38^{\circ} 35' W$ 26.83 ft. each blazed and scribed B.T. x 4 M-161.

Foot

Thence $S 19^{\circ} 58' E$ Var. $16^{\circ} 14' E$

- 850.3 Cor. No. 6 Inter Ocean No. 3 lode Sur. No. 163
 1500 To Cor. No. 1 the place of beginning.
 1500 ft. length of vein is claimed 750 ft. northwesterly and 750 ft. southeasterly from discovery as follows: From the center of line 3-4 lode line bear $S 19^{\circ} 58' E$ 750 ft. to discovery, thence $S 19^{\circ} 58' E$ 750 ft. to the center of line 1-2.

Gold Finch Lode

Beginning at the NW. cor. of the claim for Cor. No. 1

Identical with Cor. No. 1 Eclipse lode, Cor. No. 1 Frankfort lode and Cor. No. 1 Gold Bank lode all of this survey, whence the 95th Mile Post on the Wyoming South-Dakota boundary bears $S 74^{\circ} 41' 30" E$ 7050.9 ft.

Thence $N 70^{\circ} 15' E$ Var. $3^{\circ} 20' E$

- 300 To Cor. No. 2
 On line 2-3 McBlenny lode of this survey
 Identical with Cor. No. 4 Eclipse lode of this survey.

Thence $S 19^{\circ} 58' E$ Var. $7^{\circ} 47' E$

- 1134.7 To Cor. No. 3
 Identical with Cor. No. 2 McBlenny lode of this survey and with Cor. No. 4 Inter Ocean No. 3 lode Sur. No. 163.

First

Thence $S 6^{\circ} 05' E$ Va. $11^{\circ} 40' E$

376 To Cor. No. 4

Identical with Cor. No. 3 Inter-Ocean No. 3
Lode Iron No. 163A pine post 6×6 ins. 4 ft. long, 18 ins. in
the ground in a mound of earth,
scribed 4GF-161, whence a pine
7 ins. diam. blazed and scribed B.T. X
4GF-161 bears $S 28^{\circ} 31' E$ 27.38 ft.Thence $S 70^{\circ} 15' W$ Va. $11^{\circ} 51' E$

207.8 To Cor. No. 5

Identical with Cor. No. 2 Gold Bank Lode of
this survey.A pine post 6×7 ins. 4 ft. long 18 ins. in the
ground in a mound of stone, scribed 5GF
- 2GB-161, whence a pine 10 ins. diam.
bears $N 79^{\circ} 19' E$ 32.31 ft. and a pine 9 ins.
diam. bears $N 47^{\circ} 38' W$ 17.54 ft. each blazed
and scribed B.T. X 5GF-2GB-161Thence $N 19^{\circ} 58' W$ Va. $11^{\circ} 04' E$

1500 To Cor. No. 1 the place of beginning.

1500 ft. length of vein is claimed 750 ft. northwesterly
and 750 ft. southeasterly from discovery as follows:
From the center of line 1-2 lode line bears
 $S 19^{\circ} 58' E$ 750 ft. to discovery, thence $S 19^{\circ} 58' E$
750 ft. to a point on line 4-5 150 ft. from
Cor. No. 5.

Test

Gold Barok Lode

Beginning at the NE. cor. of the claim for
Cor. No. 1Identical with Cor. No. 1 Transfert lode,
Cor. No. 1 Eclipse lode, and Cor. No. 1 Gold
Finch lode all of this survey, whence
the 95th Mile Post on the Wyoming-South Dakota boundary bears $S 74^{\circ} 41' 30'' E$
7050.9 ft.Thence $S 19^{\circ} 58' E$ Va. $3^{\circ} 20' E$

1500

To Cor. No. 2

Identical with Cor. No. 5 Gold Finch lode
of this survey.Thence $S 70^{\circ} 15' W$ Va. $11^{\circ} 04' E$

246

To Cor. No. 3

Identical with Cor. 2 Brown lode of this survey.
A pine post 4×5 ins. $4 \frac{1}{2}$ ft. long, 18 ins. in the
ground, in a mound of earth and stone
scribed 3GB-2B-161.

No bearings available.

Thence $N 61^{\circ} 00' W$ Va. $10^{\circ} 03' E$

822

To Cor. No. 4

On line 1-2 Brown lode of this survey.

A pine post 5×6 ins. $4 \frac{1}{2}$ ft. long 18 ins. in the
ground, in a mound of earth and stone,
scribed 4GB-161, No bearings available.

Test

Thence $N 19^{\circ} 58' W$ $Va. 9^{\circ} 13' E$ 171.8 Cor. No. 5 Gold Coin lode of this survey.
1438.2 To Cor. No. 5On line 4-5 Gold Coin lode of this survey.
Identical with Cor. No. 2 Frankfort lode
of this survey.Thence $N 70^{\circ} 15' E$ $Va. 8^{\circ} 35' E$ 300 To Cor. No. 1 the place of beginning.
1500 feet length of vein is claimed, 750 ft.
northwesterly and 750 ft. southeasterly from
discovery as follows: From the center
of line 5-1 lode line bearing $S 19^{\circ} 58' E$ 750 ft.
thence $S 19^{\circ} 58' E$ 750 ft. to a point on line
2-3 150 ft. from Cor. No. 2.

Gold Coin Lode

Beginning at the southerly cor for Cor. No. 1
On line 1-2 Brown lode of this survey.A pine post 4×4 ins. 4 ft. long 18 ins. in
the ground, in a mound of earth, scribed
16C-161. No bearings available.The 75th Mile Post on the Wyoming-South
Dakota boundary, bears $S 85^{\circ} 37' 45" E$ 6816 ft.Thence $N 61^{\circ} W$ $Va. 9^{\circ} 24' E$ 27.5 Cor. No. 1 Brown lode and Cor. No. 1
Thompson lode both of this survey.

228.5 To Cor. No. 2

On line 4-1 Thompson lode of this
survey.

1885

A pine post 4x5 ins. 4 ft. long, 18 ins. in the ground, in a mound of earth, scribed 2 GC-161.
No bearings available.

Thence $N 19^{\circ} 58' W$
Va. $7^{\circ} 33' E$

103.2 Cor. No. 1 Ironside lode of this survey.

1328.2 To Cor. No. 3

Identical with Cor. No. 4 Ironside lode of this survey.

A pine post 4x4 ins. 4 ft. long, 18 ins. in the ground, in a mound of earth, scribed 3 GC-45-161. No bearings available.

Thence $N 70^{\circ} 15' E$
Va. $1^{\circ} 16' E$

300 To Cor. No. 4

On line 2-3 Frankfurt lode of this survey.
A pine post 4x5 ins. 4 ft. long, 18 ins. in the ground in a mound of earth, scribed 4 GC-161. No bearings available.

Thence $S 19^{\circ} 58' E$
Va. $13^{\circ} 28' E$

233.6 Cor. No. 2 Frankfurt lode and Cor. No. 5 Gold Bank lode both of this survey.

1500 To Cor. No. 5

On line 4-5 Gold Bank lode of this survey.
A pine post 7x7 ins. 4 ft. long, 18 ins. in the ground, in a mound of stone and earth scribed 5 GC-161. No bearings available.

Foot

Thence $S 70^{\circ} 15' W$ Var $8^{\circ} 15' E$

- 150 To Con No. 1 the place of beginning.
 1500 ft. length of vein is claimed 750 ft.
 northwesterly and 750 ft. southeasterly from
 discovery as follows: From the center of
 line 3-4 lode line bears $S 19^{\circ} 58' E$ 750 ft.
 to discovery thence $S 19^{\circ} 58' E$ 750 ft. to Con
 No. 1.

Ironside Lode

Beginning at the S.E. Con. for Con No. 1
 On line 2-3 Gold vein lode of this survey
 A pine post 5×5 ins., 4 ft. long, 18 ins. in the
 ground, in a mound of earth, scribed
 1I-161, No bearings available.

The 95th Mile Post on the Wyoming-South
 Dakota boundary bears $S 84^{\circ} 05' 40" E$ 7064.3 ft.

Thence $S 70^{\circ} 15' W$ Var $7^{\circ} 19' E$

- 90.1 Con. No. 4 Thompson lode of this survey.
 300 To Con. No. 2

A pine post 5×5 ins., 4 ft. long 18 ins. in
 the ground in a mound of earth and
 stone, scribed 2I-161,

No bearings available.

Thence $N 19^{\circ} 58' W$ Var $6^{\circ} 39' E$

- 1225 To Con. No. 3

A pine post 6×6 ins., 4 ft. long 18 ins. in the
 ground, in a mound of stone, scribed
 3I-161, whence an aspen 8 ins. diam.,

Hart

Bear $N 89^{\circ} 25' E$ 11.93 ft. and a pine cone diam.
 Bear $S 20^{\circ} 54' E$ 11.14 ft. each blazed and scribed
 B.T.X. 3I-161.

Thence $N 70^{\circ} 15' E$
 $N. 9^{\circ} 54' E$

300 To Cor. No. 4.

Identical with Cor. No. 3 Gold Coin hole of this survey.

Thence $S 19^{\circ} 58' E$
 $N. 1^{\circ} 16' E$

1225 To Cor. No. 1 the place of beginning
 1225 ft. length of view is claimed 750 ft. north-
 westerly and 475 ft. southeasterly from discovery
 as follows: From the center of 3-4 hole line
 bear $S 19^{\circ} 58' E$ 750 ft. to discovery, thence $S 19^{\circ} 58' E$
 475 ft. to the center of line 1-2.

Thompson Lode.

Beginning at the Northern cor. for Cor. No. 1
 On line 1-2 Gold Coin hole of this survey.
 Identical with Cor. No. 1 Brown hole of
 this survey.

A pine post 4×6 in. 4 ft. long, 18 in. in
 the ground, in a mound of earth, scribed
 1T-1B-161. No bearings available.

The 95th Mile Post on the Wyoming-South
 Dakota boundary bears $S 85^{\circ} 32' E$ 6836.5 ft.

Thence $S 1^{\circ} 30' W$
 $N. 9^{\circ} 26' E$

1055.5 Intersect south boundary Sec. 29 T. 51 N. R. 60 W. at 289.3
 ft. east of the N.W. cor. and 2355.3 ft. west of the S.E. cor.

1300 To Cor. No. 2

Identical with Cor. No. 4 Brown hole of this
 survey.

A pine post 5×6 in. 4 ft. long, 18 in. in
 the ground in a mound of stone, scribed
 2T-4B-161.

No bearings available.

Test

Thence $N 61^{\circ} W$
 Va. $10^{\circ} 15' E$

338.2 To Cor. No. 3

A pine post 4×5 ins. $4\frac{1}{2}$ ft. long, 18 ins. in the ground in a mound of stone, scribbled 3T-161
 whence a pine 6 ins. diam. blazed and scribbled
 "B.T.X 3T-161 bears $N 1^{\circ} 30' E$ 17.45 ft.

Thence $N 1^{\circ} 30' E$ Va. $6^{\circ} 50' E$

80.5 Patent south boundary of Sec 29 T.51 N. R. 60 W. at 108
 ft. west of the NW cor. and 2633 ft. east of the SW Cor.

1300 To Cor. No. 4

On line 1-2 Ironside hole of this survey
 A pine post 4×5 ins. $4\frac{1}{2}$ ft. long, 18 ins. in the ground
 in a mound of earth, scribbled 4T-161.
 No bearings available,

Thence $S 61^{\circ} E$
 Va. $7^{\circ} 15' E$

109.7 Cor. No. 2 Gold Coin hole of this survey.

338.2 To Cor. No. 1 the place of beginning.

1300 length of vein is claimed 740 ft. northerly
 and 560 ft. southerly from discovery as follows
 From the center of line 4-1 hole line bears $S 1^{\circ} 30' W$
 740 ft. to discovery thence $S 1^{\circ} 30' W$ 560 ft. to the
 center of line 2-3.

Brown Tode

Beginning at the NW. Cor. for Cor. No. 1

On line 1-2 Gold Coin hole of this survey.

Identical with Cor. No. 1 Thompson hole of
 this survey, whence

The 90th Mile Post on the Wyoming-South
 Dakota boundary bears $S 85^{\circ} 32' E$ 6836.5 ft.

Thence $S 61^{\circ} E$
 Va. $9^{\circ} 26' E$

17.5 Cor. No. 1 Gold Coin hole of this survey

256.0 Cor. No. 4 Gold Bank hole of this survey.

338.2 To Cor. No. 2

Identical with Cor. No. 3 Gold Bank hole

Feet

of this survey.

Thence $S 1^{\circ} 30' W$ Va. $10^{\circ} 03' E$

891.5 Intersect south boundary Sec. 29 T. 51 N. R. 60 W. at 581.9
ft. east of the $\frac{1}{4}$ sec. cor. and 2055.2 west of the S.E. Cor.

1300 To Cor. No. 3

A pine post 6x6 ins. 4 ft. long 18 ins. in the ground
in a mound of stone scried 3B-161, No bearings available

Thence $N 61^{\circ} W$ Va. $14^{\circ} 32' E$

338.2 To Cor. No. 4

Identical with Cor. No. 2 Thompson lots of this survey.

Thence $N 1^{\circ} 30' E$ Va. $10^{\circ} 13' E$

144.5 Intersect south boundary Sec. 29 T. 51 N. R. 60 W. 2523
ft. east of the $\frac{1}{4}$ sec. cor. and 2355.3 ft. west of the S.E. Cor.

1300 To Cor. No. 1 the place of beginning

1300 ft. length of vein is claimed, 650 ft. northerly
and 650 ft. southerly from discovery as follows:

From the center of line 1-2 to the center of line 3-4
to discovery, thence $S 1^{\circ} 30' W$ 650 ft. to the center of line 3-4.

Area.

Area Frankfurt Lode	8.885	Acres
" Eclipse "	9.662	"
" Mc Cleary "	10.331	"
" Gold Finch "	9.952	"
" Gold Bank "	10.292	"
" Gold Coin "	10.034	"
" Ironside "	8.437	"
" Thompson "	8.953	"
" Brown "	8.953	"
Total Area	85.499	"

The surveys of these claims are identical with their
respective locations.

Location

This claim is situated in the N.E. $\frac{1}{4}$, N.W. $\frac{1}{4}$, S.W. $\frac{1}{4}$
and N.E. $\frac{1}{4}$ of Sec. 29 T. 51 N. R. 60 W.

The nearest post office is Welcome Wyo. $\frac{3}{4}$ mile easterly.

The nearest town of importance is Spearfish S.D.

11 1/2 miles N.E. It is not ^{within} the limit of any townsite.

Expenditure of Five Hundred Dollars.
I certify that the value of the labor and
improvements upon this claim placed thereon by
the claimants or their grantors exceeds in value
\$500 for each location and that the said
improvements consist of—

On the Frankfort Lode.

- 1 The discovery cut 5 ft. wide, 10 ft. face
running southeasterly 10 ft. in earth and rock Value \$50
- 2 A cut the mouth of which bears from Cor. No. 2 N 77° 45' W
585 ft. 10 ft. wide, 14 ft. face running southerly 18 ft.
in earth and rock and continues as a tunnel
5 x 6 ft. 15 ft. long timbered Value \$450

On the Eclipse Lode.

- 1 The discovery cut 7 ft. wide, 12 ft. face, running
southerly 30 ft. in earth and rock Value \$150

On the Mc Cleary Lode.

- 1 The discovery cut 7 ft. wide 10 ft. face, running
southerly 16 ft. in earth and rock Value \$75

On the Gold Finch Lode.

- 1 The discovery cut 4 ft. wide, 10 ft. face, running
southeasterly 7 ft. in earth and rock. Value \$35
- 2 A cut the mouth of which bears from Cor. No.
2 south 755 ft. 7 ft. wide, 7 ft. face, running
southeasterly 23 ft. in earth and rock Value \$1,000
- 3 A cut the mouth of which bears from Cor. No.
3 S 37° 40' W 115 ft. 8 ft. wide, 7 ft. face, running
easterly 48 ft. in earth and rock. Value \$200.
- 4 A cut the mouth of which bears from Cor. No. 4 S 75° W
40 ft. 5 ft. wide, 12 ft. face, running westerly 38 ft. in
earth and rock Value \$200

- 5 A cut the mouth of which bears from Cor.
No. 5 N 17° 45' W 175 ft. 6 ft. wide, 14 ft. face, running
southeasterly 30 ft. in earth and rock and

continued as a tunnel 5×6 ft. 15 ft. long. Value \$250

On the Gold Bank Lode

1 The discovery shaft 6×6 ft. 10 ft. deep. Value \$75.

2 A cut the beginning of which bears from
Cor No. 2 $N 35^{\circ} W$ 150 ft. 7 ft. wide, 14 ft. face
running easterly 32 ft. in earth and rock
Value \$200

3 A cut the beginning of which bears from
Cor No. 5 $S 24^{\circ} E$ 750 ft. 7 ft. wide, 8 ft. face
running easterly 15 ft. in earth and rock. Value \$90.

4 A cut the beginning of which bears from Cor No. 5
 $S 21^{\circ} E$ 625 ft. 7 ft. wide, 7 ft. face, running
easterly 22 ft. in earth and rock. Value \$125.

5 A cut the beginning of which bears
from Cor No. 5 $S 24^{\circ} 30' E$ 500 ft. 6 ft. wide,
12 ft. face, running westerly 40 ft. in earth
and rock and continued as a tunnel
 7×6 ft. 16 ft. long. Value \$300.

6 A cut the beginning of which bears from
Cor No. 5 $S 21^{\circ} E$ 670 ft. 17 ft. wide, 15 ft. face,
running easterly 32 ft. in earth and rock
and continued as a tunnel 5×7 ft. 41 ft.
long. Value \$600.

On the Gold Cairn Lode

1 The discovery cut 4 ft. wide 10 ft. face
running easterly 7 ft. in earth and rock
Value \$75.

2 A cut the mouth of which bears from
Cor No. 5 Gold Bank lode of this survey.
 $S 36^{\circ} W$ 335 ft. 5 ft. wide 14 ft. face
running southeasterly 48 ft. in earth
and rock. Value \$200

- 3 A shaft which bears from Cor. No. 5 Gold Bank lode of this survey $S 25^{\circ} 15' W$ 400 ft. 7×10 ft. 7 ft. deep. Value \$50
- 4 A cut the mouth of which bears from Cor. No. 5 Gold Bank lode of this survey $S 10^{\circ} W$ 510 ft. 6 ft. wide, 6 ft. face, running 12 ft. easterly in earth and rock and continued as a tunnel 6×6 ft. 155 ft. long. Value \$2000.
- 5 A cut the mouth of which bears from Cor. No. 5 Gold Bank lode of this survey, $S 2^{\circ} 15' E$ 515 ft. 4 ft. wide, 12 ft. face, running easterly 7 ft. in earth and rock. Value \$50.
- 6 A pit which bears from Cor. No. 5 Gold Bank lode of this survey, $S 6^{\circ} 45' E$ 550 ft. 5×10 ft. 5 ft. deep. Value \$50.
- 7 A cut the face of which bears from Cor. No. 5 Gold Bank lode of this survey. $S 11^{\circ} E$ 550 ft. 36 ft. wide, 10 ft. face, running northerly 12 ft. in earth and rock. Value \$250.
- 8 A shaft which bears from Cor. No. 5 Gold Bank lode of this survey, $S 11^{\circ} 40' E$ 410 ft. 6×7 ft. 5 ft. deep. Value \$25
- 9 A cut the mouth of which bears from Cor. No. 5 Gold Bank lode of this survey $S 13^{\circ} E$ 405 ft. 4 ft. wide, 8 ft. face, running easterly 18 ft. in earth and rock. Value \$50
- 10 A cut the mouth of which bears from Cor. No. 5 Gold Bank lode of this survey. $S 19^{\circ} E$ 200 ft. 6 ft. wide, 14 ft. face, running southerly 34 ft. in earth and rock and continued as a tunnel 5×6 ft. 41 ft. long. Value \$550

On the Ironside Lode

- 1 The discovery cut 5 ft. wide 10 ft. face, running westerly 7 ft. in earth and rock Value \$35
- 2 A shaft which bears from Cor. No. 3 $S 27^{\circ} 30' E$ 330 ft. 8 x 7 ft. 6 ft. deep Value \$50
- 3 A cut the mouth of which bears from Cor. No. 3 $S 79^{\circ} E$ 70 ft. 6 ft. wide, 8 ft. face, running southeasterly 12 ft. in earth and rock and continued as a tunnel 6 x 7 ft. 100 ft. long Value \$1500.

On the Thompson Lode

- 1 The discovery shaft 6 x 8 ft. 10 ft. deep Value \$75.
- 2 A cut the mouth of which bears from Cor. No. 1 $S 22^{\circ} W$ 100 ft. 5 ft. wide 9 ft. face running southwesterly 17 ft. in earth and rock Value \$100.

On the Brown Lode

- 1 The discovery cut 7 ft. wide, 12 ft. face running southerly 24 ft. in earth and rock Value \$150
- 2 A cut the face of which bears from Cor. No. 1 $S 24^{\circ} 30' E$ 150 ft. 12 ft. wide 12 ft. face running easterly 21 ft. in earth and rock. Value \$150
- 3 A cut the face of which bears from Cor. No. 1 $S 1^{\circ} 30' W$ 210 ft. 6 ft. wide, 4 ft. face, running southwesterly 13 ft. in earth and rock Value \$50.
- 4 A cut the mouth of which bears from Cor. No. 2 $S 8^{\circ} 15' W$ 330 ft. 5 ft. wide, 7 ft. face, running south 14 ft. in earth and rock and continued as a tunnel 5 x 6 ft. 90 ft. long Value \$1000

The ground embraced in this claim runs steeply from Spotted Tail gulch toward the southeast.

The tunnel described under No. 4 on the Gold Coin lode and included in the estimate of expenditures continued, will, by means of drifts and cross cuts intersect the veins of the Mc Cleary and Thompson lodes at great depth, thereby facilitating and cheapening the extraction of their ores.

The tunnel described under No. 3 on the Ironside lode will by means of drifts and crosscuts intersect the veins of all the claims included in this survey at greater depth than the above described tunnel on the Gold Coin lode, thus constituting a lower level in the general development scheme, and enabling ore to be extracted from them with great facility. An interest amounting to \$500, in the tunnel on the Ironside lode is claimed for the benefit and development of the Eclipse lode, and an interest amounting to \$500 each in the tunnel on the Gold Coin lode is claimed for the benefit and development of the Thompson and Mc Cleary lodes.

Instrument


This survey was made with a Biff and Berger transit equipped with a Saegmüller Solar. The courses were deflected from the true meridian, determined by an observation of Polaris in western elongation Nov. 1 1901 at 4³⁵ A.M. Azimuth of Polaris 1°42' West of North. The distances were measured with a 200 ft. steel tape.

The 95th Mile Post on the Wyoming-South Dakota boundary is a post in fair condition. None of the corners of the public survey said to be in this vicinity could be found.

Every corner of this survey occupies the identical position which it had when I went upon the ground to make the official survey. If some of the claims are shorter than the location calls for, it must have been because they were either measured incorrectly or shortened up by the locators.

164

(4-675)



Claim Located Jan. 1 and 6, May 13 1890 190

Mineral Survey No 161

Lot No

Land District.

PLAT

OF THE CLAIM OF

Estate of Geo. E. Fisher deceased, M. D. Finch
Chas. J. Finch and L. D. Bailor,

KNOWN AS THE

Gold Coin, Gold Bank, Gold Finch,
Eclipse, Frankfort, Ironside,
Brown, Thompson, and McClery LodesIN Hurricane MINING DISTRICT,
Crook COUNTY, Wyoming

Containing an Area of 85.482 Acres.

Scale of 300 Feet to the inch.

Variation 1° 16' to 16° 14' E

SURVEYED Oct. 30 to Nov. 3 1901 BY
Albert D. Wilson

U.S. Deputy Mineral Surveyor,

The Original Field Notes of the Survey of the Mining Claim of

known as the

from which this plat has been made under my direction,
have been examined and approved, and are on file in this Office;
and I hereby certify that they furnish such an accurate descrip-
tion of said Mining Claim as will, if incorporated into a patent,
serve fully to identify the premises, and that such reference
is made therein to natural objects or permanent monuments
as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has
been expended or improvements made upon said Mining
Claim by claimant or grantors, and that
said improvements consist of

that the location of said improvements is correctly shown
upon this plat, and that no portion of said labor or im-
provements has been included in the estimate of expendi-
tures upon any other claim.

And I further certify that this is a correct plat of said Mining
Claim made in conformity with said original field notes of the
survey thereof, and the same is hereby approved.

U.S. Surveyor General's Office.

U.S. Surveyor General for

190

246
209
237

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Albert D. Wilson
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Estate of Geo. E. Fisher deceased, M. D. Finch, Chas. J. Finch, and L. D. Bailor
known as the Gold Coin, Gold Bank et al lodes embracing 7 locations
and showing the respective capacities in which they acted.

Chas. E. Johnson, Chainman.
_____, Chainman.
_____, Azman.
_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chas. E. Johnson
and _____, do solemnly swear that we assisted Albert D. Wilson
_____, United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Estate of Geo. E. Fisher deceased
M. D. Finch, Chas. J. Finch and L. D. Bailor,
_____, known as the Gold Coin, Gold Bank, Gold Finch et al lodes embracing nine locations, represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
Wyoming.

Charles E. Johnson, Chainman.
_____, Chainman.
_____, Azman.
_____, Flagman.

Subscribed and sworn to by the above-named persons before me
this 27th day of November, 1901

Robert N. Ogden
Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Albert D. Wilson, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Wyoming, dated Oct. 15 1901, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Estate of Geo. E. Fisher deceased, M. D. Fisher, Chas. J. Fisher, and L. D. Bailor, known as the Gold Coin, Gold Bank, Gold Fish, Eclipse, Frankfort, Riverside, Brown, Thompsons, and McHenry Lodes, situate in Harrison Mining District, Brook County, Wyoming, in Section 29, Township No. 51 N, Range No. 60 W and designated as Survey No. 161, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Albert D. Wilson

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Albert D. Wilson
U. S. Deputy Mineral Surveyor, before me a notary public
this 27th
day of November, 1901.

Robert N. Ogden

Notary Public

JOURNAL OF THE U. S. DEPT. OF THE INTERIOR

No. 1000

Washington, D. C., 1880

Published by the U. S. DEPT. OF THE INTERIOR

Under the authority of the Act of March 3, 1879

Approved by the Senate and House of Representatives

of the 41st Congress, March 3, 1879

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

The following is a list of the

publications of the U. S. DEPT. OF THE INTERIOR

for the year 1880

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Chas. D. Dyer
April 17, 1902.

I, U. S. Surveyor General for *Dyer*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of *Geo. C. Fisher, deceased, M. D.*

Finch, Chas. J. Finch, and L. D. Bailor

, known as the

Gold Coin, Gold Bank, Gold Finch, Eclipse,
Grandfort, Ironside, Brown, Thompson & McElroy
 situate in *American* mining district,

Crack County, *Dyer*,

in Section *19 & 22*, Township No. *5 N.*, Range No. *6 E.*

, designated as Survey No. *161*

executed by *Albert D. Gibson*, U. S. Deputy Mineral

Surveyor, *Oct. 30 to Nov. 3, 1901*, under my instructions dated

Oct. 10, 1901, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Stephen P. Haman
 U. S. Surveyor General for *Dyer*

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

Chesapeake, Wyoming,

May 3

, 1902

I, U. S. Surveyor General for *Wyoming*,
do hereby certify that the foregoing transcript of the Field Notes, return and approval
of the Survey of the mining claim of *Geo. E. Fisher, deceased*

M. D. Finch, Chas. J. Finch and L. D. Bailor

, known as the *Gold Coin, Gold Bank, Gold Finch*

Eclipse, Frankfort, Sionside, Brown, Thompson & One Cherry

, situate in *Thurston*

Mining District,

Crook

County,

Wyoming

, in Sections *29 and 32*, Township No. *5 N*,

Range No. *60 W*,

and designated as Survey

No. *161*, has been correctly copied from the originals on
file in this office; that said Field Notes furnish such an accurate description of said
mining claim as will, if incorporated into a patent, serve fully to identify the premises,
and that such reference is made therein to natural objects or permanent monuments as
will perpetuate and fix the locus thereof.

And I further certify that ^{*an amount equal to*} five hundred dollars' worth of labor has been expended
or improvements made upon ^{*each location of*} said mining claim by claimants or *their* grantors, and
that said improvements consist of *Seven discovery cuts; Two*
discovery shafts; Twenty one cuts; Eight
tunnels; Three shafts; One pit.

and that no portion of said labor or improvements has been included in the estimate of
expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at *Sundance*

Wyoming

is correct and in conformity with the foregoing Field Notes.

Alphens P. Hanson

United States Surveyor General for

Wyoming

