
MINERAL
SURVEYS

FIELD NOTES

VOL.

31

584, 585, 586

587, 588

1956-1957

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

MINERAL SURVEY NO. 585

Wyoming Land District.

FIELD NOTES

Of The Survey Of The Mining Claim Of

The Monolith Portland Midwest Company

Known As The

Summit Nos. 1 to 9 Lodes Inclusive

Unorganized Mining District,

Albany County, Wyoming

Section 2, Township 16 North, Range 72 West, 6th P.M.

Original

Surveyed under instructions dated December 14, 1955
amended instructions dated March 12, 1956

by W. L. Prouty
Mineral Surveyor.

Claim located August 29, 1944

Survey commenced November 29, 1955

Survey completed May 17, 1956

Address of claimant Agent Mr. M. E. Corthell
Albany Mutual Building
Laramie, Wyoming

DATES OF AMENDED LOCATIONS

February 23, 1956

Survey No. 585

This survey was made with an Ainsworth transit No. 2795 with horizontal limb of 7 inches diameter, having two double opposite vernier and full vertical circle of 5 inches diam., having one vernier; the verniers read to one minute of arc. The instrument was in good condition at the time of survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following Polaris observation:

Tuesday, December 20, 1955, at cor. No. 3 of the Summit No. 1 lode, in latitude $41^{\circ} 23' 48''$ N. and longitude $105^{\circ} 26' 40''$ W., I took six observations on Polaris, three direct and three reversed and set a front sight 662.0 feet north of point.

Date of observation	December 20, 1955
Mean time of observation	1:58 A. M. (M.S.T.)
Azimuth of Polaris at elongation	N. $01^{\circ} 14.9'$ W.
Deflection angle to reference point	$01^{\circ} 17.9'$ E.
Bearing of reference line	N. $0^{\circ} 03'$ E.

The lines were measured with a steel tape 300 feet in length, marked at each foot and graduated to hundredths on each end foot.

All lines and connections of this survey were run by direct methods.

The mean magnetic declination is $14^{\circ} 30'$ E. as observed at various corners of this survey.

SUMMIT NO. 1 LODE

Feet

At cor. No. 1 of Summit No. 1 lode, identical with cor. No. 1 of Summit No. 2 lode and cor. No. 1 of Summit No. 4 lode and cor. No. 1 of Summit No. 5 lode of this survey.

Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.

Summit 1 Cor. 1--585 on NW face
 Summit 2 Cor. 1--585 on SW face
 Summit 5 Cor. 1--585 on SE face
 Summit 4 Cor. 1--585 on NE face; from which

The NW. cor. of Sec. 2, T. 16 N., R. 72 W., 6th Prin. Mer. bears N. $25^{\circ} 37' 22''$ W., 3454.53 feet dist.; a granite stone properly marked as described in the official record.

Thence N. $88^{\circ} 38'$ W.

1500.0

Cor. No. 2, identical with cor. No. 2 of Summit No. 2 lode of this survey.

Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.

Summit 1 Cor. 2--585 on NE face
 Summit 2 Cor. 2--585 on SE face

Survey No. 585

	Thence N. $0^{\circ} 20'$ E.
300.0	Lode line; discovery point bears S. $88^{\circ} 38'$ E., 840.0 feet dist.
600.0	Cor. No. 3
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 1 Cor. 3--585 on South face
	Thence S. $88^{\circ} 38'$ E.
1500.0	Cor. No. 4, identical with cor. No. 4 of Summit No. 4 lode of this survey.
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 1 Cor. 4--585 on SW face
	Summit 4 Cor. 4--585 on SE face
	Thence S. $0^{\circ} 20'$ W.
300.0	Lode line; discovery point bears N. $88^{\circ} 38'$ W., 660.0 feet dist.
332.0	Road running E. and W.
600.0	Cor. No. 1 and place of beginning.
	SUMMIT NO. 2 LODE
	At cor. No. 1 of Summit No. 2 lode, identical with cor. No. 1 of Summit No. 1 lode and cor. No. 1 of Summit No. 4 lode and cor. No. 1 of Summit No. 5 lode of this survey.
	Thence N. $88^{\circ} 38'$ W.
1500.0	Cor. No. 2, identical with cor. No. 2 of Summit No. 1 lode of this survey.
	Thence S. $0^{\circ} 20'$ W.
280.0	Spring in center of dry gulch course SW.
300.0	Lode line; discovery point bears S. $88^{\circ} 38'$ E.; 1290 feet dist.
600.0	Cor. No. 3.
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 2 Cor. 3--585 on North face
	Thence S. $88^{\circ} 38'$ E.
100.0	Draw, drains N.
1393.0	Road running NE. and SW.

Survey No. 585

Feet	
1500.0	Cor. No. 4, identical with cor. No. 4 of Summit No. 3 lode and cor. No. 4 of Summit No. 5 lode of this survey. Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd. Summit 2 Cor. 4--585 on NW face Summit 3 Cor. 4--585 on SE face Summit 5 Cor. 4--585 on NE face Thence N. 0° 20' E.
300.0	Road running NE. and SW.
300.0	Lode line; discovery point bears N. 88° 38' W., 210.0 feet dist.
600.0	Cor. No. 1 and place of beginning.

SUMMIT NO. 3 LODE

	At cor. No. 1 of Summit No. 3 lode. Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd. Summit 3 Cor. 1--585 on East face; from which The NW. cor. of Sec. 2, T. 16 N., R. 72 W., 6th Prin. Mer. bears N. 19° 0' 52" W., 4563.87 feet dist. Thence S. 88° 38' E.
543.0	Road bears SE. and NW.
1500.0	Cor. No. 2, identical with cor. No. 2 of Summit No. 6 lode of this survey. Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd. Summit 3 Cor. 2--585 on West face Summit 6 Cor. 2--585 on East face Thence N. 0° 20' E.
49.0	Road running E. and W.
300.0	Lode line; discovery point bears N. 88° 38' W., 1100 feet dist.
600.0	Cor. No. 3, identical with cor. No. 3 of Summit No. 5 lode and cor. No. 3 of Summit No. 6 lode and cor. No. 3 of Summit No. 8 lode of this survey. Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd. Summit 3 Cor. 3--585 on SW face Summit 5 Cor. 3--585 on NW face Summit 6 Cor. 3--585 on SE face Summit 8 Cor. 3--585 on NE face Thence N. 88° 38' W.
793.0	Road running NE. and SW.
1500.0	Cor. No. 4, identical with cor. No. 4 of Summit No. 2 lode and cor. No. 4 of Summit No. 5 lode of this survey.

Survey No. 585

Feet	Thence S. 0° 20' W.
300.0	Lode line; discovery point bears S. 88° 38' E., 400.0 feet dist.
397.0	Road running SE. and NW.
600.0	Cor. No. 1 and place of beginning.
SUMMIT NO. 4 LODE	
At cor. No. 1 of Summit No. 4 lode, identical with cor. No. 1 of Summit No. 1 lode and cor. No. 1 of Summit No. 2 lode and cor. No. 1 of Summit No. 5 lode of this survey.	
Thence S. 88° 38' E.	
105.0	Road running NE. and SW.
1330.0	Road running E. and W.
1500.0	Cor. No. 2, identical with cor. No. 2 of Summit No. 5 lode and cor. No. 2 of Summit No. 7 lode and cor. No. 2 of Summit No. 8 lode of this survey.
Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.	
Summit 4 Cor. 2--585 on NW face Summit 5 Cor. 2--585 on SW face Summit 7 Cor. 2--585 on NE face Summit 8 Cor. 2--585 on SE face	
Thence N. 0° 20' E.	
15.0	Road running E. and W.
300.0	Lode line; discovery point bears N. 88° 38' W., 170.0 feet dist.
438.0	Road running E. and W.
600.0	Cor. No. 3, identical with cor. No. 3 of Summit No. 7 lode of this survey.
Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.	
Summit 4 Cor. 3--585 on SW face Summit 7 Cor. 3--585 on SE face	
Thence N. 88° 38' W.	
1500.0	Cor. No. 4, identical with cor. No. 4 of Summit No. 1 lode of this survey.
Thence S. 0° 20' W.	
300.0	Lode line; discovery point bears S. 88° 38' E., 1330.0 feet dist.
332.0	Road running E. and W.
600.0	Cor. No. 1 and place of beginning.

Survey No. 585

Feet	SUMMIT NO. 5 LODE
	At cor. No. 1 of Summit No. 5 lode, identical with cor. No. 1 of Summit No. 1 lode and cor. No. 1 of Summit No. 2 lode and cor. No. 1 of Summit No. 4 lode of this survey.
	Thence S. 88° 38' E.
105.0	Road running NE. and SW.
1330.0	Road running E. and W.
1500.0	Cor. No. 2, identical with cor. No. 2 of Summit No. 4 lode and cor. No. 2 of Summit No. 7 lode and cor. No. 2 of Summit No. 8 lode of this survey.
	Thence S. 0° 20' W.
300.0	Lode line; discovery point bears N. 88° 38' W., 1350.0 feet dist.
398.0	Road running NW. and SE.
600.0	Cor. No. 3, identical with cor. No. 3 of Summit No. 3 lode and cor. No. 3 of Summit No. 6 lode and cor. No. 3 of Summit No. 8 lode of this survey.
	Thence N. 88° 38' W.
793.0	Road running NE. and SW.
1500.0	Cor. No. 4, identical with cor. No. 4 of Summit No. 2 lode and cor. No. 4 of Summit No. 3 lode of this survey.
	Thence N. 0° 20' E.
300.0	Lode line; discovery point bears S. 88° 38' E., 150.0 feet dist.
300.0	Road running NE. and SW.
600.0	Cor. No. 1 and place of beginning.

SUMMIT NO. 6 LODE

At cor. No. 1 of Summit No. 6 lode on line 1-2, Summit No. 9 lode of this survey.

Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.

Summit 6 Cor. 1--585 on North face; from which

The NW. cor. of Sec. 2, T. 16 N., R. 72 W., 6th Prin. Mer. bears N. 45° 38' 36" W., 6274.2 feet dist. a granite stone properly marked as described in the official record.

Thence N. 88° 38' W.

1500.0	Cor. No. 2, identical with cor. No. 2 of Summit No. 3 lode of this survey.
--------	--

Survey No. 585

Feet	Thence N. $0^{\circ} 20'$ E.
49.0	Road running E. and W.
300.0	Lode line; discovery point bears S. $88^{\circ} 38'$ E., 125 feet dist.
600.0	Cor. No. 3, identical with cor. No. 3 of Summit No. 3 lode and cor. No. 3 of Summit No. 5 lode and cor. No. 3 of Summit No. 8 lode of this survey.
	Thence S. $88^{\circ} 38'$ E.
355.0	Road running N. and S.
1500.0	Cor. No. 4, identical with cor. No. 4 of Summit No. 8 lode of this survey, and on line 1-2, Summit No. 9 lode of this survey.
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 6 Cor. 4--585 on SW face Summit 8 Cor. 4--585 on NW face
	Thence S. $0^{\circ} 20'$ W.
300.0	Lode line; discovery point bears N. $88^{\circ} 38'$ W., 1375.0 feet dist.
600.0	Cor. No. 1 and the place of beginning.
	SUMMIT NO. 7 LODE
	At cor. No. 1 of Summit No. 7 lode, identical with cor. No. 1 of Summit No. 8 lode of this survey, on line 1-2, Summit No. 9 lode of this survey.
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 7 Cor. 1--585 on North face Summit 8 Cor. 1--585 on South face; from which
	The NW. cor. of Sec. 2, T. 16 N., R. 72 W., 6th Prin. Mer. bears N. $54^{\circ} 39' 22''$ W., 5508.26 feet dist.
	Thence N. $88^{\circ} 38'$ W.
1500.0	Cor. No. 2, identical with cor. No. 2 of Summit No. 8 lode and cor. No. 2 of Summit No. 4 lode and cor. No. 2 of Summit No. 5 lode of this survey.
	Thence N. $0^{\circ} 20'$ E.
15.0	Road running E. and W.
300.0	Lode line; discovery point bears S. $88^{\circ} 38'$ E., 160.0 feet dist.
438.0	Road running E. and W.
600.0	Cor. No. 3, identical with cor. No. 3 of Summit No. 4 lode of this survey.

Survey No. 585

Feet	Thence S. $88^{\circ} 38'$ E.
1500.0	Cor. No. 4 Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd. Summit 7 Cor. 4--585 on West face Thence S. $0^{\circ} 20'$ W.
300.0	Lode line; discovery point bears N. $88^{\circ} 38'$ W., 1340.0 feet dist.
400.0	Cor. No. 1 of Summit No. 9 lode of this survey.
600.0	Cor. No. 1 and place of beginning.
SUMMIT NO. 8 LODE	
	At cor. No. 1 of Summit No. 8 lode, identical with cor. No. 1 of Summit No. 7 lode of this survey, and on line 1-2, Summit No. 9 lode of this survey. Thence N. $88^{\circ} 38'$ W.
1500.0	Cor. No. 2, identical with cor. No. 2 of Summit No. 4 lode and cor. No. 2 of Summit No. 5 lode, and cor. No. 2 of Summit No. 7 lode of this survey. Thence S. $0^{\circ} 20'$ W.
300.0	Lode line; discovery point bears S. $88^{\circ} 38'$ E., 110.0 feet dist.
398.0	Road running NW. and SE.
600.0	Cor. No. 3, identical with cor. No. 3 of Summit No. 3 lode and cor. No. 3 of Summit No. 5 lode and cor. No. 3 of Summit No. 6 lode of this survey. Thence S. $88^{\circ} 38'$ E.
1500.0	Cor. No. 4, identical with cor. No. 4 of Summit No. 6 lode of this survey, and on line 1-2, Summit No. 9 lode of this survey. Thence N. $0^{\circ} 20'$ E.
300.0	Lode line; discovery point bears N. $88^{\circ} 38'$ W., 1390.0 feet dist.
600.0	Cor. No. 1 and place of beginning.
SUMMIT NO. 9 LODE	
	At cor. No. 1 of Summit No. 9 lode on line 4-1 Summit No. 7 lode of this survey. Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd. Summit 9 Cor. 1--585 on East face; from which The NW. cor. of Sec. 2, T. 16 N., R. 72 W., 6th Prin. Mer. bears N. $56^{\circ} 23' 44''$ W., 5396.0 feet dist.

Survey No. 585

Feet	Thence S. 0° 20' W.
200.0	Cor. No. 1 of Summit No. 7 lode and cor. No. 1 of Summit No. 8 lode of this survey.
800.0	Cor. No. 4 of Summit No. 8 lode and cor. No. 4 of Summit No. 6 lode of this survey.
1400.0	Cor. No. 1 of Summit No. 6 lode of this survey.
1450.0	Road running NE. and SW.
1500.0	Cor. No. 2
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 9 Cor. 2--585 on North face
	Thence S. 88° 38' E.
300.0	Lode line; discovery point bears N. 0° 20' E., 100.0 feet dist.
600.0	Cor. No. 3.
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 9 Cor. 3--585 on West face
	Thence N. 0° 20' E.
1500.0	Cor. No. 4.
	Set a milled fir post 4 x 4 ins., 4 ft. long, 2 feet in the ground and in a mound of stone, mkd.
	Summit 9 Cor. 4--585 on South face
	Thence N. 88° 38' W.
300.0	Lode line; discovery point bears S. 0° 20' W., 1400.0 feet dist.
600.0	To cor. No. 1 and place of beginning.

AREAS

	Acres
Total Area, Summit No. 1 lode	20.66
Total Area, Summit No. 2 lode	20.66
Total Area, Summit No. 3 lode	20.66
Total Area, Summit No. 4 lode	20.66
Total Area, Summit No. 5 lode	20.66
Total Area, Summit No. 6 lode	20.66
Total Area, Summit No. 7 lode	20.66
Total Area, Summit No. 8 lode	20.66
Total Area, Summit No. 9 lode	20.66
Total Area, Summit Nos. 1 to 9 lodes inclusive	185.94

Survey No. 585

LOCATION

The survey is located in Sec. 2, T. 16.N., R. 72 W., of the 6th Prin. Mer.

This survey of Summit Nos. 1 to 9 lodes inclusive is identical with the respective amended locations as marked on the ground.

There are no local bearing objects or bearing trees available for marking as accessories to the corners in this area.

EXPENDITURES

The improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claims by the claimant or its grantors are as follows:

- | | |
|-------|---|
| No. 1 | The discovery shaft of Summit No. 1 lode, the center of which being the discovery point, is on the lode line 660.0 feet from a point on line 1-4, 300.0 feet from Cor. No. 1; 25.0 feet square, parallel with lode lines and 10.0 feet deep.
Value, \$660.19 |
| No. 1 | The discovery shaft of Summit No. 2 lode, the center of which being the discovery point is on the lode line 210.0 feet from a point on line 1-4; 300.0 feet from Cor. No. 1, 10.0 feet square, parallel with the lode lines and 10.0 feet deep.
Value, \$658.88 |
| No. 1 | The discovery shaft of Summit No. 3 lode, the center of which being the discovery point, is on the lode line 400.0 feet from a point on line 1-4; 300.0 feet from Cor. No. 1; 10.0 feet square, parallel with the lode lines and 10.0 feet deep.
Value, \$716.23 |
| No. 1 | The discovery shaft of Summit No. 4 lode, the center of which being the discovery point, is on the lode line 170.0 feet from a point on line 2-3; 300.0 feet from Cor. No. 2; 10.0 feet by 15.0 feet, parallel with the lode lines and 10.0 feet deep.
Value, \$686.03 |
| No. 1 | The discovery point of Summit No. 5 lode is on the lode line and in an excavation 100 feet parallel with line 1-4; 200 feet parallel with line 1-2, and 20 feet deep. Cor. No. 1 of said lode bears N. 21° 19' W., 271.0 feet dist. from the NW. cor. of said excavation.
Value, \$6724.20 |
| No. 1 | The discovery shaft of Summit No. 6 lode, the center of which being the discovery point, is on the lode line 125.0 feet from a point on line 2-3, 300.0 feet from Cor. No. 2, 10.0 feet by 15.0 feet, parallel with the lode lines and 10.0 feet deep.
Value, \$665.66 |
| No. 1 | The discovery shaft of Summit No. 7 lode, the center of which being the discovery point, is on the lode line 160.0 feet from a point on line 2-3, 300.0 feet from Cor. 2, 10.0 feet by 15.0 feet, parallel with the lode lines and 10.0 feet deep.
Value, \$677.48 |

Survey No. 585

- No. 1 The discovery shaft of Summit No. 8 lode, the center of which being the discovery point, is on the lode line 110.0 feet from a point on line 2-3, 300.0 feet from Cor. No. 2; 10.0 feet square, parallel with the lode lines and 10.0 feet deep.
Value, \$651.87
- No. 1 The discovery shaft of Summit No. 9 lode, the center of which being the discovery point, is on the lode line 100.0 feet from a point on line 2-3, 300.0 feet from Cor. No. 2; 10.0 feet by 15.0 feet, parallel with lode lines and 10.0 feet deep.
Value, \$765.42

OTHER IMPROVEMENTS

Roads for ingress and egress to the discovery cuts of Summit Nos. 1 to 9 lodes inclusive have been constructed.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

In order to verify the relative positions of the west boundary of Sec. 2, T. 16 N., R. 72 W., 6th Prin. Mer., Wyoming, and the lode claims as surveyed, the line between the identified original cors. of Secs. 2, 3, 10, 11, and Secs. 2 and 3 on the north boundary of Township was retraced and found to be N. 0° 08' 48" E., 98.44 chains instead of North, 97.29 chains as approved. Cor. No. 3 Summit No. 2 lode was found to be east 0.4 feet dist. from section line as determined.

FIELD ASSISTANTS

Name	Capacity
Wesley Nelson	Instrumentman
W. E. Grenier	Instrumentman
Henry Morgan	Assistant
C. L. Moir	Assistant
C. E. Peterson	Assistant

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

March 18, 19 57

I, W. L. Prouty

Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the

Office Cadastral Engineer, at Denver, Colorado

Amended survey order dated March 12, 1956

dated original survey order dated Dec. 14, 1955 have faithfully and correctly executed the survey of

the mining claim of The Monolith Portland Midwest Company

known as the Summit Nos. 1 to 9 lodes

(Lode, placer, or mill site)

situate in Section 2

T. 16 North, R. 72 West, 6th Principal Meridian, Wyoming, and

(State)

designated as Survey No. 585, which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made

upon or for the benefit of the lode location(s) embraced in the said mining claim by

(Lode or placer)

claimant(s) or its grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Denver, Colorado

(Place)

W. L. Prouty
(Mineral Surveyor)

CERTIFICATE OF APPROVAL

Survey Office

(Office)

Denver, Colorado

(Place)

April 10, 19 57

(Date)

The foregoing field notes of mineral survey No. 585, in

Section 2, T. 16 North, R. 72 West, 6th Principal Meridian,

Wyoming, executed by W.L. Prouty, Mineral Surveyor,

(State)

Original-December 14, 1955

under order dated Amended-March 12, 1956, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.

John S. Knowles
Office Cadastral Engineer

(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. _____ is a true copy of the original field notes.

(Title)

Original

AMENDED AND ADDITIONAL
NOTICE OF LOCATION OF MINING CLAIM

Notice is Hereby Given, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has re-

located and does claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: **Beginning at corner No. 1, from which corner the northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M., Albany County, Wyoming, bears N. 25° 37' 22" W., a distance of 3,454.53 feet; Thence N. 88° 38' W., a distance of 1500.0 feet to corner No. 2; Thence N. 0° 20' E., a distance of 600.0 feet to corner No. 3; Thence S. 88° 38' E., a distance of 1500.0 feet to corner No. 4; Thence S. 0° 20' W., a distance of 600.0 feet to corner No. 1, the point of beginning.**

This location shall be known as Summit No. 1 Claim
Claim on the Anorthosite
Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated
on the 23rd day of February, 1956

Monolith Portland Midwest Company
BY: D. R. Williams, Supt
State of Wyoming SS
County of Albany

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company, for the uses and purposes therein set forth.

I, S. Moyle, a Notary Public, in and for the County and the State aforesaid, do hereby certify that D. R. Williams, who is personally known to me to be the same person

My commission expires: 10-8-59
Given under my hand and notarial seal, this 23rd day of February, 1956.
(Notarial Seal)

STATE OF WYOMING
COUNTY OF ALBANY

S. W. Moyle
Notary Public

I, Minnie Pearson, Recorder of said Mining District, do hereby certify the foregoing to be a full, true, and correct copy of the amended and additional Summit No. 1 Lode Mining Claim as recorded on Page 264 of Book "56" of Mining Notices.

Photo Record

Located _____, 19_____
Recorded Febr. 25, 1956 Minnie C. Pearson
District Recorder.

By Marie C. Margau
Deputy

My term expires first Monday
January, 1959

Mining Claim Location

MINING DISTRICT

Summit No. 1

STATE OF WYOMING,

COUNTY OF Albany

} ss.

I hereby certify that this instrument was filed
for record in my office at nine o'clock
in the fore noon, on the 25 day
of February, A. D. 19 66,
and duly recorded in Book 66
of Photo Records, Page 264

Minnie C. Pearson

County Clerk and Ex Officio Register of Deeds.

Marie O. Morgan Deputy.

No. Fee, \$

AMENDED AND ADDITIONAL
NOTICE OF LOCATION OF MINING CLAIM

Notice is Hereby Given, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," ha.s.re-located and do... claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: Beginning at corner No. 1, from which corner the northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M., Albany County, Wyoming, bears N. 25° 37' 22" W., a distance of 3,454.53 feet; Thence N. 88° 38' W., a distance of 1500.0 feet to corner No. 2; Thence S. 0° 20' W., a distance of 600.0 feet to corner No. 3; Thence S. 88° 38' E., a distance of 1500.00 feet to corner No. 4; Thence N. 0° 20' E., a distance of 600.0 feet to corner No. 1, the point of beginning.

This location shall be known as Summit No. 2 Claim

Claim on the Anorthosite

Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated on the 23rd day of February, 1956

Monolith Portland Midwest Company
D. R. Williams, Supt
State of Wyoming
County of Albany) SS

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company for the uses and purposes therein set forth.

I, S. W. Moyle, a Notary Public, in and for the County and the State aforesaid, do hereby certify that D. R. Williams, who is personally known to me to be the same person

My commission expires: 10-8-59
Given under my hand and notarial seal, this 23rd day of February, 1956.

STATE OF WYOMING
COUNTY OF ALBANY

S. W. Moyle
Notary Public

I, Minnie Pearson, Recorder of said Mining District, do hereby certify the foregoing to be a full, true, and correct copy of the amended and additional Notice of Location of Summit No. 2

Lode Mining Claim as recorded on Page 265 of Book "66" of Mining Notices. Photo Records

Located, 19...
Recorded Febr 25, 1956 Minnie C. Pearson District Recorder.

My term expires first Monday
January, 1959

By Marie C. Morgan
Deputy

Mining Claim Location

MINING DISTRICT

Summit No. 2

STATE OF WYOMING,
COUNTY OF Albany } ss.

I hereby certify that this instrument was filed
for record in my office at nine o'clock
in the fore noon, on the 25 day
of February, A. D. 19 56
and duly recorded in Book 66

of Photo Records, Page 265
Minnie C. Pearson
County Clerk and Ex Officio Register of Deeds.

Maris C. Morgan Deputy.
No. _____ Fee, \$ _____

AMENDED AND ADDITIONAL
NOTICE OF LOCATION OF MINING CLAIM

Notice is Hereby Given, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: Beginning at corner No. 1, from which corner the northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M., Albany County, Wyoming, bears N. 19° 0' 52" W., a distance of 4563.87 feet; Thence S. 88° 38' E., a distance of 1500.0 feet to corner No. 2; Thence N. 0° 20' E., a distance of 600.0 feet to corner No. 3; Thence N. 88° 38' W., a distance of 1500.0 feet to corner No. 4; Thence S. 0° 20' W., a distance of 600.0 feet to corner No. 1, the point of beginning.

This location shall be known as Summit No. 3 Claim Claim on the Anorthosite Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated on the 23rd day of February, 1956.

Monolith Portland Midwest Company
D. R. Williams, Supt
BY: *D. R. Williams*, Supt
State of Wyoming) SS
County of Albany)

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company, for the uses and purposes therein set forth.

I, *S. Moyle*, a Notary Public, in and for the County and the State aforesaid, do hereby certify that D. R. Williams, who is personally known to me to be the same person

My commission expires: 10-8-59
Given under my hand and notarial seal, this 23rd day of February, 1956.
(Notarial Seal)
S. W. Moyle
Notary Public

STATE OF WYOMING
COUNTY OF ALBANY

I, Minnie Pearson, Recorder of said Mining District, do hereby certify the foregoing to be a full, true, and correct copy of the amended and additional Notice of Location of Summit No. 3 Lode Mining Claim as recorded on Page 266 of Book "66" of Mining Notices. Located 19, 1956 Recorded Febr 25, 1956 Minnie C. Pearson District Recorder.

My term expires first Monday
January, 1959

By Marie C. Morgan
By Deputy



Mining Claim Location

.....
MINING DISTRICT

.....
Summit No. 3
.....
.....

STATE OF WYOMING, }
COUNTY OF Albany } ss.

I hereby certify that this instrument was filed
for record in my office at..... nine.....o'clock
in the..... fore.....noon, on the..... 25.....day
of..... February....., A. D. 19..... 56
and duly recorded in Book..... 66.....
of..... Photo Records....., Page..... 266.....

.....
Minnie C. Pearson
County Clerk and Ex Officio Register of Deeds.

Marie C. Margau Deputy.

No..... Fee, \$.....

AMENDED AND ADDITIONAL

NOTICE OF LOCATION OF MINING CLAIM

Notice is Hereby Given, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," ha^s re-

located and do^{es} claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

Beginning at corner No. 1, from which corner the

The description of this claim is as follows: the northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M., Albany County, Wyoming bears N. 25° 37' 22" W., a distance of 3,454.53 feet; Thence S. 88° 38' E., a distance of 1500.0 feet to corner No. 2; Thence No 0° 20' E., a distance of 600.0 feet to corner No. 3; Thence N. 88° 38' W., a distance of 1500.00 feet to corner No. 4; Thence S. 0° 20' W., a distance of 600.0 feet to corner No. 1, the point of beginning.

This location shall be known as Summit No. 4 Claim

Claim on the Anorthosite

Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated

on the 23rd day of February, 1956

Monolith Portland Midwest Company

EX: B. R. Williams, Supt. Williams, Supt.

State of Wyoming) SS
County of Albany)

I, S. W. Noyle, a Notary Public, in and for the County and the State aforesaid, do hereby certify that B. R. Williams, who is personally known to me to be the same person

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company, for the uses and purposes therein set forth.

My commission expires: 10-8-59
Given under my hand and notarial seal, this 23rd day of February, 1956.

S. W. Noyle (Notarial Seal)
Notary Public

STATE OF WYOMING

COUNTY OF ALBANY

I, Minnie Pearson, Recorder of said Mining District, do hereby certify

amended and additional Notice of Location of Summit No. 4

Lode Mining Claim as recorded on Page 267 of Book "66" of Mining Notices. Photo Record s

Located, 19

Recorded February 25, 1956 Minnie C. Pearson District Recorder.

My term expires first Monday January, 1959

By Marie C. Morgan Deputy

Mining Claim Location

MINING DISTRICT

Summit No. 4

STATE OF WYOMING, }
COUNTY OF Albany } ss.

I hereby certify that this instrument was filed for record in my office at nine o'clock in the fore noon, on the 25 day of February, A. D. 19 56 and duly recorded in Book 66

of Photo Records, Page 267

Minnie C. Pearson
County Clerk and Ex Officio Register of Deeds.

Maria C. Morgan Deputy.

No. Fee, \$

AMENDED AND ADDITIONAL

NOTICE OF LOCATION OF MINING CLAIM

Notice is hereby given, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has re-

located and does claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: Beginning at corner No. 1, from which corner the northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M., Albany County, Wyoming, bears N. 25° 37' 22" W., a distance of 3,454.53 feet; Thence S. 88° 38' E., a distance of 1500.0 feet to corner No. 2; Thence S. 0° 20' W., a distance of 600.0 feet to corner No. 3; Thence N. 88° 38' W., a distance of 1500.0 feet to corner No. 4; Thence N. 0° 20' E., a distance of 600.0 feet to corner No. 1, the point of beginning.

This location shall be known as Summit No. 5 Claim

Claim on the Anorthosite

Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated on the 23rd day of February, 1956

Monolith Portland Midwest Company
D. R. Williams, Supt
BY: D. R. Williams, Supt
State of Wyoming) SS
County of Albany)

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company, for the uses and purposes therein set forth.

I, S. W. Koyle, a Notary Public, in and for the County and the State aforesaid, do hereby certify that D. R. Williams, who is personally known to me to be the same person

My commission expires: 10-8-59
Given under my hand and notarial seal, this 23rd day of February, 1956
S. W. Koyle
Notary Public

STATE OF WYOMING
COUNTY OF ALBANY

I, Minnie Pearson, Recorder of said Mining District, do hereby certify amended and additional Summit No. 5

the foregoing to be a full, true, and correct copy of the Notice of Location of Lode Mining Claim as recorded on Page 268 of Book "66" of Photo Records Mining Notices

Located, 19, 19

Recorded Febr. 25, 1956 Minnie C. Pearson

District Recorder.

By Marie C. Morgan Deputy

My term expires first Monday January, 1959

Mining Claim Location

MINING DISTRICT

Summit No. 5

STATE OF WYOMING,

COUNTY OF Albany

ss.

I hereby certify that this instrument was filed for record in my office at nine o'clock in the forenoon, on the 25 day of Febr., A. D. 1956, and duly recorded in Book 66 of Photo Records, Page 268.

Minnie C. Pearson

County Clerk and Ex Officio Register of Deeds.

Maria C. Morgan Deputy.

No. Fee, \$.



Mining Claim Location

MINING DISTRICT

Summit No. 6

STATE OF WYOMING, }
COUNTY OF Albany } ss.

I hereby certify that this instrument was filed
for record in my office at 25 nine o'clock
in the fore noon, on the 25 day
of February, A. D. 1956,
and duly recorded in Book 66
of Photo Records, Page 269.

Minnie C. Pearson
County Clerk and Ex Officio Register of Deeds.

Marie C. Morgan Deputy.

No. _____ Fee, \$ _____

AMENDED AND ADDITIONAL
NOTICE OF LOCATION OF MINING CLAIM

Notice is ~~Hereby Given~~, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has re-

located and do^{es} claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

Beginning at corner No. 1 from which corner the

The description of this claim is as follows:

northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M. Albany County, Wyoming bears N. 54° 39' 22" W., a distance of 5508.26 feet; Thence N. 88° 38' W., a distance of 1500.0 feet to corner No. 2; Thence N. 0° 20' E., a distance 600.0 feet to corner No. 3; Thence S. 88° 38' E., a distance of 1500.0 feet to corner No. 4; Thence S. 0° 20' W., a distance of 600.0 feet to corner No. 1, the point of beginning.

This location shall be known as Summit No. 7 Claim

Claim on the Apothosite

Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated
on the 23rd day of February, 1956.

Monolith Portland Midwest Company

BY: D. R. Williams, Supt.
State of Wyoming) SS
County of Albany)

I. S. Moyle, a Notary Public, in and for the County and the State aforesaid, do hereby certify that D. R. Williams, who is personally known to me to be the same person

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company for the uses and purposes therein set forth.

10-8-59

My commission expires: _____
Given under my hand and notarial seal, this 23rd day of February, 1956

S. W. Moyle (Notarial Seal)
Notary Public

STATE OF WYOMING
COUNTY OF ALBANY

I, Minnie Pearson, Recorder of said Mining District, do hereby certify the foregoing to be a full, true, and correct copy of the Amended and additional Notice of Location of Summit No. 7

Lode Mining Claim as recorded on Page 270 of Book "66" of Photo Records of Mining Notices.

Located....., 19....., 19.....

Recorded Febr. 25, 1956 Minnie C. Pearson District Recorder.

My term expires first Monday
January 1957

By Mavis C. Morgan
Deputy



Mining Claim Location

MINING DISTRICT

Summit No. 7

STATE OF WYOMING,

COUNTY OF Albany

} ss.

I hereby certify that this instrument was filed for record in my office at nine o'clock in the fore noon, on the 25 day of Febr. 25, A. D. 19 56 and duly recorded in Book 66 of Photo Records, Page 270

Minnie C. Pearson County Clerk and Ex Officio Register of Deeds.

Maria C. Morgan Deputy.

No. Fee, \$

AMENDED AND ADDITIONAL

NOTICE OF LOCATION OF MINING CLAIM

Notice is hereby given, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do... claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: Beginning at corner No. 1, from which corner the northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M., Albany County, Wyoming bears N. 54° 39' 22" W., a distance of 5508.26 feet; Thence N. 88° 38' W., a distance of 1500.0 feet to corner No. 2; Thence S. 0° 20' W., a distance of 600.0 feet to corner No. 3; Thence S. 88° 38' E., a distance of 1500.0 feet to corner No. 4; Thence N. 0° 20' E., a distance of 600.0 feet to corner No. 1, the point of beginning.

This location shall be known as Summit No. 8 Claim

Claim on the Anorthosite

Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated on the 23rd day of February, 1956.

Monolith Portland Midwest Company

BY: D. R. Williams, Supt (State of Wyoming) ES (County of Albany)

I, S. W. Moyle, a Notary Public, in and for the County and the State aforesaid, do hereby certify that D. R. Williams, who is personally known to me to be the same person

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company, for the uses and purposes therein set forth.

10-8-59

My commission expires: Given under my hand and notarial seal, this 23rd day of February, 1956. (Notarial Seal)

S. W. Moyle Notary Public

STATE OF WYOMING } COUNTY OF ALBANY }

I, Minnie Pearson, Recorder of said Mining District, do hereby certify

the foregoing to be a full, true, and correct copy of the Amended and additional Notice of Location of Summit No. 8 Lode Mining Claim as recorded on Page 271 of Book "66" of Mining Notices

Located, 19, 19

Recorded, Febr. 25, 1956, Minnie C. Pearson District Recorder.

My term expires first Monday January, 1959

By Marie C. Morgan Deputy

Mining Claim Location

MINING DISTRICT

Summit No. 8

STATE OF WYOMING, }
County of Albany } ss.

I hereby certify that this instrument was filed
for record in my office at nine o'clock
in the fore noon, on the 25 day
of Photo Records, A. D. 19.....,
and duly recorded in Book 66.....
of Photo Records, Page 271.....

Minnie C. Pearson
County Clerk and Ex Officio Register of Deeds.

Mavis C. Morgan Deputy.

No. Fee, \$.....

AMENDED AND ADDITIONAL

NOTICE OF LOCATION OF MINING CLAIM

Notice is Hereby Given, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has re-located and do claim for mining purposes fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: Beginning at corner No. 1, from which corner the northwest corner of Section 2, Township 16 North, Range 72 West of the Sixth P.M., Albany County, Wyoming bears N. 56° 23' 44" W., a distance of 5396.0 feet; Thence S. 0° 20' W., a distance of 1500.0 feet to corner No. 2; Thence S. 88° 38' E., a distance of 600.0 feet to corner No. 3; Thence N. 0° 20' E., a distance of 1500.0 feet to corner No. 4; Thence N. 88° 38' W., a distance of 600.0 feet to corner No. 1, the point of beginning.

This location shall be known as Summit No. 9 Claim Claim on the Anorthosite Lode and located by J. H. Coulthard on the 29th day of August, 1944 and relocated on the 23rd day of February, 1956

Monolith Portland Midwest Company BY: D. R. Williams, Supt (State of Wyoming) SS (County of Albany)

I, S. W. Noyle, a Notary Public, in and for the County and the State aforesaid, do hereby certify that D. R. Williams, who is personally known to me to be the same person

whose name is subscribed to the foregoing instrument, appeared before me this day and acknowledged that he signed, sealed, and delivered the foregoing instrument, as Superintendent of Monolith Portland Midwest Company for the uses and purposes therein set forth.

10-8-59

My commission expires: Given under my hand and notarial seal, this 23rd day of February, 1956. (Notarial Seal) S. W. Noyle Notary Public

STATE OF WYOMING } COUNTY OF ALBANY }

I, Minnie Pearson, Recorder of said Mining District, do hereby certify amended and additional the foregoing to be a full, true, and correct copy of the Notice of Location of Summit No. 9

Lode Mining Claim as recorded on Page 272 of Book "66" of Mining Notices. Photo Records

Located, 19, 19. Recorded, Febr 25, 1956, Minnie C. Pearson District Recorder.

My term expires first Monday January, 1956

By Marie C. Morgan Deputy

Mining Claim Location

MINING DISTRICT

Summit No. 9

STATE OF WYOMING,

COUNTY OF Albany

ss.

I hereby certify that this instrument was filed for record in my office at nine o'clock in the fore noon, on the 25 day of Febr., A. D. 1956 and duly recorded in Book 66 of Photo Records, Page 272

Minnie C. Pearson
County Clerk and Ex Officio Register of Deeds.

Marie C. Morgan Deputy.

No. _____ Fee, \$ _____

#23348⁴5

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows:

In Section two (2), Township Sixteen (16), North Range Seventy-two (72), West of the Sixth P.M. in Albany County, Wyoming. From the discovery shaft, which is located at a point ~~which is 2912.71 feet South 17° 51 minutes East of the Northwest corner of said Section two (2), this claim extends a distance of 661 feet Easterly and 839 feet Westerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.~~

Date of Discovery July 22nd, 1944

*in Q
mining
well*

This location shall be known as SUMMIT #1
Claim on the Anorthosite
Lode and located by the undersigned
on the 29th day of August, 19 44
J.H. Coulthard
Witness E. J. Voss

Filed for record this 29th day of August, 19 44, at 4:30 o'clock, P. M.

93

STATE OF WYOMING)
) SS'
COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining Claim as same was filed in this office at 4:30 o'clock P M. on the 29th day of August A.D. 1944, being instrument No. 233484 and recorded in Book 310, page 631.

Witness my hand and official seal at Laramie, Wyoming this 1 day of December 1955.

My Term Expires
1st Monday 1959.

MINNIE C. PEARSON, County Clerk

By: Delores Kelly ass't.

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do hereby claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows:

In Section two (2) Township Sixteen (16) North Range Seventy-two (72) West of the Sixth P. M. in Albany County, Wyoming. From the discovery shaft, which is located at a point which is 3632.28 feet South 21° 3 minutes East of the Northwest corner of said Section two (2) this claim extends 211 feet Easterly and 1289 feet Westerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd 1944

*FILE
MINING
TITLE*

This location shall be known as Summit #2

Claim on the Anorthosite

Lode and located by the undersigned

on the 29th day of August, 1944

J. H. Coulthard

Witness E. J. Voss

Filed for record this 29th day of August, 1944, at 4:30 o'clock, P M.

95

STATE OF WYOMING)
) SS
COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining Location as same was filed in this office at 4:30 o'clock P M. on the 29th day of August A.D. 19 55, being instrument No. 233485 and recorded in Book 310, page 631.

Witness my hand and official seal at Laramie, Wyoming this 1st day of December 19 55

My Term Expires
1st Monday 1959.

MINNIE C. PEARSON, County Clerk

By: Selma Kelly ass't.

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has ^{ve} located and do ^{es} claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows:

In Section two (2) Township Sixteen (16) North Range Seventy-two (72) West of the Sixth P. M. in Albany County Wyoming. From the discovery shaft, which is located at a point which is 4445.80 feet South 25° 59 minutes East of the Northwest corner of said Section two (2) this claim extends 1071 feet Easterly and 429 feet Westerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd 1944

This location shall be known as Summit # 3

Claim on the Anorthosite

Lode and located by the undersigned

on the 29th day of August, 1944

J. H. Coulthard

Witness E. J. Voss

Filed for record this 29th day of August, 1944, at 4:30 o'clock, P. M.

*MA
EXAMINED
New*

98

STATE OF WYOMING)
) SS
COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining Location as same was filed in this office at 4:30 o'clock P M. on the 29th day of August A.D. 1944, being instrument No. 233486 and recorded in Book 310, page 632.

Witness my hand and official seal at Laramie, Wyoming this 1 day of December 1955.

My Term Expires
1st Monday 1959.

MINNIE C. PEARSON, County Clerk

By: Selma Shely ass't.

#233487

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows:

In Section two (2) township Sixteen (16) North Range Seventy-two (72) West of the Sixth P. M. in Albany County, Wyoming From the discovery shaft, which is located at a point which is 3992.89 feet South 45° 21 minutes East of the Northwest corner of said Section two (2) this claim extends 172 feet Easterly and 1328 feet West-erly said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd 1944

*M. O.
CLARK
M. W.*

This location shall be known as Summit # 4

Claim on the Anorthosite

Lode and located by the undersigned

on the 29th day of August, 1944

J. H. Coulthard

Witness B. J. Voss

Filed for record this 29th day of August, 1944 at 4:30 o'clock, P. M.

66
99

100

STATE OF WYOMING)
) SS
COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining location as same was filed in this office at _____ o'clock _____ M. on the 29th day of August A.D. 19 44, being instrument No. 233487 and recorded in Book 370 page 632.

Witness my hand and official seal at Laramie, Wyoming this 1st day of December 19 55.

My Term Expires
1st Monday 1959.

MINNIE C. PEARSON, County Clerk
By: Delores Kelly ass't.

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows:

In Section two (2) Township Sixteen (16) North Range Seventy-two (72) West of the Sixth P.M. in Albany County, Wyoming. From the discovery shaft, which is located at a point which is 3770.58 feet South 25° 51 minutes East of the Northwest corner of said Section two (2) this claim extends 1372 feet Easterly and 128 feet Westerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd 1944

M. W.
 EXAMINED
M. W.

This location shall be known as Summit # 5

Claim on the Anorthosite

Lode and located by the undersigned

on the 29th day of August, 19 44

J. H. Coulghard

Witness E. J. Yoss

Filed for record this 29th day of August, 19 44 at 4:30 o'clock, P. M.

STATE OF WYOMING)
) SS
 COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining location as same was filed in this office at 4:30 o'clock P. M. on the 29th day of August A.D. 1944, being instrument No. 233488 and recorded in Book 310, page 633.

Witness my hand and official seal at Laramie, Wyoming this 1st day of December 1955.

My Term Expires
 1st Monday 1959.

MINNIE C. PEARSON, County Clerk

By: Silvius Kelly ass't.

NOTICE OF LOCATION OF MINING CLAIM

M.S.
SEARCHED
FILED

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows:

In Section two (2) Township Sixteen (16) North Range Seventy-two (72) West of the Sixth P. M. in Albany County, Wyoming. From the discovery shaft, which is located at a point which is 5093.09 feet South 38° 5 minutes East of the Northwest corner of said Section two (2) this claim extends 1377 feet Easterly and 123 feet Westerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd, 1944

This location shall be known as..... Summit # 6.....

..... Claim on the..... Anorthosite.....

Lode and located by..... the undersigned.....

..... on the..... 29th..... day of..... August....., 19..... 44

..... J. H. Coulthard.....

Witness E. J. Voss.....

Filed for record this..... 29th..... day of..... August....., 19..... 44, at..... 4:30..... o'clock, P..... M.

103

STATE OF WYOMING)
) SS
COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said
County and State aforesaid, do hereby certify that the foregoing
is a full, true and complete copy of a Mining Location
as same was filed in this office at 4:30 o'clock P M. on
the 29th day of August A.D. 19 44, being
instrument No. 233489 and recorded in Book 310
page 633.

Witness my hand and official seal at Laramie, Wyoming this
1st day of December 19 55.

My Term Expires
1st Monday 1959.

MINNIE C. PEARSON, County Clerk
By: Lucas Hally ass't.

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and do claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: In Section two (2), Township Sixteen (16), North Range Seventy-two, (72), West of the Sixth P. M. in Albany County, Wyoming.

From the discovery shaft, which is located at a point which is 4236.26 feet South 48° 27 minutes East of the Northwest corner of said Section two (2), this claim extends 1342 feet Easterly and 158 feet Westerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd, 1944

*M.S.
DAMES
New*

This location shall be known as Summit #7

Claim on the Anorthosite

Lode and located by the undersigned

on the 29th day of August, 19 44

J. H. Coulthard

Witness: E. J. Voss

Filed for record this 29th day of August, 19 44, at 4:30 o'clock, P. M.

Recorded by M. Detl

STATE OF WYOMING)
) SS
COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining location as same was filed in this office at 4:30 o'clock P M. on the 29th day of August A.D. 1944, being instrument No. 233490 and recorded in Book 310 page 634.

Witness my hand and official seal at Laramie, Wyoming this 1 day of December 1955.

My Term Expires
1st Monday 1959.

MINNIE C. PEARSON, County Clerk

By: Selma Hally ass't.

#233491

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has ^s located and do ^{es} claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows:

In Section two (2), Township Sixteen (16), North Range Seventy-two (72), West of the Sixth P. M. in Albany County, Wyoming.

From the discovery shaft, which is located at a point which is 4627.56 feet south 42° 33 minutes East of the Northwest corner of ^{said} Section two (2), this claim extends 1386 feet Easterly and 114 feet Westerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd, 1944.

This location shall be known as Summit #8

Claim on the Anorthosite

Lode and located by the undersigned

on the 29th day of August, 1944

J. H. Coulthard

Witness: E. J. Voss

Filed for record this 29th day of August, 1944, at 4:30 o'clock, P. M.

Recorded by M. Detl

X 8 CLAIMED McW

107

STATE OF WYOMING)
) SS
 COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining location as same was filed in this office at 4:30 o'clock P. M. on the 29th day of August A.D. 1944, being instrument No. 233491 and recorded in Book 310, page 634.

Witness my hand and official seal at Laramie, Wyoming this 1st day of December 1955.

My Term Expires
 1st Monday 1959.

MINNIE C. PEARSON, County Clerk

By: Delores Holly ass't.

NOTICE OF LOCATION OF MINING CLAIM

NOTICE IS HEREBY GIVEN, That the undersigned, in pursuance of the provisions of the act of Congress of May 10, 1872, entitled "An act to promote the development of the mining resources of the United States," has located and does claim for mining purposes, fifteen hundred (1,500) feet in length along or on this mineral lode, vein, or deposit, with a width of three hundred (300) feet on each side of the middle of the vein at the surface; together with all the dips, spurs, angles and variations; also all timber within the limits of this claim, and all water rights incident and appurtenant.

The description of this claim is as follows: **In Section two (2), Township Sixteen (16), North Range Seventy-two (72), West of the Sixth P. M. in Albany County, Wyoming.**

From the discovery shaft, which is located at a point which is 6440.76 feet South 48° 26 minutes East of the Northwest corner of said Section two (2), this claim extends 1400 feet Northerly and 100 feet Southerly, said claim is 600 feet in width being 300 feet on each side of the center line and of the discovery shaft.

Date of discovery July 22nd 1944

*M.D.
EXAMINED
New*

This location shall be known as Summit #9

Claim on the Anorthosite

Lode and located by the undersigned

on the 29th day of August, 1944

J. H. Coulthard

Witness: E. J. Voss

Filed for record this 29th day of August, 1944, at 4:30 o'clock, P. M.
Recorded by M. Deti

STATE OF WYOMING)
) SS
COUNTY OF ALBANY)

I, Minnie C. Pearson, County Clerk, within and for said County and State aforesaid, do hereby certify that the foregoing is a full, true and complete copy of a Mining Location as same was filed in this office at 4:30 o'clock P M. on the 29th day of August A.D. 19 44, being instrument No. 233492 and recorded in Book 310, page 635.

Witness my hand and official seal at Laramie, Wyoming this 1 day of December 19 55.

My Term Expires 1st Monday 1959. MINNIE C. PEARSON, County Clerk

By: Delores Hally ass't.

The Director, Bureau of Land Management, and the manager of the appropriate land office must be notified of the approval of each mineral survey, using this form or Form 4-286a.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Denver, Colorado April 10, 1957
(Place and date)

Survey Office
Cheyenne, Wyoming

SIR: The following-described mineral survey was approved on April 10, 1957:

Number of survey	585	; name and area of claim		acres;
Summit No. 1 Lode	20.66	acres;	Summit No. 6 Lode	20.66 acres;
Summit No. 2 Lode	20.66	acres;	Summit No. 7 Lode	20.66 acres;
Summit No. 3 Lode	20.66	acres;	Summit No. 8 Lode	20.66 acres;
Summit No. 4 Lode	20.66	acres;	Summit No. 9 Lode	20.66 acres;
Summit No. 5 Lode	20.66	acres;		acres;

This survey is actually in conflict with the following-approved mineral survey (s) listed by name and survey number, as marked, defined, and established on the ground
None


Applicant for survey (name and address) Honolith Portland Midwest Company, Laramie, Wyoming
Survey made by W. L. Prouty, Mineral Surveyor.

The following legal subdivisions are covered in whole or in part by this survey, if situated on surveyed lands: SE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, NW $\frac{1}{4}$, NE $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, S $\frac{1}{2}$ of Sec. 2, T. 16 N., R. 72 W., 6th Principal Meridian, Wyoming

The survey is shown on the diagram below, sketched as actually marked, defined, and established on the ground with respect to the lines of the public-land surveys; data relating to courses and distances have been omitted.

NOTE.—This sketch will be made in each case where upon surveyed land, whether or not there are any conflicting approved mineral surveys. Conflicting mineral surveys, however, will not be shown upon the sketch.

Section _____, Township _____, Range _____ Section 2, Township 16 N., Range 72 W.



John S. Knowles
John S. Knowles
Office Cadastral Engineer

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

.....
....., 19

Report of approval of mineral survey

No., for the

..... claims.

RDP B;A227/DATA/WY-MIN

Read Data Base ; A227/DATA/WY-MIN.ASP

Title: CADASTRAL 5 RECORDS

Author: Elizabeth Riley

Created 02/22/96 9:24 AM by Elizabeth Riley

Last modified 02/22/96 9:25 AM by Elizabeth Riley

Number of CADASTRAL 5 RECORDS in Data Base: 7,241 total, 0 hidden, 7,241 net.

Data Base totals 123,811 words. 25 data elements and 1 abbreviation have been defined.

27 modifications have been made to this Data Base.

Enter next command:

RDB;A227/DATA/I WY-RECT
Read Data Base ; A227/DATA/WY-RECT.ASP

Title: CADASTRAL 1 RECORDS
Author: Elizabeth Riley
Created 02/22/96 9:10 AM by Elizabeth Riley
Last modified 02/22/96 9:24 AM by Elizabeth Riley

Number of CADASTRAL 1 RECORDS in Data Base: 135,307 total, 0 hidden, 135,307
net.

Data Base totals 2,278,118 words. 24 data elements and 1 abbreviation have been
defined.

26 modifications have been made to this Data Base.

Enter next command: P;(E3;E10;E11;E4;E5;E12;E13;E24) FOR E24=(MELDRUM)
Print ; (VOLUME NUMBER ; INTRO PAGES FROM ; INTRO PAGES -TO ; SURVEY PAGES
FROM ; SURVEY PAGES -TO ; CERT PAGES FROM ; CERT PAGES -TO ; E24)
*** ERROR: illegal element name.

Enter next command:

PLAST FOR R

Print ; LAST FOR Result

QUERY RESPONSE: 123 out of 7,241 CADASTRAL 5 RECORDS, or 1.70 %

VOLUME/SURVEY/SURVEY PAGES -TO

M0038	0001	0042
	0043	0055
	0056	0213
	0214	0434

4 combinations of values were found. 119 duplicate combinations of values were found.

4 lines of print were produced.

Enter next command:

\$\$ 0200 YOU ARE DISCONNECTED: 0059

\$\$ 5500 YOU ARE LOGGED OUT

\$\$ 0900 BYE

Remote server has closed connection

Enter next command: P; (E3;E10;E11;E4;E5;E12;E13;E24) FOR E24=(MELDRUM)
Print ; (VOLUME NUMBER ; INTRO PAGES FROM ; INTRO PAGES -TO ; SURVEY PAGES
FROM ; SURVEY PAGES -TO ; CERT PAGES FROM ; CERT PAGES -TO ; SURVEYOR) FOR
SURVEYOR = (MELDRUM)

QUERY RESPONSE: 43 out of 135,307 CADASTRAL 1 RECORDS, or 0.03 %

VOLUME/INTRO /INTRO /SURVEY/SURVEY/CERT P/CERT P/SURVEYOR

M0031	0001	0001	0002	0002	0042	0042	MELDRUM
			0004	0004	0042	0042	MELDRUM
			0007	0007	0042	0042	MELDRUM
	0056	0056	0057	0057	0107	0107	MELDRUM
			0106	0106	0107	0107	MELDRUM
	0214	0214	0215	0215	0309	0309	MELDRUM
			0225	0225	0309	0309	MELDRUM
M0034	0128	0128	0129	0129	0169	0169	MELDRUM
			0137	0138	0169	0169	MELDRUM
			0145	0145	0169	0169	MELDRUM
	0205	0205	0219	0221	0222	0222	MELDRUM
M0039	0001	0001	0002	0002	0029	0029	MELDRUM
			0006	0008	0029	0029	MELDRUM
	0044	0044	0072	0074	0075	0075	MELDRUM
	0100	0100	0148	0153	0154	0154	MELDRUM
	0195	0195	0223	0223	0227	0227	MELDRUM
M0040	0226	0226	0280	0280	0281	0281	MELDRUM
M0041	0045	0045	0117	0119	0121	0121	MELDRUM
M0042	0001	0001	0005	0006	0173	0173	MELDRUM
			0070	0070	0173	0173	MELDRUM
			0073	0073	0173	0173	MELDRUM
			0077	0077	0173	0173	MELDRUM
			0128	0129	0173	0173	MELDRUM
			0170	0172	0173	0173	MELDRUM
M0043	0001	0001	0080	0081	0083	0083	MELDRUM
	0253	0253	0280	0280	0282	0282	MELDRUM
M0044	0001	0001	0038	0038	0040	0040	MELDRUM
	0095	0095	0312	0323	0325	0325	MELDRUM
			0320	0321	0325	0325	MELDRUM
			0321	0322	0325	0325	MELDRUM
M0045	0001	0001	0016	0016	0018	0018	MELDRUM
	0041	0041	0078	0079	0081	0081	MELDRUM
M0046	0001	0001	0012	0013	0014	0014	MELDRUM
	0025	0025	0035	0035	0037	0037	MELDRUM
M0047	0360	0360	0381	0383	0385	0385	MELDRUM
			0382	0382	0385	0385	MELDRUM
	0446	0446	0465	0466	0468	0468	MELDRUM
M0049	0001	0001	0020	0021	0023	0023	MELDRUM
	0045	0045	0085	0087	0090	0090	MELDRUM

39 combinations of values were found. 4 duplicate combinations of values were found.

39 lines of print were produced.

Enter next command: